CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

CUMULATIVE AUTHOR AND SUBJECT INDEX

Volumes 31-42

(Covering 1972)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

1973

3 new Ciba Foundation Publications

Ontogeny of Acquired Immunity

A Symposium on Ontogeny of Acquired Immunity, held at the Ciba Foundation, London, 25th–27th November, 1970

1971. 356 pages
Dfl. 35.00 (ca. $11.50)
ISBN 90 219 4003 1

Contents:

Chairman's introduction (F. L. Crosby). What provides clonal selection? (G. J. V. Nossal). Immunological maturation in the foetus: modulation of the pathogenesis of congenital infectious diseases (A. M. Wilkinson). The origins and development of lymphocyte populations (G. J. V. Nossal). Ontogeny of components of complement and lysozyme (M. Adinolfi). Allotype suppression (S. Dray). Development of cellular immune competence in mice (D. P. Stites, J. Wybran, M. C. Carr and H. H. Fudenberg). The role of serum factors ('blocking antibodies') in modulation of immunological non-reactivity to cellular antigens (E. E. Hellström and I. Hellström). Concerning the theme as a graft site and the fetus as a semi-allogeneic transplant (A. E. Boyse and E. E. Billingham). Some factors influencing the survival of allogeneic transplantation in a genetically determined system: fa in the mouse (M. J. Hellier). Genetic dissection of the complement system (F. J. Lachmann). Defects in immunological development in mice (F. S. Rosen). Treatment of inherited deficiency disease with bone marrow and cryopreservation (D. W. van Bekkum and K. A. Dicke). Foetal thymus transplants in mice (H. R. M. Kay). Reaction to antigen by human foetal thymus lymphocytes (A. E. Hayward and J. F. Southill). Index of Contributors. Subject Index.

Pathogenic Mycoplasmas

A Symposium on Pathogenic Mycoplasmas, held at the Ciba Foundation, London, 25th–27th January 1971

1971. 464 pages
Dfl. 49.00 (ca. $16.50)
ISBN 90 219 4004 X

Contents:

Introduction: Principles of 'viral-like' (H. W. Fisk). Mycoplasmas as pathogens (L. Hayflick). Comparison between the structure of animal and plant mycoplasmas: extracellular and intracellular mycoplasmas (E. W. Horne). Cytology of the mycoplasmas (J. Maniloff). Immunochemistry of mycoplasma membranes (S. Razin, I. Kahane and J. Kopecky). Macromolecular synthesis and growth of mycoplasmas (A. W. Bedford, V. E. Peterson and E. S. Rodwell). Isolation and characterization of mycoplasma viruses (R. N. Gourlay). Isolation of mycoplasmas and their rapid identification by plate spot immunofluorescence (M. F. Barile and R. A. Del'Guidice). Isolation and growth of clinical mycoplasmas (F. Kuhn, D. Leibfried, M. L'Hospital, G. Dupont and J.-M. Bové). Current status of the aetiology of cell mutant forms (R. E. Davis, R. F. Whitcomb, T. A. Chen and R. R. Grunedau). Infectious heredity in *Spiroplasma polare* (L. Ehrman and R. P. Kernaghan). Pathogenic mycoplasmas in rheumatoid arthritis? (M. M. Williams). The role of mycoplasmas in the production of pneumonia in the pig (P. Whittlestone). Mixed infections: the interaction of mycoplasmas and rubella parasites (J. G. Tully and T. I. Mitamura). General Discussion I. Pathogenesis of *Mycoplasma pneumoniae* infection as studied in the human host, and also in organ cultures (A. M. Collier). Interaction between mycoplasmas and respiratory viruses studied in human organ cultures (R. E. Reed). Cell-mediated immunity and the response to mycoplasmas (D. Taylor-Robinson, F. W. Denny, A. C. Allison, G. W. Thompson and G. Taylor). General Discussion II. Chairman's Closing Remarks. Index of Contributors. Subject Index.

Polymerization in Biological Systems

Ciba Foundation Symposium

1971. 384 pages
Dfl. 49.00 (ca. $15.50)
ISBN 90 219 4005 8

Contents:

Introduction: the chairman (S. Timasheff). Symposium lectures, discussions and brief papers (M. Sveen and C. Rosenberg). Introduction to the chemical problems of polymerization and gel formation (S. Timasheff). The mechanism of DNA polymerases (DNA nucleotidyltransferases) (A. Kornberg, M. Bessman, M. Gefter and E. Simms). Discussion. Polymerization of proteins (G. Fasman and C. Timasheff). Discussion. Polymerization of nucleic acids and nucleic acid components (J. Lucas-Lenard and F. Lipmann). Discussion. Polymerization of proteins and nucleic acids in cell-free systems (M. Nirenberg, P. Leder, M. Bernfield, R. Brimacombe, M. Rosenberg, D. Court, H. Gross, J. Ofengand, K. Murphy, C. Lee and M. Staehelin). Discussion. Polymerization of proteins and nucleic acids in cell-free systems (H. Noller, Jr., R. Traut, A. Kaji, H. Kaji, A. Tissières, J. Watson, D. Mosteller, W. Gilbert, B. Müller-Hill, P. Leder, J. Bonner, Y. Fujita, T. Fujita, T. Huang, F. Bonhoeffer, P. Zamecnik, E. Scherbaum, E. Borek, A. Rich and M. Nomura). Discussion. Polymerization of proteins and nucleic acids in cells (H. Holtzer, J. Marshall, H. Finck, S. Penman, G. Green, M. Penman, C. Becker, H. Herrlich, U. Scheer-Rothe, R. Wagner, M. Fan, H. Mayer, S. Holtzer and M. Croop). Discussion. Polymerization of microtubular proteins and assembly of organelles (S. Ishikawa, R. Olmsted and J. Witman). Discussion. Polymerization of actin and myosin and regulation of muscle contraction (H. Huxley, A. Wakabayashi, J. Moss, D. Yates, R. Craig, R. Parry, J. Haselgrove, J. Lowy, H. Reedy, K. Holmes, R. Tregear, J. Squire, J. Harford, J. Dobbie, Y. Z. Reed, H. Sosa, A. Rome, K. Ebashi, S. Ebashi, F. Kendrick-Jones, J. Gergely, J. Oosawa, F. Oosawa and Y. Kasai). Discussion. Polymerization of microtubular proteins and assembly of organelles (P. Fuchs). Formation of the native conformation of proteins: dynamics from the standpoint of thermodynamics and kinetics (C. Tanford). Folding of nucleic acids (H. Boedtker). Interactions between synthetic polypeptides (P. Doty). Concluding remarks (S. Timasheff). Assembly of biological systems (F. Harrington). The polymerization of TMV protein and the requirements for the assembly of the virus (A. Klug). Protein interactions in the assembly of viruses (D. Caspar). The bacteriophage lambda tail and tail fibres: structure and polymerization (W. Gibson). Polymerization of haemoglobin (D. Charlwood). Concluding summary (S. Timasheff). Index of Contributors. Subject Index.

elsevier
excerpta medica
north-holland

ASSOCIATED SCIENTIFIC PUBLISHERS P.O. BOX 1526 - AMSTERDAM - THE NETHERLANDS

CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 31–42

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief:
S. C. Frazer, Aberdeen

Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Cupar, Fife
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

CUMULATIVE AUTHOR AND SUBJECT INDEX
Vols. 31-42

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

PUBLISHER'S NOTE

This issue collects under one cover both the author and the subject indexes of Volumes 31 to 42 inclusive of Clinica Chimica Acta. According to editorial practice of this journal, in the author index the full titles of papers are mentioned under the names of the first authors only; in the subject index the authors names, omitting initials, are given in parentheses after each reference.

Bibliographic references in each entry consists of volume number, year of publication in parentheses, and page number(s). The correspondence between volume number and year of publication is indicated in the following table.

Vol. No.	Year of publication	Vol. No.	Year of publication
31	1971	36	1972
32	1971	37	1972
33	1971	38	1972
34	1971	39	1972
35	1971	40	1972
		41	1972
		42	1972

© Elsevier Scientific Publishing Company, 1973

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical photocopying, recording, or otherwise, without permission in writing from the publisher.

A

Aakvaag, A.
G.L.C. of aldosterone in biological fluids 34(1971)197

Aandagl, V., see Law, N.C. (32(1971)221

Abd El-Meguid, S.S. see Chin, H.P. (31(1971)381

Abe, K. see Iino, S. 42(1972)161

Abe, T., Endo, M., Yosizawa, Z.
Study on the uterine mucosubstances accompanying the infertility effect of an intrauterine device 42(1972)29

Abeln, G. see Degenhart, H.J. 38(1972)217

Aber, G.M. see McGale, E.H.F. 38(1972)395

Abraham, R. see Göpffarth, R. 36(1972)303

Acalovschi, I. see Toader, C. 37(1972)189

Accary, J.P. see Pointer, H. 42(1972)321

Adam, J., Dzúric, R., Valovicová, E.
Ninhydrin-positive substances in serum and urine of patients with chronic uremia 36(1972)241

Adams, Cowley, R., see Vitek, K. 33(1971)33

Adessi, G., Goutte, C., Lallier, J.C., and Jayle, M.F.
Procédé original d'évaluation rapide et spécifique du prégnandiol urinaire 40(1972)399

Adlercreutz, H.
Evaluation of G.L.C. techniques for the estimation of oestrogens 34(1971)231

Affonso, A. see Afonso, E. 41(1972)275

Afonso, E., Affonso, A., Sansguiri, R.S.
Orthogonal immunodiffusion and immunoelectrophoresis of serum proteins 41(1972)275

Agar, N.S. see Roberts, J. 34(1971)475

Agneray, J. see Jardillier, J.-C. 38(1972)187

Ahl, E. see Tenhaeff, D. 31(1971)37

Ahrens, I. see Peters, J.E. 37(1972)213

Airoldi, L. see Marcucci, F. 34(1971)321

Alaupović, P. see Magnani, H.N. 38(1972)405

Albano, O. see Francavilla, A. (37(1972)298

Aleem, F.A.
Biochemical studies of the placental alkaline phosphatase 33(1971)125

Alexeenko, L.P. see Eliseeva, Y.E. 31(1971)413

Alink, H.R.M.
A simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in pregnancy urine 39(1972)449

Allegri, G., Muggeo, M., de Antoni, A., Costa, C. and Crepaldi, G.
The influence of simultaneous administration of vitamin B_6 and nicotinamide on tryptophan metabolism in Hodgkin's disease 40(1972)258

Allen, R.C. see Maurer, H.R. 40(1972)359

Allinquant, B., see Schuller, E. 33(1971)5

Amerio, A. see Francavilla, A. 37(1972)298

Amic, J. see Domingi, N. 37(1972)399

Amic, J., Lairon, D., and Hauton, J.
Technique de dosage automatique de l'orthophosphate de grande fiabilité 40(1972)107

Anagnostakis, D. see Lardinois, R. 37(1972)81

Anakura, M. see Matsuda, M. 34(1971)491

Anderson, J. see Farid, N.R. 39(1972)263

André, C.M. and James, V.H.T.
A method for the assay of testosterone and androstenedione in human female plasma by competitive protein binding 40(1972)325

Angelopoulos, B. see Seitanidis, B. 31(1971)311

Angelopoulos, B. see Seitanidis, B. 37(1972)531

Anker, A.P. see Kampen, v., E.J. 34(1971)241

Anker, A.P., van Kampen, E.J.
A quick and accurate pregnanediol determination in urine during pregnancy by semi-automated gas-liquid chromatography 42(1972)335

Annan, W., see Broughton, P.M.G. 32(1971)433

Annan, W., Broughton, P.M.G., Jolliff, P.
Frequency distribution of errors in the determination of serum urea and electrolyte values with the autoanalyzer 34(1971)481

Annan, W. see Isherwood, D.M. 42(1972)295

Anstiss, C.L., Green, S., Fishman, W.H.
An automated technique for segregating populations with a high incidence of Regan isoenzyme in serum 33 (1971)279

Antich, J. see Sabater, J. 36(1972)279

de Antoni, A. see Allegri, G. 40(1972)258

Antun, F.T., Pullar, I.A., Eccleston, D., Sharman, D.F.
A fluorimetric method for the determination of 4-hydroxy-3-methoxyphenylglycol in urine 34(1971)387
Anuman-Rajadhon, Y. see Tan, S.Y. 31(1971)387
Apell, G. see Huisman, T.H.J. 38(1972)5
Appel, M. see Clauvel de Mendonca, M. 39(1972)149
Applegarth, D.A., Bozoian, G.
Mucopolysaccharide storage in organs of a patient with Sandhoff's disease 39(1972)269
Applegarth, D.A., Bozoian, G., Sturrock, S., Tischler, B.
Urinary amino acid output in children with Hurler's syndrome 39(1972)258
Applegarth, D.A. see Ingram, P. 35(1971)523
Apter, C., Chayen, R., Gould, S., Harell, A.
Determination of individual urinary 17-ketosteroids as the dansyl-hydrazones 42(1972)115
Aquaron, R.
Protein-bound iodine and hormonal iodine after ioxitalamic acid 41(1972)175
Arashima, S. see Matsuda, I. 34(1971)491
Arturson, G., Granath, K.
Dextrans as test molecules in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography 37(1972)309
Asatoor, A.M. see Condon, J.R. 32(1971)333
Ashwell, G. see Snyder, S. 34(1971)449
Astrug, A. see Prodanov, K. 35(1971)445
Atanasov, N.A., Gikov, D.G.
Disc electrophoresis of prostatic fluid. Relative mobility and molecular weight of some enzymes and proteins 36(1972)213
Atkins, P.R. see Fisher, M.T. 41(1972)109
Aung-Than-Batu, Hla-Pe., Thein-Than
Validity of the d(+)-xylose absorption test. An index of intestinal absorption 32(1971)145
Austin, F.G. see Demetriou, J.A. 33(1971)21

B

Babjuk, J.S. see Chromy, V. 37(1972)547
Bacchus, R.A., London, D.R.
The measurement of arginine in plasma 33(1971)481
Bader, J.-P. see Vatier, J. 33(1971)365
Badinand, A. see Vallon, J.J. 36(1972)397
Baerlocher, K. see Curtius, H.C. 37(1972)277
Baelocher, K. see Curtius, H.-Ch. 42(1972)233
Bagley, Jr. D.H., Zapolski, M., Rubin, M., Princiotti, J.V.
The metabolism and placental transfer of oral and parental iron chelates 35(1971)305
Bagnall, T.F.
Composition of low density lipoprotein in children with familial hyperbetalipoproteinaemia and the effect of treatment 42(1972)229
Bagshawe, K. D. see Jacoby, B. 35(1971)473
Bain, A.D. see Butterworth, J. 40(1972)139
Bain, A.D. see Butterworth, J. 40(1972)275
Bain, A.D. see Butterworth, J. 41(1972)367
Baks, J. see Degenhart, H.J. 38(1972)217
Balazs, N.D.H., Pole, D.J., Masarei, J.R.
Determination of gold in body fluids by atomic absorption spectrophotometry 40(1972)213
Ballinger, W.F. see Margraaf, H.W. 36(1972)566
Ballinger, W.F. see Margraf, H.W. 39(1972)247
Bamji, M.S., Sharada, D.
Physiological implications of reduced glutathione reductase activity of red blood cells in human ariboflavinosis 31(1971)409
Bandinelli, R. see Gasbarro, L. 36(1972)275
Bando, K. see Irie, A. 42(1972)63
Baranowski, T. see Kwiatowska, J. 40(1972)101
Barbosa, J., Doe, R.P., Seal, U.S.
Separation of α-antitrypsin and orosomucoid by polyacrylamide gel electrophoresis 37(1972)105
Barlow, G.B., Wilkinson, A.W.
The effect of burns on the metabolism of tryptophan in children 41(1972)169
Barnard, W.P., Logan, R.W.
An automated method for urinary "oestriol" determination in pregnant and non-pregnant subjects 34(1971)377
Barnes, I.C. see Moore, G.R. 41(1972)439
Baron, D.N. see Buttery, J.E. 38(1972)242
Bartels, H., Böhmer, M.
Eine Mikromethode zur Kreatininbestimmung 32(1971)81
Bartels, H., Böhmer, M., Heierli, C.
Serum Kreatininbestimmung ohne Enteiweissen 37(1972)193
Bartholomew, R.J. see Hinterberger, H. 39(1972)395
Barton, W., Brown, P., Clamp, J.R.
The carbohydrate content of mucosal biopsies 36(1972)262
Bässler, K.H., see Schröckert, K.H. 33(1971)55
Battistone, G.C. see San Filippo, F.A. 31(1971)453
Baullinger, P.C. see Levy, H.L. 31(1971)447
Baum, G., Ward, F.B., Yaverbaum, S.
Kinetic analysis of cholinesterase using a choline ester selective electrode 36(1972)405
Beaumont, J.L. see Jacotot, B. 33(1971)95
Beaven, M.A., Jacobsen, S., Horáková, Z.
Modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine in tissues, serum and urine 37(1972)91
Beaven, V.H., Pierce, J.V., Pisano, J.J.
A sensitive isotopic procedure for the assay of esterase activity: Measurement of human urinary kallikrein 32(1971)67
Beekhuis, H. see Sluiter, W.J. 42(1972)255
Beelen, G.C. see Kleijn, v.d., E. 34(1971)345
Belfield, A.
Serum alkalinephosphatase and 5'-nucleotidase activities in patients with heptobiliary disease 37(1972)525
Belfield, A., Goldberg, D.M.
Human serum glucose-6-phosphatase

activity: confirmation of its presence and lack of diagnostic value 31(1971)81

Belfrage, P. see Nilsson-Ehle, P. 42(1972)383

Bell, D.J., Talukder, M.Q.-K.
Rates of urinary excretion of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods 40(1972)13

Bell, E.D., Mainwaring, W.I.P.
A method for the determination of urinary metabolites of tryptophan 35(1971)209

Bell, E.D., Tong, D., Mainwaring, W.I.P., Hayward, J.L., Bulbrook, R.D.
Tryptophan metabolism and recurrence rates after mastectomy in patients with breast cancer 42(1972)445

Bendova, M. see Škramovský, V. 35(1971)353

Berends, G.T., de Jong, J., Zondag, H.A.
A study of serum lipoprotein electrophoresis on cellogel: normal values, comparison with SML-profiling and ultracentrifugation 41(1972)187

Berends, G.T. see Haesen, J.P. 37(1972)463

Berenson, G.S. see Lopez-S., A. 31(1971)123

Berenson, G.S., Srinivasan, S.R., Lopez-S., A., Radhakrishnamurthy, B., Pargaonkar, P.S., Deupree, R.H.
Clinical application of an indirect method for quantitating serum lipoproteins 36(1972)175

Bereziat, G. see Picard, J. 36(1972)247

Berg, G. see Grabner, W. 39(1972)59

Bergerman, J., Blethen, S.
Determination of alkaline phosphatase isoenzymes 36(1972)493

Berglund, S. see Jeppsson, J.O. 40(1972)153

Bergner, D. see Grabner, W. 39(1972)59

Berk, J.E. see Davis, J. 35(1971)305

Berk, J.E. see Ueda, M. 35(1971)299

Berkö, Gy., Durkö, I.
A new possibility for the demonstration of δ-aminolaevulinic acid in urine on the basis of Mauzerall-Granick method 37(1972)443

Bernstein, D.S. see Jacobs, J.S. 31(1971)465

Berry, D.J.
The cathode-ray polarographic determination of diazepam, 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepine-2-one, in human plasma 32(1971)235

Berry, D.J., Grove, J.
The determination of paraquat (1,1′-dimethyl-4,4′-bipyridylium cation in urine 34(1971)5

Berry, D.J. see Grove, J. 38(1972)321

Berry, H.K., Granger, M.
Uric acid excretion in infants and children 32(1971)377

Bethlem, J., see Meijer, A.E.F.H. 33(1971)247

Bevaart, B. see Degenhart, H.J. 38(1972)217

Bevan, B.R., Holton, J.B.
Inhibition of bilirubin conjugation in rat liver slices by free fatty acids, with relevance to the problem of breast milk jaundice 41(1972)101

Beyer, W.
Eine spektralphotometrische Bestimmung von Kupfer in Serum, Harn und Faeces 38(1972)119

Bhatnagar, R. see Sundaram, G.S. 39(1972)115

Bichon, C. see Vallon, J.J. 36(1972)397

Biddle, F. see Shortridge, K.F. 42(1972)285

Bienenstock, J. see Poortmans, J. 35(1971)449

Biesold, D., Gunther, K.
Improved method for investigation of copper metabolism in patients with Wilson's disease using ^{64}Cu 42(1972)353

Bieth, J. see Miesch, F. 31(1971)231

Biewenga, J.
Serum lactate dehydrogenase isoenzymes linked to immunoglobulin A 40(1972)407

Biggs, H.G. see Doumas, B.T. 31(1971)87

Biggs, J.D. see Wallace, J.E. 36(1972)85

Biserte, G. see Sezille, G. 35(1971)109

Biserte, G. see Fruchart, J.C. 38(1972)247

Bishop, M.D., Smith, R.
Non-protein-bound hydroxyproline in plasma in renal bone disease 33(1971)401

Bismuth, J., Castay, M., Lissitzky, S.
Sephadex filtration of serum iodocompounds and protein-binding of iodotyrosines 35(1971)285

Biswas, S., Hindocha, P.
The serum heat labile alkaline phosphatase activity during pregnancy 38(1972)455
Bitsch, V.
A modification of the Gibbard and Watkins method for determination of D-β-hydroxybutyrate 38(1972)471
Bizzi, A. see Marcucci, F. 34(1971)321
Bjermann, I. see Torsvik, H. 42(1972)433
Björkstén, F.
Determination of plasma and serum triglycerides with a fully automated method 40(1972)143
Blackmore, D.J. see Phillips, A.P. 36(1972)251
Blainey, J.D. see Terry, J.M. 35(1971)317
Blanicky, P. see Jirka, M. 31(1971)329
Blankenhorn, D.H. see Chin, H.P. 31(1971)381
Blass, J.P., Schulman, J.D.
Measurement of citrate synthase activity in human fibroblasts 33(1971)472
Blau, K.
Increased mannitol excretion in controlled hereditary galactosemia 38(1972)441
Blazková, B. see Rybák, B. 33(1971)241
Bleijenberg, B.G., Van Eijk, H.G., Leijnse, B.
The determination of non-heme iron and transferrin in cerebro- spinal fluid 31(1971)277
Bless, J.W. see Kiesouw, L.A. 41(1972)123
Blethen, S. see Bergerman, J. 36(1972)493
Bliss, B.P. see Newall, R.G. 38(1972) 307
Blum, K. see Wallace, J.E. 36(1972)85
Bock, G.W., Sherwin, A.L.
The rapid quantitative determination of diphenylhydantoin in plasma, serum, and whole blood of patients with epilepsy 34(1971)97
Bockhorn, H. see Weise, M. 42(1972)391
Boelhouwer, J. see Miedema, K. 32(1971)367
Boelhouwer, J. see Miedema, K. 40(1972)187
Boersma, A. see Havez, R. 33(1971)445
Bogdanikowa, B., Grabowski, R.
Serum proteins present in edema fluids 36(1972)351
Böhmer, M. see Bartels, H. 32(1971)81
Böhmer, M. see Bartels, H. 37(1972)193
Böhmer, R., Rommel, K., Goberna, R., Raptis, S.
Disaccharidasenaktivität des Jejunums subtotal Pankreatektomierter Ratten 33(1971)61
Bohoun, C. see Brunelle, Ph. 42(1972)201
Bohuon, C., Caillard, L.
S-adenoylymethionine in human blood 33(1971)256
Bohuon, C. see Comoy, E. 35(1971)369
Bohuon, C. see Comoy, E. 36(1972)207
Bold, A.W. see Herzburg, L. 39(1972)229
Boman, H. see Torsvik, H. 42(1972)433
Bonardi, G. see Vidi, A. 38(1972)463
Bonfils, S. see Pointer, H. 42(1972)321
Bonfils, S. see Vatier, J. 33(1971)365
Bonfils, S. see Vatier, J. 40(1972)391
Bonnichsen, R., Fri, C.-G., Negoita, C., Ryhage, R.
Identification of methaqualone metabolites from urine extract by gas chromatography–mass spectrometry 40(1972)309
Bönsch, G., see Kunze, D. 33(1971)373
Booij, J.
Some divergent results of protein standardization 38(1972)355
Booth, E.M. see Robins, A.J. 42(1972)215
Bootsma, J. see Wolthers, B.G. 41(1972)223
Bootsma, J., Wolthers, B.G., Groen, A.
Determination of serum 5-nucleotidase by means of a NADH-linked reaction 41(1972)219
Boreisha, I. see Pesce, A.J. 40(1972)27
Borg, L., Lindstedt, S., Steen, G., Hjalmarson, O.
Aliphatic C_6–C_{14} dicarboxylic acids in urine from an infant with fatal congenital lactic acidosis 41(1972)363
Bornuz, F. see Cucuianu, M. 38(1972)97
Boschetti, E. see Dugue, M. 40(1972)301
Bottini, E., Modiano, G., Santolamazza, C., Filippi, G., Businco, L.
Studies of the in vitro effects of oxidized glutathione and acetylphenylhydrazine on acid phosphatases of human red blood cells. An experimental model for the investigation of hemolytic drug action at the molecular level 31(1971)243
Boucher, E.A. see Horning, M.G. 37(1972)381
Boucher, I.A.D., Clamp, J.R.
Glycoproteins in human bile 35(1971)83
Boulos, B.M. see Sirtori, C. 31(1971)305
Bourgoin, J.J. see Manuel, Y. 31(1971)485
Bourrillon, R. see Frénoy, N. 31(1971)243
Bourrillon, R. see Frénoy, J.-P. 42(1972)51

Bousquet, B., Bouvier, J.-L., Dreux, C.
Amino acidurie globale determinée par spectrométrie d'absorption atomique
42(1972)327
Bouver, N.G. see Wong, S.C. 35(1971)521
Bouver, N.G. see Huisman, T.H.J.
38(1972)5
Bouvier, J.-L. see Bousquet, B.
42(1972)327
Bozhkov, B. see Genov, D. 37(1972)207
Bozoian, G. see Applegarth, D.A.
39(1972)258
Bozoian, G. see Applegarth, D.A.
39(1972)269
Brackertz, D. see Kueppers, F. 39(1972)131
Bradley, K.H. see Schulman, J.D.
35(1971)383
Braithwaite, R.A., Widdop, B.
A specific gas-chromatographic method for the measurement of "steady-state" plasma levels of amitriptyline and nortriptyline in patients 35(1971)461
Brauman, H. see Copinschi, G.
38(1972)207
Breebaart, K., Haan, A.M.F.H., Wadman, S.K.
Densitometric determination of catechol-metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose
37(1972)157
Breebaart, K., Smorenburg, H., Haan, A.M.F.H.
A mechanic system for the gel filtration of urinary oestrogens during pregnancy
38(1972)263
Breimer, D.D. see Vree, T.B. 34(1971)365
Bremer, H.J., Kohne, E., Endres, W.
The excretion of diamines in human urine. II. Cadaverine, putrescine, 1,3-diaminopropane, 2,2'-dithiobis(ethylamine) and spermidine in urine of patients with cystinuria and cystinlysinuria
32(1971)407
Bremer, H.J. see Kraffczyk, F. 42(1972)303
Bremer, H.J. see Prxyrembel, H. 41(1972)95
Brixová, E., Dzúriková, V.
Determination of glycogen, lipids and proteins in hepatic needle biopsy
36(1972)543
Brock, D.J.H. see Sutcliffe, R.G.
31(1971)363
Brody, J.I., Merlie, K.
Augmentation of the hexose monophosphate shunt in leukemic lymphocytes after plasma fractionation 34(1971)437
Brojer, B., Moss, D.W.
Changes in the alkaline phosphatase activity of serum samples after thawing and after reconsitution from the lyophilized state 35(1971)511
Brombacher, P.J., Gijzen, A.H.J., Soons, M.P.J.
A systematic investigation on the assay of vitamin B_{12} in serum by radio-isotope dilution 36(1972)389
Brombacher, P.J. see Peeters, J.A.B.M.
34(1971)467
Brooks, C.J.W., Middleditch, B.S.
The mass spectrometer as a gaschromatographic detector 34(1971)145
Brosnan, E.A. see Wilson, D.M. 36(1972)260
Brostrom, H. see Gullberg, R. 39(1972)475
Brouet-Yager, M. see Kleiner, H.
40(1972)177
Broughton, P.M.G., Annan, W.
Measurement of analytical precision in clinical chemistry 32(1971)433
Broughton, P.M.G. see Annan, W.
34(1971)481
Brown, B.D. see Brunngraber, E.G.
32(1971)159
Brown, S.S., Smith, A.F.
Assessment of printing calculators for use with the LKB reaction rate analyser
38(1972)51
Brown, W. see Barton, W. 36(1972)262
Brunelle, Ph. Bohoun, C.
Baisse de la thiiodothyronine serique avec l'age 42(1972)201
Brunelle, Ph., Pesquet, A.
Ultra-micro dosage direct de la glocose phosphate isomerase serique
33(1971)265
Brunngraber, E.G., Brown, B.D. and Hof, H.
Determination of gangliosides, Glycoproteins, and Glycosaminoglycans in brain tissue 32(1971)159
Brunngraber, E.G. see Haberland, C.
37(1972)387
Bruno, O.D. see Virasoro, E. 31(1971)294
Brusilovsky, A.I. see Wiederschain, G.Y.
35(1971)99
Brydon, W.G., Roberts, L.B.
The effects of haemolysis on the determination of plasma constituents
41(1972)435
Buc, H., Najman, A., Columelli, S., Cattier, P.
Déficit en congenital pyruvate kinase erythrocytaire: étude cinétique de

l'enzyme et consequences métabolique 38(1972)131
Bucella, C. see Tentori, L. 38(1972)258
Buist, N.R.M. see Fellman, J.H. 39(1972)242
Buist, N.R.M. see Kennaway, N.G. 41(1972)157
Bulbrook, R.D. see Bell, E.D. 42(1972)445
Bungert, H.J., Leonhardt, H., Macha, H.N. Stärkegelektrophoretische untersuchungen des Ferritins bei einem fall von Lungenhämosiderose mit Glomerulonephritis 32(1971)385
Bundgaard Christiansen, N.J., Damkjær Nielsen, M. Digoxin radioimmunoassay: sephadex separation of free from antibody-bound digoxin 42(1972)125
Bundschu, H.D. see Gupta, D. 36(1972)479
Bungert, H.-J. see Leonhardt, H. 42(1972)181
Bungert, H.-J., Leonhardt, H., Macha, H.-N. Immunologische Untersuchungen des Ferritins bei einem Fall von Lungenhämosiderose mit Glomerulonephritis (Goodpasture-Syndrom) 35(1971)233
Burchardt, U. see Peters, J.E.
Burke, C.W., Lewis, B., Panveliwalla, D., Tabaqchali. S. The binding of cholic acid and its taurine conjugate to serum proteins 32(1971)207
Burke, V. see Gracey, M. 36(1972)555
Burlina, A., Miconi, G., Galpigna, L. A new and simple procedure for serum arylesterase 39(1972)255
Burnett, D. see Goudie, J.H. 35(1971) 133
Burt, D. see Emery, A.E.H. 39(1972) 361
Businco, L. see Bottini, E. 31(1971)243
Butterworth, J., Bain, A.D., McCrae, W.N. Cystic fibrosis and liver β-galactosidase and β-glucosidase 41(1972)367
Butterworth, J., Scott, F., McCrae, W. M., Bain, A.D. Lysosomal enzymes of cultured fibroblasts of cystic fibrosis patients 40(1972)139
Butterworth, J., Sutherland, G.R., Bain, A.D., McCrae, W.M. Lysosomal enzymes in amniotic fluid 40(1972)275
Buttery, J.E., Baron, D.N. Comparison of colorimetric methods for serum ornithine carbamoyl transferase 38(1972)242
Bütler, R. see Scherz, R. 39(1972)109
Buus, O. see Nielsen, H.G. 36(1972)133

C

Caillard, L. see Bohuon, C. 33(1971)256
Cain, M.D., Coghlan, J.P., Catt, K.J.
Measurement of angiotensin II in blood by radioimmunoassay 39(1972)24
Calseyde, van de J.F., Scholtis, R.J.H., Schmidt, N.A., Leijten, C.J.J.A.
Profiling urinary steroids. A reliable procedure 38(1972)103
Campbell, D.G.
Autoanalyser range expansion 33(1971)475
Campbell, D.G. and Gardner, G.
The automated analysis of urinary oestrogens during pregnancy (32(1971)153
Cao, A. see Tangheroni, W. 35(1971)165
Caputo, M.J. see Hosty, T.A. 36(1972)579
Caraway, W.T., Kammeyer, C.W.
Chemical interference by drugs and other substances with clinical laboratory test procedures 41(1972)395
Cardi, E. see Giardini, O. 42(1972)15
Carlier-Vanneuveville, A. see Hayem-Levy, A. 35(1971)151
Carmonada Motta, H. see Manuel, Y. 38(1972)250
Carta Sorcini, M. see Tentori, L. 38(1972)258
Carter, P.
Submicrogram serum copper quantification of spectrophotometry with bid(1-pidperidyl-thiocarbonyl) disulfide 39(1972)497
Castay, M. see Bismuth, J. 35(1971)285
Castro, M. see Giardini, O. 42(1972)15
Cathelineau, L., Saudubray, J.M. Polonovski, C.
Ornithine carbamyl transferase: the effects of pH on the kinetics of a mutant human enzyme 41(1972)305
Catt, K.J. see Cain, M.D. 39(1972)24
Catt, K.J. see Dufau, M.L. 37(1972)109
Cattier, P. see Buc, H. 38(1972)131
Cederblad, G., Lindstedt, S.
Excretion of L-carnitine in man 33(1971)117
Cederblad, G., Lindstedt, S.
A method for the determination of carnitine in the picomole range 37(1972)235
Cerfontain-van Staalen, L. see van Roon-Djordjević, B. 41(1972)55
Ceriotti, G., Lollis, B., Nadai Frank de, A.
Automatic determination of ornithine carbamyltransferase 33(1971)69
Cêska, M.
A new approach for quantitative and semi-quantitative determinations of enzymatic activities with simple laboratory equipment. Detection of α-amylase 33(1971)135
Cêska, M.
Hydrolysis of a water-insoluble substrate incorporated into solidified medium by enzyme α-amylase contained in normal human urine 33(1971)147
Cêska, M.
A comparative α-amylase study using an agar medium 36(1972)419
Cêska, M.
Hydrolysis of a water-insoluble substrate incorporated into solidified medium by the enzyme α-amylase contained in normal human blood, serum and plasma 36(1972)453
Cêska, M.
Hydrolysis of a water insoluble substrate incorporated into solidified agar medium by enzyme α-amylase contained in serum and urine of patients suffering from acute pancreatitis 36(1972)463
Cêska, M., Lunkvist, U.
Use of solid phase intrinsic factor for radio-sorbent assay of vitamin B_{12} 32(1971)339
Cham, B.E.
A semiautomated method for the estimation of ionic calcium activity and concentration in biological solutions 37(1972)5
Chamberlain, J.
The determination of 6-oxygenated cortisol in evaluating liver function 34(1971)269
Chamberlain, J. see Rogers, M. 39(1972)439
Chambers, T.R.
Photodensitometry of mouse serum lactate dehydrogenase isoenzymes separated on polyacrylamide gel 35(1971)321
Chamoles, N.A. see Humbel, R. 40(1972)290
Chandrasekaran, A., Glover, R.J., Lord, P.S.
A spectrophotometric micromethod for the enzymatic determination of beta-hydroxybutyrate 37(1972)371

Chapman, L., Rege, V.P., Jowett, T.P., Silk, E., Tooth, E.A.
An automated method for the assay of serum cystine aminopeptidase in pregnancy 38(1972)339
Charpentier, C. see Lemonnier, A. 33(1971)351
Charpentier, C. see Lemonnier, A. 33(1971)359
Chartrand, L. see Weber, A.M. 39(1972)524
Charvet, J.C. see Mathieu, P. 41(1972)5
Chayen, R. see Apter, C. 42(1972)115
Chayen, R. see Harell, A. 35(1971)245
Chazot, G. see Mathieu, P. 41(1972)5
Cheek, C.S. see Friedman, H.S. 31(1971)315
Chiga, M., Brewer, G.J., Lopez-Corella, E., Noelken, M.E.
Electrophoresis of serum in dodecylsulfate–polyacrylamide gel and its comparison with sedimentation velocity techniques 36(1972)574
Chin, A.E. see Sheid, B. 39(1972)477
Chin, H.P., Abd El-Meguid, S.S., Blankenhorn, D.H.
An improved method for determination of serum and plasma triglycerides 31(1971)381
Chin, K.-N., Karam, J.H., Choy, F.B., Kolb, F.O., Grodsky, G.M., Forsham, P.H.
Hypersulinuria in patients with renal calculi 40(1972)383
Chio, L.-F. see Tan, I.-K. 41(1972)329
Chipperfield, B., Chipperfield, J.R.
Ubiquinone and nucleic acid concentrations in the heart muscle of cancer patients and normal controls 31(1971)459
Chipperfield, J.R. see Chipperfield, B. 31(1971)459
Chong, Y.H. see Mills, G.L. 42(1972)273
Chong, Y.H., Soh, C.C., Ho, G.S., Rajaratnam, R., Nonis, P.
Serum low density lipoproteins, triglycerides and cholesterol levels in Malaysia 34(1971)85
Choy, F.B. see Ching, K.-N. 40(1972)383
Christian, R.P. see Spiegel, H.E. 31(1971)143
Christoph, G.W., Schmidt, D.E., Davis, J.M., Janowsky, D.S.
A method for the determination of chlorpromazine in human blood serum 38(1972)265
Christophe, A. see Matthys, F. 36(1972)341
Christophe, J. see Vandermeers, A. 37(1972)471
Christopherson, E.F. see Schwartz, H.D. 31(1971)97
Chromy, V., Babjuk, J.S.
Determination of barbiturates in biological fluids 37(1972)547
Chulkova, T.M., Orekhovich, V.N.
On the quaternary structure of human thrombin 34(1971)493
Cicala, V., see Illiano, G. 33(1971)161
Clamp, J.R. see Barton, W. 36(1972)262
Claude, J.R., Eschewege, E., Rosselin, E.G., Richard, J.L., Warnet, J.M.
Etude sur les acides gras libres plasmatiques dans une population masculine. Perspectives métaboliques et physiopathologiques 32(1971)229
Claus, K.D. see Pemberton, J.R. 34(1971)431
Clauvel de Mendoca, M., Appel, M., Pernollet, J.C., Schwartz, K.
A sensitive method for automated estimation of plasma haemoglobin levels 39(1972)149
Claveau, J.C. see Crawhall, J.C. 34(1971)47
Clemena, G.C. see Harrison, W.W. 36(1972)485
Clemente, F., Ribeiro, T., Figarella, C., Sarles, H.
Albumine, IgG et IgA dans le suc pancréatique humain normal chez l'adulte 33(1971)317
Cloarec, L., Domingo, M., Sternberg, M., Marcais, J., Lagrue, G., Jayle, M.F.
Préparation de l'haptoglobine à partir d'urines de rats néphrotiques 33(1971)45
Cloarec, L. see Sternberg, M. 32(1971)123
Closs, K. see Iversen, P.F. 32(1971)137
Clothier, B. see Rundle, A.T. 35(1971)389
Coenegracht, J.M. see Postmes, T.J. 38(1972)313
Coghlan, J.P. see Cain, M.D. 39(1972)24
Colaianni, W. see Searcy, R. 38(1972)291
Colman, R.W., Mitchell, B.
Specificity of inhibitors lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes 39(1972)5
Columelli, S. see Buc, H. 38(1972)131
Comoy, E., Bohuon, C.
Iso-homovanillic acid determination in human urine 35(1971)369

Comoy, E., Bohuon, C.
Determination de l'acide homoprotocatechique (HPA) urinaire par une methode radio-isotopique 36(1972)207
Condon, J.R., Asatoor, A.M.
Amino acid metabolism in uraemic patients 32(1971)333
Condorelli, S., Lombardi, D., Gusmano, R., Pisano, L.
Pulmonary A-V differences of lipids and free fatty acids in relation to fasting and to high fat meals 38(1972)141
Conrad, M.E. see Williams, H.L. 37(1972)131
Constantinides, J. Geissbühler, F. 33(1971)111
Cook, J.G.H.
Creatinine assay in the presence of protein 32(1971)485
Cook J.G.H. see Hallett, C.J. 35(1971)33
Cook, J.G.H. see Sharp, P. 36(1972)93
Cooke, B.A. see Molen, v.d. H.J., 34(1971)169
Cooke, I.D. see Evans, C. 38(1972)25
Cooney, D.A., Moore, A.L., Zhagats, R.
A colorimetric technique for the demonstration of L-asparaginase in electropherograms 40(1972)249
Cooper, B.A. see Gibbs, B.F. 38(1972)447
Cooper, J.D.H.
Determination of blood ethanol by gas chromatography 33(1971)485
Cooper, J.D.H. see Setchell, K.D.R. 35(1971)67
Copinschi, G. see Virasoro, E. 31(1971)294
Copinschi, G., Wolter, R., Brauman, H.
Reproducibility of plasma growth hormone determinations between different laboratories 38(1972)207
Coppa, G. see Tangheroni, W. 35(1971)165
Coratelli, P. see Francavilla, A. .37(1972)298
Cornelissen, P.J.H.C. see Regouw, B.J.M. 31(1971)187
Costa, C. see Allegri, G. 40(1972)258
Cotlier, E.
Tay-Sachs disease: abbreviated serum hexosaminidase A test from finger-tip samples 38(1972)233
Cotlier, E. see Goldberg, J.M. 41(1972)19
Coulson, W.F. see Dayman, J. 40(1972)335
Couri, D. see Hetland, L.B. 36(1972)473
Courtois, J.E. see Demelier, J.F. 34(1971)335
Craig, L. see Murphy, J.V. 42(1972)267
Cramers, C.A., Rijks, J.A.
Packed versus capillary columns in gas chromatography 34(1971)159
Crawhall, J.C. see Gibbs, B.F. 38(1972)447
Crawhall, J.C. see Mamer, O.A. 32(1971)171
Crawhall, J.C., Mamer, O., Tjoa, S., Claveau, J.C.
Urinary phenolic acids in tyrosenemia. Identification and quantitation by gas chromatography-mass spectrometry 34(1971)47
Crepaldi, G. see Allegri, G. 40(1972)258
Crook, D.
The routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids using gas-liquid chromatography 40(1972)43
Crowley, M.F., Garbien, K.J.T., Rosser, A.
Oestrogen determination in pregnancy urine 38(1972)91
Cucuianu, M., Bornuz, F., Macavei, I.
Effect of L-asparaginase therapy upon serum pseudocholinesterase and ceruloplasmin levels in patients with acute leukemia 38(1972)97
Cucuianu, M. see Szantay, L. 32(1971)75
Culross, J. see Farrance, L. 38(1972)475
Curtius, H.-Ch., Baerlocher, K., Vollmin, J.A.
Pathogenesis of phenylketonuria: inhibition of dopa and catecholamine synthesis in patients with phenylketonuria 42(1972)233
Curtius, H.C., Völlmin, J.A., Baerlocher, K.
The use of deuterated phenylalanine for the elucidation of the phenylalanine-tyrosine metabolism 37(1972)277
Curzon, G., Kantamaneni, B.D., Trigwell, J.
A method for the determination of dopa and 3-O-methyldopa in the plasma of Parkinsonian patients 37(1972)335
Cusworth, D.C., Dent, C.E., Scriver, C.R.
Primary hyperparathyroidism and hyperaminoaciduria 41(1972)355
Czygan, P.J. see Kueppers, F. 39(1972)131

D

Dacremont, G.
Ganglioside concentration in human plasma 37(1972)449
Dahlig, E. see Radom, S.
Dalal, F.R., Winsten, S.
Laboratory evaluation of a chromogenic amylase method 32(1971)327
Dale, R.A.
The assay of methylmalonic acid in urine 41(1972)141
Dam, J. Van see Trip, J.A.J. 36(1972)563
Damkjær Nielsen, M. see Bundgaard Christiansen, N.J. 42(1972)125
Darcy, D.A.
An improved Ouchterlony plate 37(1972)287
Darcy, D.A.
A general method of increasing the sensitivity of immune diffusion. Its application to CEA 38(1972)329
Dargent, M. see Manuel, Y. 31(1971)485
Datta, P. see Sharma, A.K. 32(1971)134
Davies, D.M. see Heathcote, J.G. 32(1971)457
Davis, J., Berk, J.E., Take, S., Fridhandler, L.
Electrophoretic characteristics of macroamylasic serum 35(1971)305
Davis, J. see Ueda, M. 35(1971)299
Davies, J.M. see Christoph, G.W. 38(1972)265
Davis, P.S. see Gollan, J.L. 31(1971)197
Dayman, J., Coulson, W.F., Smith, I., Smith, M.J., Jepson, J.B.
Chemical conversions of aromatic amides during electrolytic desalting 40(1972)335
Deadman, N.M.
Evaluation of chromogens suitable for occult blood in faeces 35(1971)273
De Baets, J., Lezy, W.
Improved method for lipoprotein electrophoresis on cellogel 32(1971)142
DeBree P.K., see Klosse, J.A. 32(1971)321
DeBree, P.K. see Klosse, J.A. 42(1972)409
DeBree, P.K. see Van der Heiden, C. 31(1971)133
DeBree, P.K. see Van der Heiden, C. 39(1972)201
DeBree, P.K. see Wadman, S.K. 31(1971)215
De Broe, M.E. see Yourassowsky, E. 42(1972)189
Debry, G. see Guisard, D. 35(1971)493
Defontaine, M.C. see Manuel, Y. 31(1971)485
Deftos, L.J. see Habener, J.F. 39(1972)407
Degand, P., see Havez, R. 33(1971)445
Degand, P. see Lamblin, G. 36(1972)329
Degand, P. see Roussel, P. 36(1972)315
Degenhart, H.J., Abeln, G., Bevaart, B., Baks, J.
Estimation of Br^- selective electrode 38(1972)217
de Groot, W.P. see Rietra, P.J.G.M. 40(1972)229
de Jong, F.H. see Molen, v.d., H.J. 34(1971)169
de Jong, J. see Berends, G.T. 41(1972)187
Dekirmenjian, H., Maas, J.W.
Determination of urinary-3-methoxy-4-hydroxymandelic acid by gasliquid chromatography as vanillyl alcohol 32(1971)310
de Kloep, K. see Voorhorst, C.D. 39(1972)391
De Lange, W.E., Visser, J.W.E., Doorenbos, H.
Hormonal influences on the concentration of tyrosine in blood 42(1972)21
Delasnerie, N. see Schuller, E. 39(1972)233
Delbroeck, R. see Lauwerys, R. 40(1972)443
Delisle, M. see Lardinois, R. 37(1972)81
Deller, D.J. see Gollan, J.L. 31(1971)197
Delpech, B., Lichtblau, E.
Etude quantitative des immunoglobulines G et de l'albumine du liquide cephalo rachidien 37(1972)15
Del Rosario Spetale, M. see Rodriguez Garay, E.A. 37(1972)171
DeMeester, G. see Eechaute, W. 32(1971)297
Demelier, J.G., Massari, M., Courtois, J.E. Labat, J.

Tréhalase du sérum humain dans quelques affections hépatiques 35(1971)335
Demetriou, J.A., Austin, F.G.
A rapid competitive protein-binding assay for plasma progesterone 33(1971)21
Demetriou, J.A. see Szustkiewicz 32(1971)355
De Meuter, F. see Van Roy, F.P. 31(1971)109
Dempsey, W.B. see Gaynor, R. 37(1972)411
de Nadai, F. see Marcucci, F. 34(1971)321
Dennis, P.M. see Farrance, L. 38(1972)475
Dennis, P.M. see Outch, K.F. 40(1972)377
Dent, C.E. see Cusworth, D.C. 41(1972)355
De Noyette, J.P. see Sonnet, J. 32(1971)5
Denswil, E.H., Detmers, J.P.
Acetone as solvent in flame-photometric determination of lithium in serum 40(1972)121
Derby, G. see Guisard, D. 36(1972)281
Desjardins, L. see Kelly, S. 39(1972)469
Dessaulles, E. see Page, L.B. 34(1971)55
Detmers, J.P. see Denswil, E.H. 40(1972)121
Deupree, R.H. see Berenson, G.S. 36(1972)175
Devaux, P.G. see Horning, E.C. 34(1971)135
De Virgilis, S. see Tangheroni, W. 35(1971)165
Diamant, Y.Z., Sadovsky, E., Gal, A.
Evaluation of the leukocyte alkaline phosphatase activity. Comparison of the biochemical and cytochemical assay 34(1971)73
Diamond, S. see Perry, Th.L. 31(1971)181
Dick, T.B.S. see Stone, M.C. 31(1971)333
Di Ferrante, N. see Neri, G. 35(1971)359
Di Giorgio, J. see Pileggi, V.J. 37(1972)141
Diller, E. see Pak, C.Y.C. 39(1972)511
Dillon, A. see Dolly, J.O. 31(1971)55
Dixon, K. see Lewis, P.W. 35(1971)21
Docter, R., Henneman, G.
Estimation of thyroid hormones by G.L.C. 34(1971)297
Doe, R.P. see Barbosa, J. 37(1972)105
Dolly, J.O., Dillon, A., Duffy, M.J., Fottrell, P.F.
Further studies on multiple forms of peptidases in mammalian tissues including intestinal mucosa from children with treated and untreated coeliac disease 31(1971)55
Doming, M. see Cloarec, L. 33(1971)45
Domingo, M. see Sternberg, M. 32(1971)123
Domingo, N., Amic, J., Hauton, J.,
Dosage automatique des sels biliaires conjugues de la bile par la 3α-hydroxystéroide déshydrogenase 37(1972)399
Domino, E.F. see Johnson, S. 35(1971)421
Donabedian, R.K., Levine, R.A., Seligson, D.
Micro-electrolytic iodination of polypeptide hormones for radio-immunoassay 36(1972)517
Donabedian, R.K. see May, P. 38(1972)255
Donfrancesco, A. see Giardini, O. 42(1972)15
Donlon, J., Fottrell, P.F.
Quantitative determination of intestinal peptide hydrolase activity using L-amino acid oxidase 33(1971)345
Doorenbos, H. see De Lange, W.E. 42(1972)21
Doorenbos, H. see van Kersen, F. 38(1972)239
Doorenbos, H. see Sluiter, W.J. 42(1972)255
Dorche, J. see Joncquiert, F. 42(1972)361
Dorche, J. see Piccardi, G. 40(1972)219
Dordain, M. see Lebreton, J.P. 33(1971)101
Doumas, B.T., Watson, W.A., Biggs, H.G.
Albumin standards and the measurement of serum albumin with bromcresol green 31(1971)87
Doyon, G. see Weber, A.M. 39(1972)524
Draffan, G.H. see Gompertz, D. 37(1972)405
Draffan, G.H. see Gompertz, D. 40(1972)5
Dreux, C. see Bousquet, B. 42(1972)327
Drewes, P.A.
Direct colorimetric determination of phosphorus in serum and urine 39(1972)81
Drivas, G. see Melissinos, K. 40(1972)165
Drnec, J. see Searcy, R. 38(1972)291
Dubrasquet, M. see Pointer, H. 42(1972)321
Dubrasquet, M. see Vatier, J. 33(1971)365
Dubrasquet, M. see Vatier, J. 40(1972)391
Dufau, M.L., Catt, K.J., Tsuruhara, T., Ryan, D.
Radioimmunoassay of plasma testosterone 37(1972)109
Duffy, M.J. see Dolly, J.C. 31(1971)55
Dugan, F.A. see Lopez-S., A. 31(1971)123
Dugue, M., Boschetti, E., Tixier, R., Rousselet, F., Girard, M.L.
Identification des fractions protéiques

séparées par electrophorése du sérum humain sur gel d'acrylamide–agarose 40(1972)301
Dugue, M., Rousselet, F., Kahn, M.F., Girard, M.L.
Etudes biologiques sur 559 cas de para-protéinémies 33(1971)75
Duifs, R. see Helbing, A.R. 31(1971)492
Duran, M., see Heiden, v.d., C., 34(1971)289
Durkö, L see Berkö, Gy. 37(1972)443
Dyerberg, J., Hjørne, N.
Quantitation of the α-lipoprotein complex by agarose gel electrophoresis 33(1971)459
Dzieciuchowicz, S. see Pawlak, A.L. 35(1971)395
Dzúrik, R. see Adam, J. 36(1972)241
Dzúriková, V. see Brixová, E. 36(1972)543

E

Ebert, W. see Weicker, H. 37(1972)59
Ebbighausen, W. see Kahane, Z. 38(1972)413
Ebert, W. see Metz, J. 34(1971)31
Eccleston, D. see Antun, F.T. 34(1971)387
Eechaute, W., DeMeester, G., Leusen, I. A simple method for the fluorimetric estimation of testosterone in human male plasma 32(1971)297
Eijk, H.G. Van, see Wagemaker, G. 36(1972)357
Eisenring, J.J. see Geissbühler, F. 33(1971)111
Elder, M.G., Wood, E.J. A modification of the serum glucose-6-phosphatase assay 38(1972)211
Eldjarn, L. see Huisman, T.H.J. 38(1972)17
Eldjarn, E., Jellum, E., Stokke, O. Pyroglutamic aciduria: studies on the enzymic block and on the metabolic origin of pyroglutamic acid 40(1972)461
Elisseeava, Y.E., Orekhovich, V.N., Pavlikhina, L.V., Alexeenko, L.P. Carboxycathepsin - a key regulatory component of two physiological systems involved in regulation of blood pressure 31(1971)413
Ellis, G., Goldberg, D.M. Comparison of amino transferase activities as determined by the original, revised and optimum spectrophotometric methods 35(1971)241
Ellis, G., Goldberg, D.M. Assay of human serum and liver guanase activity with 8-azaguanine as substrate 37(1972)47
Ellis, G., Goldberg, D.M. Activity and stability of glutamate dehydrogenase in various buffer systems 39(1972)472
Ellman, G.L. Does chlorpromazine interfere with the Porter-Silber reaction 35(1971)79
El-Raziky, E.-H. see Khafagy, E.Z. 40(1972)371
Emery, A.E.H., Burt, D. Amino acid, creatine and creatinine studies in myotonic dystrophy 39(1972)361
Emery, A.E.H., Farquhar, J.W., Timson, J. Amniotic fluid amino acids in maternal phenylketonuria 37(1972)544
Emery, A.E.H. see King, B. 36(1972)267
Emmerson, B.T. see Johnson, L.A. 41(1972)389
Endo, M. see Abe, T. 42(1972)29
Endres, W. see Bremer, H.J. 32(1971)407
Engliš, M., Šindelář, J. The heat aggregation of human IgD 41(1972)75
Erazimová, J. see Vidláková, M. 36(1972)61
Ericsson, A.D. see Szpunar, W.E. 35(1971)199
Eriksson, H., Gustafsson, J.-Å. Excretion of steroid hormones in adults. Steroids in urine from adults 41(1972)79
Eriksson, Ö., Ginsburg, B.E., Hultberg, B., Öckerman, P.A. Influence of age and sex on plasma acid hydrolases 40(1972)181
Ernstberger, W. see Schwille, P.O. 38(1972)379
Eschewege, E. see Claude, J.R. 32(1971)229
Evans, C., Fahmy, D., Morgan, C.A., Pearce, M.A., Cooke, I.D. A method for urinary pregnanediol determination using gas-liquid chromatography with electron capture 38(1972)25
Evans, J.R. A solid sampler with single sample leading for gas chromatography 37(1972)289
Evans, J.R. The reaction of vitamin D (Calciferol) with tetracyanoethylene. The basis of a possible chemical method to estimate vitamin D 38(1972)85
Evans, J.R. The gas chromatography of calciferol, dihydrotachysterol and cholesterol 42(1972)167
Evans, J.R. Methods for the estimation of ergocalciferol and dihydrotachysterol$_2$ in human serum 42(1972)343
Everard, D.W. see McPherson, I.G. 37(1972)117

Exner, T., Koppel, J.L.
An improved method for determining the fibrinogen clotting time 40(1972)347
Eze, L.C. see Walker, B.A. 35(1971)433

F

Fahmy, D. see Evans, C. 38(1972)25
Fales, H.M. see Law, N.C. 32(1971)221
Falkenberg, F. see Mondorf, A.W. 37(1972)25
Fanelli, R. see Marcucci, F. 34(1971)321
Farid, N.R., Anderson, J.
A low pressure system for membrane filtration for use in micronephelometry 39(1972)263
Farquhar, J.W. see Emery, A.E.H. 37(1972)544
Farrance, L., Culross, J., Dennis, P.M.
Modification to SMA 6/60 and SMA 12/60 dialyzers 38(1972)475
Farrell, K.B., see Wright, Jr. G.L. 32(1971)285
Felgenhauer, K.
Immunoglobulins in disc electrophoresis 39(1972)177
Felgenhauer, K.
Molecular size of human serum proteins determined by exclusion gel electrophoresis 32(1971)53
Fellman, J.H., Buist, N.R.M., Kennaway, N.G., Swanson, R.E.
The source of aromatic ketoacids in tyrosinaemia and phenylketonuria 39(1972)242
Fellman, J.H. see Joyce, J.R. 32(1971)313
Fellman, J.H. see Kennaway, N.G. 41(1972)157
Feng, H.W., Mu, J.Y., Ku, Y., Lee, F.S., Wang, R.B., Yun, T.K.
Uterine and hepatic protein biosynthesis in estrogen-treated and thyroidectomized rats 42(1972)225
Fenton, J. see Wald, N.J. 39(1972)266
Ferre, C. see Sabater, J. 36(1972)279
Fielding, J., Ryall, R.G.
Some characteristics of trichloroacetic acid-precipitated proteins and their effects on biochemical assay 33(1971)235
Fielding, J. see Ryall, R.G. 33(1971)229
Fifield, R.D. see Skillen, A.W. 40(1972)21
Figarella, C. see Clemente, F. 33(1971)317
Filippi, G. see Bottini, E. 31(1971)243
Fillat, M. see Lamblin, G. 36(1972)329
Fingerhut, B.
A non-mercurimetric automated method for serum chloride 41(1972)247
Finlayson, J.S., Morton, R.O.
Gel electrophoresis for assessing fibrin cross-linking: a precaution 36(1972)254
Fiorello, G., Piolanti, P., Forti, G., Serio, M.
Determination of plasma corticosteroids and urinary cortisol by a competitive protein-binding method using dextran-coated charcoal 37(1972)179
Fischer, E.
Studies on the abnormal high binding capacity of blood for vitamin B_{12} in chronic myeloid leukemia 36(1972)409
Fisher, M.T., Atkins, P.R., Joplin, C.F.
A method for measuring faecal chromium and its use as a marker in human metabolic balances 41(1972)109
Fishman, L. see Inglis, N.R. 38(1972)67
Fishman, L., Inglis, N.R., Fishman, W.H.
Preparation of two antigens of human liver isoenzymes of alkaline phosphatase 34(1971)393
Fishman, L., Inglis, N.R., Fishman, W.H.
Preparation and characterization of human intestinal alkaline phosphatase antigens 38(1972)75
Fishman, W.H. see Anstiss, C.L. 33(1971)279
Fishman, W.H. see Fishman, L. 34(1971)393
Fishman, W.H. see Fishman, L. 38(1972)75
Fishman, W.H. see Inglis, N.R. 33(1971)287
Fishman, W.H. see Inglis, N.R. 38(1972)67
Flatter, B. see Lorentz, K. 37(1972)515
Fleck, A. see Morrison, B. 39(1972)301
Ford, D.L. see Omachi, A. 37(1972)351
Forsham, P.H. see Ching, K.-N. 40(1972)383
Forti, G. see Fiorelli, G. 37(1972)179
Foster, L.B., Hochholzer, J.M.
A single extraction gas chromatographic method for the determination of estriol in pregnancy urines: Comparison with

an alkaline purification method and drug interference studies 32(1971)147
Fottrell, P.F. see Dolly, J.O. 31(1971)55
Fottrell, P.F. see Donlon, J. 33(1971)345
Francavilla, A., Albano, O., Mastrangelo, F., Coratelli, P., Palasciano, G., Amerio, A. Erythrocyte membrane ATPase in patients with acute or chronic renal disease 37(1972)298
Frattali, V. see Shackelford, A.H. 34(1971)13
Frazer, A., Secunda, S.K., Mendels, J. A method for the determination of sodium, potassium, magnesium and lithium concentrations in erythrocytes 36(1972)499
Frederick, M.A. see Kleijn, v.d., E., 34(1971)345
Freedman, A. see Hinterberger, H. 39(1972)395
Frénoy, J.-P., Razafimahaleo, E., Bourrillon, R. Preparation desα_2-macroglobulines humaines individuelles propriétés chimiques comparées 42(1972)51
Frénoy, N., Goussault, Y., Bourrillon, R. Préparation de la transferrine du sérum humain 32(1971)243
Fri, C.-G. see Bonnichsen, R. 40(1972)309
Frick, A. see Imler, M. 37(1972)245
Fridhandler, L. see Davis, J. 35(1971)305
Fridhandler, L. see Ueda, M. 35(1971)299
Friedman, H.S., Cheek, C.S. Simultaneous and completely automated methods for serum iron and iron-binding capacity determinations 31(1971)315
Frigerio, A. see Marcucci, F. 34(1971)321
Fruchart, J.C. see Jaillard, J. 38(1972)277
Fruchart, J.C. see Sezille, G. 35(1971)109
Fruchart, J.C., Sezille, G., Jaillard, J., Biserte, G. Nouvelle méthode pour la détermination rapide et precise de la lipase sérique 38(1972)247
Fuchs, C. see Paschen, K. 35(1971)401
Fuhrman, W. see Kostner, G. 38(1972)155
Fujita, R. see Nishioka, M. 31(1971)439
Fukala, E. see Peters, J.E. 37(1972)213
Fukaya, J., Imai, K., Tamura, Z. A simple and rapid gas chromatography for determining 3,4-dihydroxyphenyl-acetic acid and 3-methoxy-4-hydroxy-phenylacetic acid in urine from patients of Parkinsonism treated with L-3,4-dihydroxy-phenylalanine 33(1971)469
Fukushima, N. see Matsuda, I. 42(1972)241
Fullmer, H.M. see Robertson, P.B. 42(1972)43
Furbetta, M. see Tangheroni, W. 35(1971)165
Frydeckca, I. see Gola, A. 38(1972)127
Frydrychowska, T. see Wójcicka, J. 32(1971)109

G

Gal, A. see Diamant, Y.Z. 34(1971)73
Gal, I. see Parkinson, C.E. 40(1972)83
Gallyas, F. see Kerényl, L. 38(1972)465
Galpigna, L. see Burlina, A. 39(1972)255
Ganguly, P.
A low molecular weight antiplasmin of human blood platelets 39(1972)466
Garattini, S. see Marcucci, F. 34(1971)321
Garbien, K.J.T. see Crowley, M.F. 38(1972)91
Garbus, J.
Serum malate dehydrogenase isoenzymes as indicators of severe cellular injury 35(1971)502
Garcia, M. see Schuller, E. 33(1971)5
Gardner-Thorpe, C., Parsonage, M.J., Toothill, C.
A comprehensive scheme for the evaluation of anticonvulsive concentrations in blood using thin-layer chromatography 35(1971)39
Gardner-Thorpe, C., Parsonage, M.J., Smethurst, P.F., Toothill, C.
A comprehensive gas chromatographic scheme for the estimation of anti-epileptic drugs 36(1972)213
Gardner, G., see Campbell, D.G. 32(1971)153
Garg, L.C. see Vogh, B.P. 40(1972)431
Gasbarro, L., Bandinelli, R., Tomassini, G.
A new unified Biuret reagent stabilized with EDTA 36(1972)275
Gasbarro, L.
Simultaneous evaluation of phospholipids, free fatty acids, free cholesterol triglycerides and esterified cholesterol by thin layer chromatography and densitometry 37(1972)271
Gaspari, R. see Pinelli, A. 39(1972)135
Gaynor, R., Dempsey, W.B.
Vitamin B_6 enzymes in normal and pre-eclamptic human placentae 37(1972)411
Geissbühler, F., Constantinidis, J., Eisenring, J.J., Krassoievitch, M., Yanniotis, G., Tissot, R.
Parkinsonisme et métabolisme plamatique de la dihydroxyphénylalanine administrée avec un inhibiteur de la décarboxylase 33(1971)111
Genov, D., Boshkov, B., Zlatkov, N.B.
Copper pathochemistry in vitiligo 37(1972)207
Gerrard, J., Kohn, J., Turner, M.W.
A non-immunoglobulin γ-protein of human serum present in increased amounts in patients with severe burns 40(1972)243
Giardini, O., Cardi, E., Castro, M., Donfrancesco, A.
Biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann– Pick disease 42(1972)15
Gibbs, B.F., Itiaba, K., Mamer, O.A., Crawhall, J.C., Cooper, B.A.
A rapid method for the analysis of urinary methylmalonic acid 38(1972)447
Gijzen, A.H.J. see Brombacher, P.J. 36(1972)389
Gijzen, A.H.J. see Oers van, R.J.M., 38(1972)365
Gikov, D.G. see Atanasov, N.A. 36(1972)213
Ginneken, v., C.A.M. see Vree, T.B. 34(1971)365
Ginsburg, B.E. see Eriksson, Ö. 40(1972)181
Gips, C.H., Que, G.S.
Glucose and ammonia relationships 37(1972)295
Gips, C.H., Reitsema, A.
Influence of non-protein nitrogen substances on the indophenol reaction 33(1971)256
Girard, M.L. see Dugue, M. 33(1971)75
Girard, M.L. see Dugue, M. 40(1972)301
Giterson, A.L. see Goossens, J.P. 41(1972)149
Giterson, A.L., Lie Fong, L.A.S., Wederfoort, L.E., Schouten, H.
Blood-, urine- and liquor sugar II 34(1971)489
Gjessing, L.R. see Takahashi, S. 36(1972)369

Glover, R.J. see Chandrasekaran, A. 37(1972)371
Glusman, S. see Spector, H. 31(1971)5
Gniot-Szulzycka, J.
Arylsulphatases and A and B in blood 32(1971)17
Goberna, R. see Böhmer, R. 33(1971)61
Goh, T.-C. see Seet, A.-M. 42(1972)209
Gola, A., Frydecka, I., Słończewski, B.
Free fatty acids curve in normals during the oral glucose tolerance test 38(1972)127
Gold, R.J.M., Scriver, C.R.
The amino acid composition of hair from different racial origins 33(1971)467
Goldberg, D.M. see Belfield, A. 31(1971)81
Goldberg, D.M. see Ellis, G. 35(1971)241
Goldberg, D.M. see Ellis, G. 37(1972)47
Goldberg, D.M. see Ellis, G. 39(1972)472
Goldberg, J.M., Cotlier, E.
Specific isolation and analysis of mucopolysaccharides (glycosaminoglycans) from human urine 41(1972)19
Gollan, J.L., Davis, P.S., Deller, D.J.
A radiometric assay of copper binding in biological fluids and its application to alimentary secretions in normal subjects and Wilson's disease 31(1971)197
Gompertz, D.
Crotonic acid, an artefact in screening for organic acidaemias 33(1971)459
Gompertz, D., Draffan, G.H.
The gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain ketoaciduria) 40(1972)5
Gompertz, D., Draffan, G.H.
The identification of tiglylglycine in the urine of a child with β-methylcrotonylglycinuria 37(1972)405
Gompertz, D. see Goodey, P.A. 42(1972)119
Gonand, J.P. see Guisard, D. 35(1971)493
Gonand, J.P. see Guisard, D. 36(1972)281
Goodey, P.A., Gompertz, D.
Methylmalonyl CoA mutase – a radiochromatographic assay 42(1972)119
Goodwin, B.L., Karoum, F., Ruthven, C.R.J. Sandler, M.
Sources of contamination during a GLC-electron capture detection assay of phenolic alcohols 40(1972)269
Goossens, J.P., Statius van Eps, L.W., Schouten, H., Giterson, A.L.
Incomplete renal tubular acidosis in sickle cell disease 41(1971)149
Göpffarth, R., Abraham, R.
Untersuchungen über die Entstehung der Serum-Amino Peptidase-(Oxytocinase-) Aktivität in der Schwangerschaft 36(1972)303
Gordon, A.J. see Smith, I. 40(1972)415
Gordon, E.K., Oliver, J.
3-Methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid 35(1971)145
Gordon, S. see Weber, A.M. 39(1972)524
Gorgels, J. see Vree, T.B. 34(1971)333
Gorodezki, V.K., Mikhailoff, V.I., Rosenfeld, E.L.
Sucrose formation in the human and animal organism 34(1971)67
Goudie, J.H., Burnett, D.
A rapid method for detection of methaqualone metabolites 35(1971)133
Gould, S. see Apter, C. 42(1972)115
Goussault, Y., see Frénoy, N. 32(1971)243
Goutte, C. see Adessi, G. 40(1972)399
Goverde, B.C., Veenkamp, F.J.N.
Routine assay of total urinary hydroxyproline based on resin-catalysed hydrolysis 41(1972)29
Grabner, W., Bergner, D., Sailer, D., Berg, G.
Untersuchungen zur Zuverlässigkeit quantitativer Immunoglobulinbestimmungen (IgG, IgA, IgM) durch einfache radiale Immundiffusion 39(1972)59
Grabowski, R. see Bogdanikowa, B. 36(1972)351
Gracey, M., Burke, V., Storrie, M., Oshin, A.
Dissociation of intestinal active sugar transport from (Na^++K^+)ATPase activity 36(1972)555
Granath, K. see Arturson, G. 37(1972)309
Granger, M. see Berry, H.K. 32(1971)377
Green, J.B. see Solow, E.B. 33(1971)87
Green, S. see Anstiss, C.L. 33(1971)279
Green, S. see Inglis, N.R. 33(1971)287
Gregoire, P.E., Jonniaux, G., Voet, W.
Etude des glycolipides urinaires dans la maladie de Fabry 33(1971)385
Gregorová, M. see Hilgertová, J. 36(1972)511

Gregory, D.M. see Matusik, J.E. 39(1972)15
Griffiths, J. see Leung, F.Y. 37(1972)423
Griffiths, J., Linklater, H.
A radioisotope method for catechol-*O*-methyl transferase in blood 39(1972)383
Grimble, R.F.
The determination of pipecolic acid in serum and urine 38(1972)113
Grimble, R.F., Whitehead, R.G.
An automated method for the rapid chromatographic analysis of serum valine, alanine and glycine 31(1971)355
Gripois, D. see Parvez, H. 39(1972)253
Groc, W., Pissavy, M.
Die Prazipitatiedentifizierung bei der zentripetal-radialen Immunodiffusion 42(1972)423
Grodsky, G.M. see Ching, K.-N. 40(1972)383
Groen, A. see Bootsma, J. 41(1972)219
Groen, A. see Wolthers, B.G. 41(1972)223
Grosser, V. see Peters, W.H.
Grove, J. see Berry, D.J. 34(1971)5
Grove, J. see Toseland, P.A. 38(1972)321
Gudmundson, C.R. see Semb, T.H. 31(1971)375
Guidi, G. see Lippi, U. 37(1972)199
Guidollet, J. see Oziol, S. 39(1972)143
Guisard, D., Gonand, J.P., Debry, G.
Nouvelle méthode pour la détermination automatique simultanée et continué de la glycémie, et la lactacidémie 35(1971)493
Guisard, D., Gonand, J.P., Derby, G.
Nouvelle méthode pour la détermination automatique simultanée et continué de la glycémie, la pyruvicemie et la lactacidémie 36(1972)281
Gullberg, R.
Influence of plasma preparation technique on the amount of recovered B_{12}-binding proteins 33(1971)173
Gullberg, R., Broström, H.
Equipment for parallel gel filtration experiments in small columns 39(1972)475
Gunasekera, S.W., King, L.J., Lavender, P.J.
The behaviour of tracer gallium-67 towards serum proteins 39(1972)401
Günther, K. see Biesold, D. 42(1972)353
Gupta, D., Bundschu, H.D.
Testosterone and its binding in the plasma of male subjects with chronic renal failure 36(1972)479
Gupta, D., Pfeiffer, H., Zimprich, H.
Urinary androgens under stimulation–suppression tests in children with gonadal dysgenesis 40(1972)205
Gusmano, R. see Condorelli, S. 38(1972)141
Gustafsson, J.-Å. see Eriksson, H. 41(1972)79
Gustafsson, J.-Å. see Manson, M.E. 38(1972)45
Guzek, D.T. see Inglis, N.R. 33(1971)287

H

Haan, A.M.F.H. see Breebaart, K. 37(1972)157
Haan, A.M.F.H. see Breebaart, K. 38(1972)263
Habener, J.F., Deftos, L.J., Potts, J.T.
Improved radioimmunoassay for calcitonin using ^{125}I-labelled calcitonin purified by gel filtration 39(1972)407
Haber, E. see Page, L.B. 34(1972)55
Haberland, C. see Witting, L.A. 37(1972)387
Hagenfeldt, K. see Hagenfeldt, L. 42(1972)219
Hagenfeldt, L., Hagenfeldt, K.
Gas chromatographic–mass spectrometric analysis of organic acids in amniotic fluid 42(1972)219
Haesen, J.P., Berends, G.T., Zondag, H.A.
An automated method for the determination of serum γ-glutamyltranspeptidase 37(1972)463
Hagenfeldt, L.
Renal excretion of free fatty acids 32(1971)471
Hainsworth, I.R., Hall, P.E.
A simple automated method for the measurement of oestrogens in the urine of pregnant women 35(1971)191
Hais, I.M. see Marklová, E. 40(1972)455
Hall, P.E. see Hainsworth, I.R. 35(1971)191
Hallander, L.B. see Semb, T.H. 31(1971)375
Hallett, C.J., Cook, J.G.H.
Reduced nicotinamide adenine dinucleotide-coupled reaction for emergency blood urea estimation 35(1971)33
Hamblin, T.J., Holton, J.B.
The effect of an intravenous histidine load on the plasma level of other amino acids 42(1972)37
Hamfelt, A., Tuvemo, T.
Pyridoxal phosphate and folic acid concentration in blood and erythrocyte aspartate aminotransferase activity during pregnancy 41(1972)287
Hammer, F.E. see Martinek, R.G. 36(1972)75
Hampl, R., Stárka, L.
Determination of dehydroepiandrosterone sulfate in human plasma by competitive binding 34(1971)77
Handzel, Z.T. see Myerowitz, R.L. 39(1972)307
Hansen, S.O., Perry, T.L., Lesk, D.
Urinary bacteria: potential source of some organic acidurias 39(1972)71
Hansen, S.O. see Perry, Th.L. 31(1971)181
Hansen, S.O., Theodorsen, L.
The usefulness of an improved calcium electrode in the measurement of ionized calcium in serum 31(1971)119
Hanzlik, J. see Kowalewski, J. 34(1971)123
Harboe, M. see Torsvik, H. 42(1972)433
Hardeman, M.R., Den Uyl, A., Prins, H.K.
A semi-mechanized method for the fluorometric determination of 5-hydroxytryptamine (serotonin) in blood plasma and platelets 37(1972)71
Harell, A. see Apter, C. 42(1972)115
Harell, A., Neufeld, E., Kisch, E., Chayen, R.
The excretion of imidazoles following histidine loading in cases of thyrotoxicosis 35(1971)245
Harell, A. see Streifler, C. 38(1972)244
Harms, K. see Lentze, M. 33(1971)301
Harrison, J.F., Swingler, M.
The effect of serum macromolecules on the lysis of Micrococcus lysodeikticus cells by lysozyme 31(1971)149
Harrison, W.W., Clemena, G.C.
Survey analysis of trace elements in human fingernails by spark source mass spectrometry 36(1972)485
Harrison, W.W., Tyree, A.B.
The determination of trace elements in human fingernails by atomic absorption spectroscopy 31(1971)63
Hartemann, E. see Lamblin, G. 36(1972)329
Haschen, R.J. see Peters, J.E. 36(1972)289
Haschen, R.J. see Peters, J.E. 37(1972)213
Hashimoto, F. see Kitamura, M; 34(1971)419
Hashinotsume, M. see Higashino, K. 40(1972)67
Hashinotsume, M. see Higashino, K. 40(1972)305
Hashinotsume, M. see Kang, K.-Y. 42(1972)175
Hassanein, K.M. see Sirtori, C. 31(1971)305
Hassanein, R. see Sirtori, C. 31(1971)305
Hattner, R.S. see Jacobs, J.S. 31(1971)465

Hauton, J. see Amic, J. 40(1972)107
Hauton, J. see Domingo, N. 37(1972)399
Havez, R., Degand, P., Boersma, A., Richet, C.
Caractérisation et dosage de l'acide hyaluronique dans le liquide pleural de mésothéliome 33(1971)445
Havez, R. see Hayem-Levy, A. 35(1971)151
Havez, R. see Lamblin, G. 36(1972)329
Havez, R. see Roussel, P. 36(1972)315
Haworth, C. see Heathcote, J.G. 32(1971)457
Hayashi, K. see Watanabe, M. 37(1972)417
Hayem-Levy, A., Carlier-Vanneuville, A., Vandewalle, P., Havez, R.
Isolement de la transcobalamine foetale 35(1971)151
Hayward, J.L. see Bell, E.D. 42(1972)445
Healy, P.J.
Serum alkaline phosphatse activity in cattle 33(1971)423
Healy, P.J.
Serum alkaline phosphatase in sheep 33(1971)431
Healy, P.J.
Serum alkaline phosphatase in the newborn lamb 33(1971)437
Heathcote, J.G., Davies, D.M., Haworth, C., Oliver, R.W.A.
The effect of desating on the determination of amino acids in urine by thin-layer chromatography 32(1971)457
Heerspink, W., op de Weegh, G.J.
The use of the ceric arsenious acid reaction for the determination of small amounts of iodine or iodine compounds 39(1972)327
Heininger, J.A. see Jackson, S.H. 33(1971)179
Heintges, M.G. see Overfield, C.V. 39(1972)35
Heirli, C. see Bartels, H. 37(1972)193
Heirwegh, K.P.M. see Van Roy, F.P. 31(1971)109
Helbing, A.R., Duifs, R.
A flow-through device for urine polarimetry 31(1971)492
Helder, R.A.P. see Regouw, B.J.M. 31(1971)187
Helger, R. see Kraffczyk, F. 42(1972)303
Helger, R. see Kraffczyk, F. 31(1971)489
Helger, R. see Kraffczyk, F. 35(1971)335
Hemmingsen, L.
A simple and rapid method for quantitative determination of protein in urine 36(1972)185
Henneman, G. see Docter, R. 34(1971)297
Heredia del Portal, L., Lavin Palmieri, M., Thielmann, K.
Determination of creatinine in urine: preservation of the sample on filter paper 34(1971)487
Herz, F., Kaplan, E., Scheye, E.S.
Red cell acetylcholinesterase deficiency in ABO hemolytic disease of the newborn 36(1972)537
Herz, F., Kaplan, E., Scheye, E.S.
Red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in paroxysmal nocturnal hemoglobinuria 38(1972)301
Herzburg, L., Bold, A.W.
A sex difference in mean serum magnesium levels in depression 39(1972)229
Hetland, L.B., Knowlton, D.A., Couri, D.
A method for the detection of drugs at therapeutic dosages in human urine using adsorption column chromatography and thin layer chromatography 36(1972)473
Higashino, K., Hashinotsume, M., Kang, K.-Y., Takahashi, Y., Yamamura, Y.
Studies on a variant alkaline phosphatase in sera of patients with hepatocellular carcinoma 40(1972)67
Higashino, K., Hashinotsume, M., Yamamura, Y.
Effect of neuramic acid removal on the properties of a variant alkaline phosphatase in hepatoma 40(1972)305
Higashino, K. see Kang, K.-Y. 42(1972)175
Higashino, K., Takahaski, Y., Yamamura, Y.
Release of phenyl acetate esterase from liver microsomes by carbon tetrachloride 41(1972)313
Hilgertová, J., Straková, M., Vrbová, H., Gregorová, I., Sonka, J., Josifko, M.
Seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity in relation to temperature and dehydroepiandrosterone excretion 36(1972)511
Hill, A., Hoag, G.N., Zaleski, W.A.
The investigation of aromatic acids in phenylketonuria alkaptonuria and tyrosinosis using gas-liquid chromatography 37(1972)455
Hill, F.W.G. see Kidder, D.E. 37(1972)491

Hill, H.D. Jr, Summer, G.K., Newton, D.A.
An automated fluorometric procedure for histidine in blood 36(1972)105
Hill, J.G. see Qazi, Q.H. 31(1971)435
Hill, P.G. see Price, C.P. 33(1971)260
Hill, R.M. see Horning, M.G. 34(1971)261
Hindocha, P. see Biswas, S. 38(1972)455
Hinterberger, H., Freedman, A., Bartholomew, R.J.
Precursors of melanin in the blood and urine in malignant melanoma 39(1972)395
Hiratsuka, A. see Kitamura, M. 34(1971)419
Hirayama, C.
Tryptophan metabolism in liver disease 32(1971)191
Hironaga, K. see Nishioka, M. 31(1971)439
Hjalmarson, O. see Brog, L. 41(1972)363
Hjorne, N. see Dyerberg, J. 33(1971)459
Hla-Pe, Aung-Than-Batu 32(1971)145
Ho, G.S. see Chong, Y. 34(1971)85
Ho, Mae Wan, O'Brien, J.S.
Differential effect of chloride ions on galactosidase isoenzymes: A method for separate assay 32(1971)443
Hoag, G.N. see Hill, A. 37(1972)455
Hobkirk, R. see Tan, S.Y. 31(1971)387
Hochholzer, J.M. see Foster, L.B. 32(1971)147
Hodgkinson, A., Williams, A.
An improved colorimetric procedure for urine oxalate 36(1972)127
Hof, H. see Brunngraber, E.G. 32(1971)159
Hoffmann, I., Kanpp, A., Rietz, K., Milner, Ch.
Die Bestimmung der Transketolase-aktivität in Blut 33(1971)415
Hofmann, A.F. see Thompson, R.P.H. 35(1971)517
Hohenhauer, L. see Reinken, L. 36(1972)270
Holasek, A. see Kostner, A. 38(1972)155
Hollenbeck, M. see Hosty, T.A. 36(1972)579
Holt, P.G., Knight, J.O., Kakulas, B.A.
The significance of the 'dilution effect' in the determination of serum creatine kinase 33(1971)457
Holton, J.B. see Bevan, B.R. 41(1972)101
Holton, J.B. see Hamblin, T.J. 42(1972)37
Honjo, I. see Ozawa, K. 38(1972)385
Horáková, Z. see Beaven, M.A. 37(1972)91
Hørder, M.
Inorganic pyrophosphatase activity in human sera with elevated alkaline orthophosphatase activity 42(1972)373
Horký, J. see Vidláková, M. 36(1972)61
Horlick, L. see Kudchodkar, B.J. 41(1972)47
Horn, D.B.
Standardization of mechanised serum alkaline phosphatase determinations 37(1972)43
Horn, D.B. see Stein, S.M. 39(1972)293
Hornig, D., Weber, F., Wiss, O.
Uptake and release of (1-^{14}C) ascorbic acid and (1-^{14}C) dehydroascorbic acid by erythrocytes of guinea pigs 31(1971)25
Hornig, D., Weiser, H., Weber, F., Wiss, O.
Uptake and release of (1-^{14}C) ascorbic acid and (1-^{14}C) dehydroascorbic acid by leucocytes of guinea pigs 31(1971)33
Hornig, D., Weber, F., Wiss, O.
Studies on the uptake of (1-^{14}C) ascorbic acid and (1-^{14}C) dehydroascorbic acid by platelets of guinea pigs 33(1971)187
Horning, E.C., Devaux, P.G., Moffat, A.C., Pfaffenberger, C.D., Sakauchi, N., Horning, M.G.
Gas phase analytical separation applicable to problems in clinical chemistry 34(1971)135
Horning, E.C. see Horning, M.G. 37(1972)381
Horning, E.C. see Horning, M.G. 34(1971)261
Horning, M.G. see Horning, E.C. 34(1971)135
Horning, M.G., Hung, A., Hill, R.M., Horning, E.C.
Variations in urinary steroid profiles after birth 34(1971)261
Horning, M.G., Boucher, E.A., Stafford, M., Horning, E.C.
A rapid procedure for the isolation of drugs and drug metabolites from plasma 37(1972)381
Hosty, T.A., Caputo, M.J., Hollenbeck, M.
Bisalbuminema associated with dye binding defect 36(1972)579
Howard, Ch.B., Kelleher, Ph.C.
Plasma fucose and sialic acid concentrations during oral glucose tolerance tests in normal and diabetic (mellitus) humans 31(1971)75
Howell, R.R. see Thomas, G.H. 36(1972)99
Howorth, P.J.N.
Determination of serum albumin in neonatal

jaundice. The albumin saturation index 32(1971)271
Hrgovcic, R. see Neri, G. 35(1971)359
Hrkal, Z. see Tichý, M. 36(1972)363
Hrnčíř, Z. see Tichý, M. 36(1972)363
Hrnčíř, Z., Tichý, M., Vaňásek, J.
Monoclonal IgG-L gammapathy in the synovial fluid in rheumatoid arthritis 40(1972)237
Huisman, T.H.J.
Chromatographic separation of hemoglobins A_2 and C. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-B thalassemia 40(1972)159
Huisman, T.H.J. see Wong, S.C. 35(1971)521
Huisman, T.H.J., Schroeder, W.A., Bouver, N.G., Miller, A., Shelton, J.B., Shelton, J.R., Apell, G.
Chemical heterogeneity of fetal hemoglobin in subjects with sickle cell anemia, homozygous Hb-C disease, and various combinations of hemoglobin variants 38(1972)5
Huisman, T.H.J. see Wong, S.C. 38(1972)473
Huistra, D.Y. see Klosse, J.A. 42(1972)409
Hule, V.
The activity of lactate dehydrogenase isoenzymes: no correlation to metabolism? 31(1971)298
Hülsmann, W.C. see Koster, J.F. 40(1972)294
Hultberg, B. see Eriksson, Ö. 40(1972)181
Hultberg, B., Öckerman, P.A.
Artificial substrates in the assay of acid glycosidases 39(1972)49
Humbel, R., Chamoles, N.A.
Sequential thin layer chromatography of urinary acidic glycosaminglycans 40(1972)290
Hunaki, M. see Irie, A. 42(1972)63
Hung, A. see Horning, M.G. 34(1971)261
Hunteler, J.L.A., van der Slik, W.
A modification of serum cholesterol determination by continuous flow analysis 42(1972)449
Hünteler, J.L.A., van der Slik, W., Persijn, J.P.
An automated determination of serum iron latent iron-binding capacity by continuous flow analysis without dialysis 37(1972)391
Huttunen, J.K. see Maury, P. 37(1972)433
Hvidberg, E. see Larsen, N.-E. 40(1972)171

I

Ibbott, F.A. see Wybenga, D.R. 40(1972)121
Iijima, N. see Kitamura, M. 34(1971)419
Iino, S., Abe, K., Oda, T., Suzuki, H., Sugiura, M.
A New method od radioimmunoassay for human placental alkaline phosphatase 42(1972)161
Illiano, G., Utili, R., Cicala, V.
Assay of S-adenosylmethionine in human blood 33(1971)161
Imai, K., see Fukaya, J. 33 (1971)469
Imler, M., Frick, A., Stahl, A., Peter, B., Stahl, J.
Dosage de l'ammoniemie en discontinu et en continu par une technique de dialyse automatique 37(1972)245
Ingle, A.R. see Johnsson, K.R. 32(1971)279
Inglis, N.R., Guzek, D.T., Kirley, S., Green, S., Fishman, W.H.
Rapid electrophoretic microzone membrane technique for Regan isoenzyme (placental type alkaline phosphatase) using a fluorogenic substrate 33(1971)287
Inglis, N.R. see Fishman, L. 34(1971)393
Inglis, N.R. see Fishman, L. 38(1972)75
Inglis, N.R., Fishman, L., Stolbach, L.L., Warshaw, J.B., Fishman, W.H.
A comparison of chyle isoenzymes of alkaline phosphatase in chyle and hypophosphatasemic sera 38(1972)67
Ingram, P., Applegarth, D. A., Sturrock, S., Whyte, J.N. C
Sorbitol and mannitol in human urine 35(1971)523
Irie, A., Hunaki, M., Bando, K., Kawai, K.
Determination of amylase activity in serum and urine using blue starch substrate 42(1972)63
Isaacs, A.
The influence of malaria and the Hb S gene on Hb A_2 synthesis 36(1972)27
Isherwood, D.M., Isherwood, D.R., Annan, W.
Factors affecting the precision and accuracy of P_{O_2} measurements using the Clark electrode 42(1972)295
Isherwood, D.R. see Isherwood, D.M. 42(1972)295
Ishihara, A. see Kurahasi, K. 42(1972)141
Ishihara, A., Kurahasi, K., Uehara, H.
Enzymatic determination of ammonia in blood plasma 41(1972)255
Itiaba, K. see Gibbs, B.F. 38(1972)447
Ito, T., Niwa, T., Matsui, E
Fibrinolytic activity in renal disease 36(1972)145
Ito, T., Niwa, T., Matsui, E., Ohishi, N., Yagi, K.
Plasma, flavin levels of patients receiving longterm hemodialysis 39(1972)125
Iversen, P.F., Closs, K., Wad, N.
Darkening of urine from patients treated with L-DOPA 32(1971)137
Iyner, G.Y.N. see Ramachandran, M. 40(1972)281

J

Jackson, L.J., Rittenberg, M.B., Seaman, C.V.F.
On the isolation of materials with Rh antiqenic properties from the human erythrocyte membrane 39(1972)463

Jackson, P., Whittaker, M.
Evidence for an abnormality in the erythrocyte membranes of patients having paroxysmal nocturnal haemoglobinuria and aplastic anemia 41(1972)299

Jackson, S.H., Heininger, J.A.
Collagen reutilization in normal and hypersomatotropic rats 33(1971)179

Jacobs, J.S., Hattner, R.S., Bernstein, D.S.
A physico-chemical study of calcium-albumin aggregation employing a calcium-specific electrode 31(1971)465

Jacobs, Ph. see Winckers, P.L.M. 34(1971)401

Jacobs, S.L. see Martinek, R.G. 36(1972)75

Jacobs, W.L.W.
A colorimetric assay for γ-glutamyltranspeptidase 31(1971)175

Jacobs, W.L.W.
γ-Glutamyl-transpeptidase in diseases of the liver. Cardiovascular system and diabetes mellitus 38(1972)419

Jacobsen, S. see Beaven, M.A. 37(1972)91

Jacoby, B., Bagshawe, K.D.
Placental-type alkaline phosphatase from human tumour tissue 35(1971)473

Jacotot, B., Monnier, G., Beaumont, J.L.
In vivo incorporation of dietary (^{14}C) colesterol in rat serum lipoproteins and transfers in connective tissue 33(1971)95

Jaillard, J. see Fruchart, J.C. 38(1972)247

Jaillard, J. see Sezille, G. 35(1971)109

Jaillard, J., Sezille, G., Fruchart, J.G., Scherpereel, P.
Dosage semi-automatique de l'activité lipolytique du plasma post-hèparine. Bilan des premières applications clinique 38(1972)277

James, B.E., Macmahon, R.A.
An effect of trichloro-acetic acid on the determination of zinc by atomic absorption spectroscopy 32(1971)307

James, V.H.T.
Steroid G.L.C. methods in diagnostic clinical chemistry 34(1971)272

James, V.H.T. see André, C.M. 40(1972)325

Janowsky, D.S. see Christoph, G.W. 38(1972)265

Januszewicz, W., Sznajderman, Wocial, B., Preibisz, J., Poplawska, W.
Urinary excretion of dopamine and homavanillic acid in acute myocardial infraction 32(1971)261

Jardillier, J.-C., Renaud, D., Vatier, J., Agneray, J.
Étude cinetique de l'action de la pepsine sur l'hémoglobine. Application a l'exploration fonctionelle gastrique 38(1972)187

Jatlow, P. see Spector, H. 31(1971)5

Javitt, N.B. see Panio, M. 32(1971)487

Jayle, M.F. see Adessi, G. 40(1972)399

Jayle, M.F. see Sternberg, M. 32(1971)123

Jayle, M.F. see Cloarec, L. 33(1971)45

Jellum, E. see Eldjarn, E. 40(1972)461

Jellum, E. see Pettersen, J.E. 38(1972)17

Jellum, E. see Pettersen, J.E. 41(1972)199

Jemmali, M., Rodríguez-Kábana, R.
Studies of conditions for the polarographic determination of glucose with glucose oxidase 42(1972)153

Jeppsson, J.O., Berglund, S.
Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö 40(1972)153

Jepson, J.B. see Dayman, J. 40(1972)335

Jirka, M., Blanicky, P.
Micro-isoelectric focusing of proteins in pilocarpine-induced sweat 31(1971)329

Johnson, K.R., Ingle, A.R., Payne, R.B.
A method for measuring haemoglobin at low concentration in the presence of plasma inhibitors 32(1971)279

Johnson, L.A., Emerson, B.T.
Isolation of crystalline uric acid from urine for urate pool or turnover measurements 41(1972)389

Johnson, P.F. see Shreeve, D.R. 42(1972)453

Johnson, S., Domino, E.F.
Cholinergic enzymatic activity of cerebrospinal fluid of patients with various neurologic diseases 35(1971)421

Jollès, P. see Périn, J.-P. 42(1972)77
Jollif, P. see Annan, W. 34(1971)481
Joncquiert, F., Nyssen, M., Plumet, A., Dorche, J.
Application de l'automatisation à la détermination de la 5'-nucléotidase sérique chez l'homme 42(1972)361
Joplin, G.F. see Fisher, M.T. 41(1972)109
Joséfko, M. see Hilgertová, J. 36(1972)511
Jowett, T.P. see Chapman, L. 38(1972)339
Joyce, J.R., Fellman, J.H., Strandholm, J.J.
Analysis in human plasma of 3-methoxytyrosine: a metabolite of Dopa 32(1971)313
Jung, D.H., Parekh, A.C.
A new color reaction for cholesterol assay 35(1971)73
Jung, K.
Ein Farbtest zur Bestimmung der Glutamatdehydrogenase-Aktivität im Serum 36(1972)231

K

Kageyama, N.
A direct colorimetric determination of uric acid in serum and urine with uricase-catalase system 31(1971)421
Kahane, Z., Ebbighausen, W., Vestergaard, P.
Gas chromatographic estimation of urinary 3-methoxy-4-hydroxy-phenyl-glycol as the triacetate 38(1972)413
Kahane, Z., Vestergaard, P.
The quantitative estimation of urinary 3-methoxy-4-hydroxy-phenylacetic acid (Homovanillic acid) 35(1971)49
Kahn, M.F. see Dugue, M. 33(1971)75
Kakulas, B.A. see Holt, P.G. 33(1971)457
Kalman, S.M. see Watson, E. 38(1972)33
Kamano, T. see Ozawa, K. 38(1972)385
Kammeyer, C.W. see Caraway, W.T. 41(1972)395
Kang, K.-Y. see Higashino, K. 40(1972)67
Kang, K.-Y., Higashino, K., Takahashi, Y., Hashinotsume, M., Yamamura, Y.
α-Fetoprotein in infantile diseases 42(1972)175
Kantamaneni, B.D. see Curson, G. 37(1972)335
Kaplan, E. see Herz, F. 36(1972)537
Kaplan, E. see Herz, E. 38(1972)301
Kar, N.C., Pearson, C.M.
Acid hydrolases in normal and diseased human muscle 40(1972)341
Kar, N.C., Pearson, C.M.
Acyl phosphatase in normal and diseased human muscle 40(1972)262
Kar, N.C., Pearson, C.M.
Fructose 1,6-diphosphatase in normal and diseased human muscle 38(1972)252
Kar, N.C., Pearson, C.M.
NADP-linked dehydrogenase in Duchennes muscular dystrophy 38(1972)183
Karam, J.H. see Ching, K.-N. 40(1972)383
Kärkkäinen, J. see Seppälä, P.O. 36(1972)549
Karli, N.J. see Kehayoglou, K.A. 35(1971)508
Karli, J.N. see Levis, G.M. 41(1972)335
Karon, H. see Pawlak, A.L. 35(1971)395
Karoum, F. see Goodwin, B.L. 40(1972)269
Karoum, F., Sandler, M.
High-resolution gas chromatographic analysis of phenolic acids and alcohols using capillary columns 32(1971)391
Kase, M.M. see Rosenthal, W.A. 33(1971)51
Käser, H., see Türler, K. 32(1971)41
Kattermann, R. see Schlaeger, R. 33(1971)13
Kawai, K. see Irie, A. 42(1972)63
Kawamoto, H. see Usui, T. 31(1971)477
Kawamoto, H. see Usui, T. 37(1972)151
Keane, P.M. see Walker, W.H.C. 36(1972)119
Kehayoglou, K.A., Karli, N.J., Kiriazidis, K.J., Theodossiou, A.
Familial hypercholesterolenia. 35(1971)508
Keler-Bacoka, N.
Quantitative Bestimmung einzelner Harnproteine mittels einfacher radialen Immunodiffusion 35(1971)363
Kelleher, Ph.C. see Howard, Ch.B. 31(1971)75
Kellen, J.A. see Lo, J.S. 41(1972)239
Kelleter, R., Seiler, D.
Glycogen breakdown in human lymphocytes: activities of phosphorylase and α-1,4-glucosidases 42(1972)57
Kellow, A.H. see Smith, I. 40(1972)353
Kelly, S., Leikhim, E., Desjardins, L.
A qualitative spot test for cystinuria 39(1972)469
Kennaway, N.G., Buist, N.R.M., Fellman, J.H.
The origin of urinary *p*-hydroxyphenylpyruvate in a patient with hepatic cytosol tyrosine aminotransferase deficiency 41(1972)157
Kennaway, N.G. see Fellman, J.H. 39(1972)242
Kerényl, L., Gallyas, F.
A highly sensitive method for demonstrating

proteins in electrophoretic immunoelectrophoretic and immunodiffusion preparation 38(1972)465
Kersen van, F., Doorenbos, H., Waringa, B.H., Woldring, M.G.
Serum thyroxine after infusion of TRH 38(1972)239
Ketting, D. see Van der Heiden, C. 31(1971)133
Ketting, D. see Wadman, S.K. 34(1971)277
Ketting, D. see Van der Heiden, C. 34(1971)289
Khafagy, E.Z.
Estimation of the level of properdin in normal adult human and in bilharziasis 36(1972)287
Khafagy, E.Z., Osman, H.G., El-Raziky, E.-H. Shalaby, F.Y.
Evaluation of the level of mucopolysaccharides in serum in bilharziasis 40(1972)371
Khafagy, E.Z., Shalaby, F.Y.
Urinary arylsulfatases in bilharziasis 40(1972)298
Khorlin, A.Ya. see Privalenko, M.N. 41(1972)269
Kidder, D.E., Hill, F.W.G., Stevens, J.A.
Automatic measurement of some mucosal carbohydrases 37(1972)491
Kiesouw, L.A., Bless, J.W., Nelson, D.P., Shelton, J.B.
A new method for the rapid determination of oxygen-dissociation curves in small blood samples by spectrophotometric titration 41(1972)123
Kindmark, C.-O.
Identification of C-reactive protein by agarose gel electrophoresis of human serum or plasma 35(1971)491
King, B., Spikesman, A., Emery, A.E.H.
The effect of pregnancy on serum levels of creatine kinase 36(1972)267
King, L.J. see Gunasekera, S.W. 39(1972)401
Kinne, R. see Mondorf, A.W. 37(1972)25
Kipping, D.
Ueber die Phosphatasen des menslichen Samens 33(1971)379
Kiriazidis, K.J. see Kehayoglou, K.A. 35(1971)508
Kirley, S. see Inglis, N.R. 33(1971)287
Kisch, E. see Harell, A. 35(1971)245
Kishimoto, Y. see Kurtz, D.J. 34(1971)463
Kitamura, M., Iijima, N., Hashimoto, F., Hiratsuka, A.
Hereditary deficiency of subunit H of lactate dehydrogenase 34(1971)419
Kitamura, O. see Ozawa, K. 38(1972)385
Klaassen, C.D.
Gas-liquid-chromatographic determination of bile acids in bile 35(1971)227
Kleihauer, E. see Kohne, E. 40(1972)285
Kleijn v.d., E., Beelen, G.C., Frederick, M.A.
Determination of tranquillizers by G.L.C. in biological fluids 34(1971)345
Kleiner, H., Brouet-Yager, M.
Separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by acrylamide gel electrophoresis of human pregnancy sera 40(1972)177
Klosse, J.A., Huistra, D.Y., De Bree, P.K., Wadman, S.K., Vliegenthart, J.F.G.
An automated chromatographic system for the combined analysis of urinary peptides and amino acids 42(1972)409
Klyszejko-Stefanowicz, L. see Lutz, W. 39(1972)319
Klyszejko-Stefanowicz , L. see Lutz, W. 39(1972)425
Knapp, A. see Hoffmann, I. 33(1971)415
Knapp, A. see Machill, G. 39(1972)171
Knapp, A. see Peters, W.H. 39(1972)273
Knight, J.O. see Holt, P.G. 33(1971)457
Knoetgen, U. see Petek, W. 38(1972)460
Klopper, A.I.
An evaluation of the contribution of G.L.C. techniques for the estimation of progesterone and pregnanesteroids 34(1971)215
Klosse, J.A., DeBree, P.K., Wadman, S.K.
A sensitive automatic determination of protein in urine serum and cerebrospinal fluid 32(1971)321
Knowlton, D.A. see Hetland, L.B. 36(1972)473
Kobayashi, K., Nishimoto, Y., Shimizu, K.
Clinical and experimental studies of acid phosphatase in renal failure 35(1971)173
Kodding, R., Krüskemper, H.L.
Aktivkohle als Adsorbens für exogene Jodverbindungen bei der Hormonjod-Bestimmung um Serum 31(1970)271
Kohn, J. see Gerrard, J. 40(1972)243
Kohne, E. see Bremer, H.J. 32(1971)407
Kohne, E., Kleihauer, E., Stöffler, G.
Eine einfache Methode zur Kettentren-

nung von Hämoglobin auf der Mikrozonen–elektrophorese 40(1972)285
Kojima, H. see Yamamoto, K. 37(1972)165
Kolb, F.O. see Ching, K.-N. 40(1972)383
Kolibala, L.G. see Wiederschain, G.Y. 35(1971)99
Konttinen, A. see Murros, J. 41(1972)263
Konttinen, A. see Somer, H. 36(1972)531
Konttinen, A. see Somer, H. 40(1972)133
Koorevaar, G. see Van Stekelenburg, G.J. 34(1971)305
Koorevaar, G. see Van Stekelenburg, G.J. 39(1972)191
Koppel, J.L. see Exner, T. 40(1972)347
Koster, J.F., Slee, R.G., Hülsmann, W.C., Niermeijer, M.F.
The electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Pompe's disease) 40(1972)294
Koster, J.F., Staal, G.E.J., Niermeijer, M.F.
Pyruvate kinase in cultivated amniotic fluid cells 36(1972)572
Kostic, D. see Neskovic, N. 38(1972)147
Kostner, G., Holasek, A., Schoenborn, W., Fuhrman, W.
Immunochemische Untersuchung und analytische isoelektrische Fokussierung des Serums eines Patienten mit Tangier-Krankheit 38(1972)155
Kostner, G. see Petek, W. 38(1972)460
Kotoney-Ahulu, F.I.F. see Ringelhahn, B. 34(1971)63
Kowalewski, J., Tomaszewski, J., Hanzlik, J., Zawislak, H., Zbikowska, A.
The elimination of free, peptide-bound and proteinbound hydroxyproline into dialysate during peritoneal dialysis in patients with renal failure 34(1971)123
Kraffczyk, F., Helger, R., Bremer, H.J.
Thin-layer chromatographic screening tests for carbohydrate anomalies in plasma, urine and faeces 42(1972)303
Kraffczyk, F., Helger, R., Lang, H.
Simplified thin-layer chromatography screening test for detection of important hyperaminoacidemias 31(1971)489
Kraffczyk, F., Helger, R., Lang, H.
Thin layer chromatographic screening test for amino acid anomalies in urine without desalting using internal standards 35(1971)345
Krassoievitch, M. see Geissbühler, F. 33(1971)111
Krementz, E.T. see Morgan, L.R. 37(1972)292
Kreutzer, E.K.J.
Determination of hormonal iodine 37(1972)519
Krishnaswamy, K.
Plasma "cortisol" levels in pellagins 34(1971)415
Kropp, J. see Weicker, H. 37(1972)59
Krüskemper, H.L. see Ködding, R. 31(1971)271
Kurtz, D.J., Levy, H.L., Plotkin, W., Kishimoto, Y.
A rapid method for the quantitative analysis of short-chain fatty acids in serum of plasma 34(1971)463
Kržalić, Lj., Mihailović, Lj.
Prealbumin proteins in serum 33(1971)91
Ku, Y. see Feng, H.W. 42(1972)225
Kudchodkar, B.J., Sodhi, H.S., Horlick, L.
Comparison of isotopic and chromatographic methods for estimating fecal bile acids 41(1972)47
Kueppers, F., Brackertz, D., Czygan, P.J.
Serum α_1-antitrypsin levels during the ovarian cycle 39(1972)131
Kunze, D., Olthoff, D., Bönsch, G.
Der Einbau von (^{14}C)fettsäuren in Muskellipide bei progressiver Muskeldystrophie (Duchenne) 33(1971)373
Kunze, D., Olthoff, D.
Acylation of lysolecithin with long-chain fatty acids by normal and dystrophic human muscle 36(1972)561
Kurahasi, K. see Ishihara, A. 41(1972)255
Kurahasi, K., Ishihara, A., Uehara, H.
Determination of ammonia in blood plasma by an ion exchange method 42(1972)141
Kwiatowska, J., Zatoński, W., Baranowski, T.
Erythrocyte phosphofructokinase alterations in polycythemia vera 40(1972)101

L

Labat, J. see Demelier, J.F. 35(1971)335
Lacko, A.G., Rutenberg, H.L., Soloff, L.A.
Recovery of labeled cholesterol and cholesterol esters from thin layer chromatograms 39(1972)506
Lagg, S. see Page, L.B. 34(1971)55
Lagrue, G. see Cloarec, L. 33(1971)45
Lagrue, G. see Sternberg, M. 32(1971)123
Lairon, D. see Amic, J. 40(1972)107
Laite, P.A. see Wills, M.R. 35(1971)514
Lallier, J.C. see Adessi, G. 40(1972)399
Lamblin, G., Degand, P., Roussel, P., Havez, R., Hartemann, E., Fillat, M.
Les glycopeptides du mucus bronchique fibrillaire dans la mucoviscidose 36(1972)329
Lamblin, G. see Roussel, P. 36(1972)315
Lang, H. see Kraffczyk, F. 31(1971)489
Lang, H. see Kraffczyk, F. 35(1971)345
Lappin, T.R.J.
The measurement of non-esterified fatty acids in icteric body fluids 33(1971)153
Lardinois, R., Anagnostakis, D., Ortiz, M.A., Delisle, M.
Human α_1-foetoglobulin during the last trimester of gestation 37(1972)81
Larsen, A. see Outch, K.F. 40(1972)377
Larsen, K.
Creatinine assay in the presence of protein with LKB 8600 Reaktion Rate Analyser 38(1972)477
Larsen, K.
Creatinine assay by a reaction-kinetic principle 41(1972)209
Larsen, N.-E., Naestoft, J., Hvidberg, E.
Rapid routine determination of some anti-epileptic drugs in serum by gas chromatography 40(1972)171
Latner, A.L. see McKee, R.W. 39(1972)221
Laudat, Ph. see Pinon, J.-C. 32(1971)131
Laurell, S., Nilsén, R., Nordén, A.
Incorporation of phytanic and linoleic acid into plasma lipids in Refsum disease 36(1972)169
Lauwerys, R., Delbroeck, R., Vens, M.D.
Automated analysis of delta-aminolaevulinic acid in urine 40(1972)443
Lavender, P.J. see Gunasekera, S.W. 39(1972)401
Lavin, Palmieri, M. see Heredia del Portal, L. 34(1971)487
Lavinha, F. see Regemorter, N. van 38(1972)59
Law, N.C., Aandahl, V., Fales, H.M., Milne, G.W.A.
Identification of dangerous drugs by mass spectrometry 32(1971)221
Lawrence, E.F. see Paterson, Y. 42(1972)131
Lebreton, J.P., Martin, J.P., Leroy, J., Dordain, M., Ropartz, C., Poortmans, J.R.
On the occurrence of hitherto unknown proteins in the urine of an apparently healthy subject 33(1971)101
Leclerq, R., Täljedal, I.-B., Wold, S.
Evaluation of radioisotope data in steroid assays based on competitive protein binding 36(1972)254
Leclerq, R. see Virasoro, E. 31(1970)294
Lee, F.S. see Feng, H.W. 42(1972)225
Lee, L.M.Y.
Serum phospholipids in neoplastic disorders 32(1971)25
Lefèvre, M. see Schuller, E. 33(1971)5
Lefèvre, M. see Schuller, E. 42(1972)5
Lehmann, D. see Lehmann, F.G. 33(1971)197
Lehmann, F.G., Lehmann, D., Martini, G.A.
α_1-Foetoprotein. Isolierung und Kristallisation aus menslichem Plasma 33(1971)197
Lehmann, H.E. see Rapp, W. 31(1971)45
Lehtonen, A. see Seppälä, P.O. 36(1972)549
Leijnse, B. see Bleijenberg, B.G. 31(1971)277
Leijnse, B. see Tavenier, P. 32(1971)63
Leijnse, B. see Kreel, B.K. van 32(1971)103
Leijnse, B. see Heul, C. van der 38(1972)347
Leijnse, B. see Wagemaker, G. 36(1972)357
Leijten, C.J.J.A. see Calseyde, J.F. van de 38(1972)103
Lemonnier, A., Moatti, N., Charpentier, C., Levillain, P.
Modifications de l'aminoacidurie après administration de cycloleucine chez le rat: Analogies avec la cystinurie humaine 33(1971)351

Lemonnier, A., Pousset, J.L., Charpentier, C., Moatti, N.
Isolement, et identification d'un nouveau métabolite urinaire d'oxydation de l'homocystine 33(1971)359
Lentze, M., Schaub, J., Harms, K.
A simple and rapid thin-layer chromatographic method for the assay of intestinal disaccharidases 33(1971)301
Leonard, P.J., Persaud, J., Motwani, R.
The estimation of plasma albumin by B.C.G. dye binding on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique 35(1971)409
Leonhardt, H., Bungert, H.-J.
Untersuchungen über die Wechselwirkung von Fibrinogen, Globulinen und Albumin auf die Plasmaviscosität 42(1972)181
Leonhardt, H. see Bungert, H.-J. 32(1971)385
Leonhardt, H. see Bungert, H.-J. 35(1971)233
Leroy, J. see Lebreton, J.P. 33(1971)101
Lesk, D. see Perry, Th.L. 31(1971)181
Lesk, D. see Hansen, S. 39(1972)71
Leung, F.Y., Griffiths, J.
A chromatographic method for aldosterone determination in human urine 37(1972)423
Leusen, I. see Eechaute, W. 32(1971)297
Levdikova, G.A., Orekhovich, V.N.
On a collagenase-like enzyme detected in the extracts of hypothalamus and hypophysis 42(1972)205
Lever, M.
Repurification of dichloromethane used for extraction in fluorometric methods 31(1971)291
Lever, M. see Wilson, D.M. 36(1972) 260
Levillain, P. see Lemonnier, A. 33(1971)351
Levin, K.
Heat production by leucocytes and thrombocytes measured with a flow microcalorimeter in normal man and during thyroid dysfunction 32(1971)87
Levis, G.M., Karli, J.N., Malamos, B.
The phospholipids of the thyroid gland 41(1972)335
Levy, H.L., Baullinger, P.C., Madigan, P.M.
A rapid procedure for the determination of phenyalanine and tyrosine from blood filter paper specimens 31(1971)447
Levy, H.L. see Kurtz, D.J. 34(1971)463
Lewikhim, E. see Kelly, S. 39(1972)469
Lewis, B. see Burke, C.W. 32(1971)207
Lewis, P.W., Dixon, K.
Action limits for internal quality control 35(1971)21
Leyten, C.J.J.A. see Van de Calseyde, J.F. 32(1971)361
Lezy, W. see De Baets, J. 32(1971)142
Lichtblau, E. see Delpech, B. 37(1972)15
Lie Fong, A.L. see Giterson, A.L. 34(1971)489
Lightstone, P.J. see Smith, I. 35(1971)59
Lim, P., Tay, B.S., Tan, I.K.
Nail magnesium and calcium in chronic uraemia 42(1972)47
Lim, T.-S. see Tan, I.K. 41(1972)329
Lindblad, B.
Radiochemical assays for *p*-hydroxyphenylpyruvate hydroxylase in human liver 34(1971)113
Lindgärde, F.
Potentiometric determination of serum ionized calcium in a normal human population 40(1972)477
Lindgren, F.T. see Lossow, W.J. 36(1972)33
Lindmark, D.G. see Murphy, W.H. 42(1972)309
Lindstedt, S. see Borg, L. 41(1972)363
Lindstedt, S. see Cederblad, G. 33(1971)117
Lindstedt, S. see Cederblad, G. 37(1972)235
Lindy, S., Turto, H., Uitto, J., Vainio, K.
Origin of synovial fluid lactate dehydrogenase in rheumatoid arthritis 35(1971)377
Lindy, S., Uitto, J., Turto, H., Rokkanen, P. Vainio, K.
Lactate dehydrogenase in the synovial tissue in rheumatoid arthritis: total activity and isoenzyme composition 31(1971)19
Lindy, S. see Uitto, J. 36(1972)43
Linklater, H. see Griffiths, J. 39(1972)383
Lipinski, J. see Mathysse, S. 35(1971)253
Lippi, U., Stevanato, G., Guidi, G.
A rapid photometric method for serum lipase determination 37(1972)199
Lissitzky, S. see Bismuth, J. 35(1971)287
Lissitzky, S. see Rolland, M. 39(1972)95
Little, A. see Melley, D. 40(1972)273
Lo, J.S., Kellen, J.A.
A proposal for a more uniform output in laboratory data 41(1972)239
Logan, R.W. see Barnard, W.P. 34(1971)377
Lollis, B. see Ceriotti, G. 33(1971)69
Lombardi, D. see Condorelli, S. 38(1972)141
Lombarts, A.J.P.F., Peters, H.J.
An improved automated assay of serum glutamic-oxalacetic transaminase 35(1971)257
Lombarts, A.J.P.F., Peters, H.J.
Routine determination of serum pepsinogen 36(1972)185

Longstaff, E. see McKee, R.W. 39(1972)221
Lopez-S., A. see Berenson, G.S. 36(1972)175
Lopez-S., A., Srinivasan, S.R., Dugan, F.A., Radhakrishnamurthy, B., Berenson, G.S. Detection of subtile abnormalities of serum B- and pre-B-lipoproteins in "normal" individuals by turbidimetric and electrophoretic methods 31(1971)123
Lord, P.S. see Chandrasekaran, A. 37(1972)371
Lorentz, K., Flatter, B. Determination of carboxypeptidase B in duodenal contents 37(1972)515
Lorenzen, I. see Uitto, J. 31(1971)13
Lossow, W.J., Lindgren, F.T., Weizel, A., Wood, P.D. A study of a type V hyperlipoproteinemic patient 36(1972)33
Louisot, P. see Oziol, S. 39(1972)143
Lowenthal, A. see Regemorter, N. van 38(1972)59
Luke, K.H. see Poortmans, J. 35(1971)449
Lungarotti, S. see Tangheroni, W. 35(1971)165
Lunkvist, U. see Češka, M. 32(1971)339
Lust, G., Pronsky, W. Glycosaminoglycan contents of normal and degenerative articular cartilage from dogs 39(1972)281
Lustberg, T.J., Schulman, J.D., Seegmiller, J.E. The preparation and identification of various adducts of oxidized homogentisic acid and the development of a new sensitive colorimetric assay for homogentisic acid 35(1971)325
Lutz, W., Markiewicz, K., Kłyszejko-Stefanowicz, L. Oligopeptides in blood plasma of healthy humans and of patients with nephrotic syndrome 39(1972)319
Lutz, W., Markiewicz, K., Kłyszejko-Stefanowicz, L. Oligopeptides excreted in the urine of healthy humans and of patients with nephrotic syndrome 39(1972)425

M

Maas, A.H.J., Heijst, A.N.P. van, Visser, B.F.
The determination of the true equilibrium constant and the practical equilibrium coefficient for the first ionization of carbonic acid in solutions of sodium bicarbonate, cerebrospinal fluid, plasma and serum at 25° and 38° 33(1971)325
Maas, J.W. see Dekirmenjian, H. 32(1971)310
Macavei, I. see Cucuianu, M. 38(1972)97
Macha, H.N. see Bungert, H.J. 32(1971)385
Macha, H.N. see Bungert, H.J. 35(1971)233
Macheak, M.E. see Pemberton, J.R. 34(1971)431
Machill, G., Knapp, A., Teichmann, W.
Eine Mikrolitermethode zur Bestimmung der Kynureninaseaktivität in menschlicher Leber 39(1972)171
Macmahon, R.A. see James, B.E. 32(1971)307
Madigan, P.M. see Levy, H.L. 31(1971)447
Maddux, B. see Morgan, L.R. 37(1972)292
Madsen, A.
Creatine phosphokinase isoenzymes in human tissue with special reference to brain extract 36(1972)17
Maeda, K. see Miwa, I. 37(1972)538
Maesen, F.P.V. see Peeters, J.A.B.M. 34(1971)467
Magnani, H.N., Alaupović, P.
A method for the quantitative determination of the abnormal lipoprotein (LP-X) of obstructive jaundice 38(1972)405
Magoc, T. see Searcy, R. 38(1972)291
Mainwaring, W.I.P. see Bell, E.D. 35(1971)209
Mainwaring, W.I.P. see Bell, E.D. 42(1972)445
Makin, H.L.J., Trafford, D.J.H.
Gas-liquid chromatographic fractionation of the urinary 17-oxo-and 17-oxogenic steroids; a simple qualitative aid in the diagnosis and treatment of adrenocortical dysfunction 32(1971)299
Makin, H.L.J. see Trafford, D.J.H. 40(1972)421
Makino, H. see Nishibe, H. 34(1971)409
Mäkisara, P. see Seppälä, P.O. 36(1972)549
Malamos, B. see Levis, G.M. 41(1972)335
Malát, M. see Štahlavska, A. 41(1972)181
Mallick, N.P. see Robins, A.J. 42(1972)215
Mamer, O. see Crawhall, J.C. 34(1971)47
Mamer, O.A., Crawhall, J.C., Sioe San Tjoa
The identification of urinary acids by coupled gas chromatography-mass spectrometry 32(1971)171
Mamer, O.A. see Gibbs, B.F. 38(1972)447
Mampel, E. see Peters, J.E. 37(1972)213
Mandel, P. see Neskovic, N. 38(1972)147
Manson, M.E., Nocke-Fink, L., Gustafsson, J.-A., Shackleton, C.H.L.
Artifact formation during incubation of neutral steroids with commercial β-glucuronidase preparations 38(1972)45
Mantel, M.,
Improved method for the determination of iodine in urine 33(1971)39
Manuel, Y., Defontaine, M.C., Bourgoin, J.J., Dargent, M., Sonneck, J.M.
Serum haemopexin levels in patients with malignant melanoma 31(1971)485
Manuel, Y., Carmonada Motta, H.
Serum immunoglobulin levels in healthy children and children with current infectious diseases 38(1972)250
Marçais, J. see Cloarec, L. 33(1971)45
Marcais, J. see Sternberg, M. 32(1971)123
March, S.E. see Smith, I. 40(1972)415
Marcolongo, R., Marinello, E., Riariosforza, R.G., Pagani, R.
The inhibition of xanthine oxidase activity benzodiarone 41(1972)91
Marcucci, F., Mussini, E., Airoldi, L., Fanelli, R., Frigerio, A., Nadai, F. de, Bizzi, A., Rizzo, P., Morselli, L., Garattini, S.
Analytical and pharmakinetic studies on butyrophenones 34(1971)321
Marcuson, R.W., Tomlinson, B.
L-phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in dog serum 42(1972)245
Mardens, Y. see Regemorter, N. van 38(1972)59
Maren, T.H. see Vogh, B.P. 40(1972)431

Margraaf, H.W., Wise, L., Ballinger, W.F.
Photonometric correction in the determination of urinary 17-ketosteroids 36(1972)566
Margraf, H.W., Wise, L., Ballinger, W.F.
Cortisol 21-acetate: aparently abnormal plasma levels in patients with rheumatoid arthritis 39(1972)247
Marinek, R.G.
A rapid ultraviolet spectrophotometric lactic dehydrogenase assay 40(1972)91
Marinello, E. see Marcolongo, R. 41(1972)91
Markiewicz, K. see Lutz, W. 30(1972)319
Markiewicz, K. see Lutz, W. 39(1972)425
Marklova, E., Hais, I.M.
A method for the estimation of indolylacryloylglycine in urine 40(1972)455
Martin, A.J.P.
9th West European Symposium on Clinical Chemistry, Gas Chromatography Opening 34(1971)131
Martin, B.R., Timmons, M.C., Prange, Jr. A.J.
Enzymatic hydrolysis of 3-methoxy-4-hydroxyphenethyleneglycol conjugates 38(1972)271
Martin, J.P. see Lebreton, J.P. 33(1971)101
Martinek, R.G., Jacobs, S.L., Hammer, F.E.
Spectrophotometric standardization of enzyme assays 36(1972)75
Martini, G.A. see Lehmann, F.-G. 33(1971)197
Maruhn, D. see Tenhaeff, D. 31(1971)37
Masarei, J.R. see Balazs, N.D.H. 40(1972)213
Massari, M. see Demelier, J.F. 35(1971)335
Master, R.W.P. see Walkar, A. 39(1972)433
Mastrangelo, F. see Francavilla, A. 37(1972)298
Mathieu, P., Charvet, J.C., Chazot, G., Trouillas, P.
Les métabolites 4-*O*-méthylés des catécholamines l'acide 3-hydroxy, 4-méthoxyphénylacétique (acide homoiso-vanillique, ISO-HVA) dans les milieux biologiques: urine, liquide céphalo-rachidien, tissu cérébral 41(1972)5
Matson, R.L. see Pemberton, J.R. 34(1971)431
Matsuda, I., Shida, N., Takekoshi, Y., Fukushima, N.
Renal acid excretion in patients with hypogammaglobulinemia 42(1972)241
Matsuda, I., Sugai, M., Arashima, S., Anakura, M.
Urinary 5-hydroxy-indolacetic acid in patients with a typical phenylketonuria 34(1971)491
Matsuda, I. see Tashimo, M. 41(1972)67
Matsuda, I. see Yamamoto, K. 37(1972)165
Matsui, E. see Ito, T. 36(1972)145
Matsui, E. see Ito, T. 39(1972)125
Matthys, F., Christophe, A.
A combined thin layer-gas chromatographic method for the analysis of fatty acid-containing stool fractions 36(1972)341
Matthysse, S., Lipinski, J., Shih, V.
L-DOPA and S-adenosylmethionine 35(1971)253
Matusik, J.E., Powel, J.B., Gregory, D.M.
A mechanized screening procedure for sickling hemoglobins 39(1972)15
Maurer, H.R., Allen, R.C.
Polyacrylamide gel electrophoresis in clinical chemistry: problems of standardization and performance 40(1972)359
Maury, P., Huttunen, J.K.
Effects of age, fasting and surgery on the excretion of neuraminyllactose and neuraminyl-N-acetyllactosamine in rat urine 37(1972)433
May, P., Donabedian, R.K.
Lipoprotein X simulating paraproteinemia in paper electrophoresis 38(1972)255
Maya, A., Sabater, J.
Specific spot test for homocystinuria in filter paper saturated with urine 39(1972)261
McCann, D.S. see Sharpless, N.S. 31(1971)155
McCann, D.S. see Szpunar, W.E. 35(1971)199
McConnon, J. see Row, V.V. 31(1971)47
McConville, B.C. see Schwartz, H.D. 31(1971)97
McCrae, W.M. see Butterworth, J. 40(1972)139
McCrae, W.M. see Butterworth, J. 40(1972)275
McCrae, W.M. see Butterworth, J. 41(1972)367
McDonald, D. see Salkie, M.L. 37(1972)323
McGale, E.H.F., Pickford, J.C., Aber, G.M.
Quantitative changes in plasma amino acids in patients with renal disease 38(1972)395
McGowan, G.K. see Walker, W.H.C. 35(1971)455

McGregor, F., Phillips, G., Romsdahl, M.M.
Analysis of urinary 5-hydroxyindoleacetic acid by thin layer chromatography: elimination of interference by glyceryl guaiacolate 40(1972)59
McKee, R.W., Longstaff, E., Latner, A.L.
Lactase dehydrogenase in human testes 39(1972)221
McPherson, I.G., Everard, D.W.
Serum albumin estimation: modification of the bromcresol green method 37(1972)117
McPherson, K. see Murray-Lyon, I.M. 39(1972)215
Meijer, A.E.F.H., Bethlem, J., Wijngaarden, G.K. van,
Diagnostic value of electrophoretical isoenzyme determination of L-lactate dehydrogenase in affected quadriceps muscle of patients with neuromuscular diseases 33(1971)247
Meijer, D.K.F. see Thürkow, I. 37(1972)509
Melaçon, S.B. see Perry, Th.L. 31(1971)181
Melissinos, K., Drivas, G., Vlassopoulos, K.
LDH activity of red cells in chronic renal failure 40(1972)165
Melley, D., Little, A., Rothfield, R.D.
An early warning clot detector for the SMA 12/60 40(1972)273
Meltzer, H.Y.
Factors affecting serum creatinine phosphokinase levels in the general population: the role of race, activity and age 33(1971)165
Mendels, J. see Frazer, A. 36(1972)499
Merlie, K. see Brody, J.I. 34(1971)437
Messerschmidt, H.J.M., Sedee, P.D.J.W.
Lipid screening and lipoprotein electrophoresis by cellogel 36(1972)51
Metais, P. see Miesch, F. 31(1971)231
Metz, J., Ebert, W., Weicker, H.
Gaschromatographische Analyse des Protein- und Kohlenhydratanteiles von Erythrozytenmembranglykoproteinen 34(1971)31
Metz, J. see Weicker, H. 37(1972)59
Meuwissen, J.A.T.P. see Van Roy, F.P. 31(1971)109
Michelin, M.J. see Toseland, P.A. 37(1972)477
Miconi, G. see Burlina, A. 39(1972)255
Middleditch, B.S. see Brooks, C.J.W. 34(1971)145
Miedema, K., Boelhouwer, J., Otten, J.W.
Determination of iodoamino acids and hormonal iodine by means of a cation exchange resin and Pileggi's no nincineration technique 32(1971)367
Miedema, K., Boelhouwer, J., Otten, J.W.
Determinations of proteins and hormones in serum by an immunoassay using antigen-enzyme conjugates 40(1972)187
Miesch, F., Bieth, J., Métais, P.
The α_1-antitrypsin and α_2 macroglobulin content and the protease-inhibiting capacity of normal and pathological sera 31(1971)231
Miettinen, T.A.
Removal of serum cholesterol in control and hyperlipidaemic subjects 39(1972)480
Mihailović, Lj. see Kržalić, Lj. 33(1971)91
Mihas, A. see Seitanidis, B. 37(1972)531
Mikac-Dević, D., Tomanić, C.
Determination of 4-pyridoxic acid in urine by a fluorimetric method 38(1972)235
Mikhailoff, V.I. see Gorodzki, V.K. 34(1971)67
Milewczyk, B.K. see Robins, A.J. 42(1972)215
Milewski, K.N. see Rosenthal, W.A. 33(1971)51
Miller, A. see Huisman, T.H.J. 38(1972)5
Miller, J.N., Newton, A.H., Thornburn Burns, D.
Cellulose acetate electrophoresis: the use of discontinuous buffer systems for protein separations 31(1971)427
Mills, G.L., Chong, Y.H., Taylaur, C.E.
Variation in composition of serum low density lipoproteins in healthy men 42(1972)273
Mills, G.L. see Stone, M.C. 31(1971)333
Milne, G.W.A. see Law, N.C.
Milner, Ch. see Hoffmann, I. 33(1971)415
Minchin, Clarke, H.G. see Murray-Lyon, I.M. 39(1972)215
Mitchell, B. see Colman, R.W. 39(1972)5
Mitchell, W.D.
A comparison of the effect of clofibrate and thyroxine on serum lipids in three hypothyroid subjects 35(1971)429
Mitchell, W.D., Murchison, L.E.
The effect of clofibrate on serum and faecal lipids 36(1972)153
Miwa, I., Okuda, J., Maeda, K., Okuda, G.
Mutarotase effect on colorimetric determination of blood glucose with β-D-glucose oxidase 37(1972)538
Miyazaki, S., Okumura, M.
Change of serum γ-glutamyl transpeptidase

level and isoenzyme pattern in hepatobillary pancreatic disease 40(1972)193
Mizukami, T. see Ozawa, K. 38(1972)385
Mizutani, K. see Nagatsu, T. 39(1972)417
Moatti, N. see Lemonnier, A. 33(1971)351
Moatti, N. see Lemonnier, A. 33(1971)359
Modiano, G. see Bottini, E. 31(1971)243
Moerkerk, C. see Werkman, H.P.T. 31(1971)395
Moffat, A.C. see Horning, E.C. 34(1971)135
Mohanram, M., Reddy, V.
Urinary excretion of acid mucopolysaccharides in kwashiorkor and vitamin A-deficient children 34(1971)93
Moinuddin, M., Witter, R.F., Quist, K.D.
Bovine blood serum as a substitute for human serum for quality control of the determination of cholesterol and triglyceride 37(1972)123
Moisy, M. see Sternberg, M. 32(1971)123
Mondorf, A.W., Kinne, R., Scherberich, J.E., Falkenberg, F.
Isolierung, enzymatische und immunologische Charakterisierung einer Plasmamembranfraktion vom proximalen Tubulus der mensliche Niere 37(1972)25
Monnier, G. see Jacotot, B. 33(1971)95
Montfort, M.-F. see Rolland, M., 39(1972)95
Montreuil, J. see Strecker, G. 33(1971)253
Montreuil, J. see Strecker, G. 33(1971)393
Moore, A.L. see Cooney, D.A. 40(1972)249
Moore, G.R., Barnes, L.C., Pennock, C.A.
An improved rapid automated method for the estimation of blood 41(1972)439
Moore, J.W.
A rapid method for the analysis of enzyme hydrolysable 11-deoxy-17-oxosteroids in urine 39(1972)532
Moreira Aquino, A. see Thielmann, K. 35(1971)239
Moreno, P., see Schuller, E. 33(1971)5
Moreno, P. see Schuller, E. 39(1972)233
Morgan, C.A. see Evans, C. 38(1972)25
Morgan, D.B. see Robertson, W.G. 37(1972)503
Morgan, L.R. et al.
Arylsulphatase activity of human lung, liver and kidney neoplasms 32(1971)316
Morgan, L.R., Maddux, B., Samuels, M.S., Krementz, E.T.
Arylsulphatase and its relation to homovanillic acid in neuroblastomas 37(1972)292
Morisoli, L.S. see Rodrigues Garay, E.A. 37(1972)171
Morrison, B.
Use of the Beckman glucose analyser for low and high glucose values 42(1972)192
Morrison, B., Scotland, C.J., Fleck, A.
The determination of plasma glucose in a diabetic clinic 39(1972)301
Morselli, L. see Marcucci, F. 34(1971)321
Morton, R.O. see Finlayson, J.S. 36(1972)254
Moss, D.W.
Determination of intestinal alkaline phosphatase in serum by substrate-specificity measurements 35(1971)413
Moss, D.W. see Brojer, B. 35(1971)511
Moss, D.W. see Phelan, M.B. 32(1971)95
Moss, D.W., Shakespeare, M.J. Thomas, D.M.
Observations on the heat-stability of alkaline phosphatase isoenzymes in serum 40(1972)35
Motwani, R. see Leonard, P.J. 35(1971)409
Mu, J.Y. see Feng, H.W. 42(1972)225
Mueggo, M. see Allegri, G. 40(1972)258
Muenter, M.D. see Sharpless, N.S. 37(1972)359
Müller, G.
Uber Veränderungen der enzymatisch bestimmten Polyensäuren im Blutserum mit dem Alter und bei chronischen arteriosklerotischen obliterierenden Gefässerkrankungen 32(1971)115
Müller, G.
Photometrische Bestimmung der lipolytischen Serumaktivität mit 1,5-Diphenylkarbohydrazid 39(1972)89
Muller, H. see Smeets, E.H.J. 33(1971)407
Murakami, M. see Noto, M. 36(1972)163
Murchison, L.E. see Mitchell, W.D. 36(1972)153
Murphy, J.V., Craig, L.
Neuraminidase-induced changes in white blood cell hexosaminidase A 42(1972)267
Murray-Lyon, I.M., Minchin Clarke, H.G., McPherson, K., Williams, R.
Quantitative immunoelectrophoresis of

serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis 39(1972)215

Murphey, W.H., Patchen, L., Lindmark, D.G. Carnosinase: a fluorometric assay and demonstration of two electrophoretic forms in human tissue extracts 42(1972)309

Murphy, D., Pennock, C.A. Gas chromatographic measurement of blood and urine glucose and other monosaccharides 42(1972)67

Murros, J., Konttinen, A., Somer, H. An electrophoretic method for the quantitation of aspartate aminotransferase isoenzymes 41(1972)263

Muskens, A. see Vree, T.B. 34(1971)333

Mussini, E. see Marcucci, F. 34(1971)321

Myerowitz, R.L., Handzel, Z.T., Robbins, J.B. Human serum α_1-antitrypsin: isolation and demonstration of electrophoretic and immunologic heterogeneity 39(1972)307

Myhal, D.R. see Rylance, H.J. 35(1971)159

N

Nadai Frank de, A. see Ceriotti, G. 33(1971)69
Naestoft, J. see Larsen, N.-E. 40(1972)171
Nagamine, M.
Lactate dehydrogenase isoenzymes linked to immunoglobulin A in two cases 36(1972)139
Nagarajan, R. see Sanghvi, A. 31(1971)255
Nagatsu, I. see Nagatsu, T. 39(1972)417
Nagatsu, T., Mizutani, K., Sudo, Y., Nagatsu, I.
Tyrosine hydroxylase in human adrenal glands and human pheochromocytoma 39(1972)417
Najman, A. see Buc, H. 38(1972)131
Naka, H.
Application of serum cholesterol determination with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system 42(1972)193
Nakamura, H., Tamura, Z.
Gas chromatographic analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides 39(1972)367
Neale, G. see Phalan, M.B. 32(1971)95
Neerhout, R.C.
Red cell lipids in hypothyroidism 41(1972)347
Negoita, C. see Bonnichsen, R. 40(1972)309
Nelson, D.P. see Kiesouw, L.A. 41(1972)123
Nelson, J.H. see Sheid, B. 39(1972)477
Neri, G., Di Ferrante, N., Hrgovcic, R.
Measurement of plasma glycosaminoglycans: an extension of the method 35(1971)359
Neskovic, N., Sarlieve, L., Nussbaum, J.-L., Kostic, D., Mandel, P.
Quantitative thin-layer chromatography of glycolipids in animal tissues 38(1972)147
Neuberger, Ph. see Vatier, J. 40(1972)391
Neufeld, E. see Harell, A. 35(1971)245
Newton, D.A. see Hill, H.D. 36(1972)105
Newall, R.G.
A lipid and lipoprotein study of patients with peripheral arterial disease using micronephelometry 32(1971)185
Newall, R.G., Bliss, B.P.
An association of very low density lipoproteins with type II hyperlipoproteinemia 38(1972)307
Newton, A.H. see Miller, J.N. 31(1971)427
Ng, S.H. see Rawstron, J.R. 32(1971)305
Niebes, P.
Determination of enzymes and degradation products of glycosaminoglycan metabolism in the serum of healthy and varicose subjects 42(1972)399
Nielsen, H.G., Weeke, B.
Quantitative determination of human fibrinogen in plasma following carbamylation by Laurell electrophoresis in antibody containing gel 35(1971)281
Nielsen, H.G., Buus, O., Weeke, B.
A rapid determination of thyroxine-binding-globulin in human serum by means of the Laurell rocket immunoelectrophoresis 36(1972)133
Niermeijer, M.F. see Koster, J.F. 40(1972)294
Nilsen, R. see Laurell, S. 36(1972)169
Nilsson-Ehle, P., Tornqvist, H., Belfrage, P.
Rapid determination of lipoprotein lipase activity in human adipose tissue 42(1972)383
Nisbet, J.A., Simpson, E.
An assessment of drift correction in continuous flow chemical analytical systems 39(1972)339
Nishibe, H., Makino, H.
Investigation of arginase isozyme in erythrocyte 34(1971)409
Nishimoto, Y. see Kobayashi, K. 35(1971)173
Nishioka, M., Hironaga, K., Fujita, T.
Polyacrylamide gel electrophoresis of sera from patients with primary liver carcinoma 31(1971)439
Niwa, T. see Ito, T. 36(1972)145
Niwa, T. see Ito, T. 39(1972)125
Nocke-Fink, L. see Manson, M.E. 38(1972)45
Norden, A. see Laurell, S. 36(1972)169
Nonis, P. see Chong, Y.H. 34(1971)85
Nørgaard-Pedersen, B.
Purification and sensitive immunoelectrophoretical detection and quantitation of human α_1-foetoprotein 38(1972)163

Nørgaard-Pedersen, B. see Rem, J. 42(1972)101
Nørgaard-Pedersen, B. see Siggaard-Andersen, O. 42(1972)85
Nørgaard-Pedersen, B., Siggaard-Andersen, O., Rem, J.
Hemoglobin pigments, III. Mixing technique for preparation of known fractions of hemoglobin pigments 42(1972)109
Norum, K.R. see Torsvik, H. 42(1972)433
Norymberski, J.K.
Evaluation of G.L.C. and other techniques for the estimation of corticosteroids 34(1971)187
Noto, M. see Takeda, R. 36(1972)163
Nussbaum, J.-L. see Neskovic, N. 38(1972)147
Nusse, B.J. see Wolthers, B.G. 41(1972)223
Nýdr, J., Štáhlavská, A.
Die chelatometrische Bestimmung von Amino-Stickstoff in Harn 38(1972)457
Nyssen, M. see Joncquiert, F. 42(1972)361
Nyssen, M. see Piccardi, G. 40(1972)219

O

O'Brien, J.S., see Mae Wan Ho 32(1971)443
Öckerman, P.A. see Eriksson, Ö. 40(1972)181
Öckerman, P.A. see Hultberg, B. 39(1972)49
Oda, T. see Iino, S. 42(1972)161
O'Donovan, D.J.
Inhibition of the indophenol reaction in the spectrophotometric determination of ammonia 32(1971)59
Oers, R.J.M. van, Gijzen, A.H.J.
A systematic investigation on the competitive protein-binding assay of thyroxine in serum with ion exchange strips 38(1972)365
Ohgimi, Y. see Yamamoto, K. 37(1972)165
Ohishi, N. see Ito, T. 39(1972)125
Ohlenschläger, K. see Uitto, J. 31(1971)13
Ohlsson, K.
Comparison of affinity of trypsin for two α-macroglobulin fractions and for α_1-antitrypsin in dog serum 32(1971)215
Ohlsson, K.
Properties of leucocytic protease 32(1971)399
Oimomi, M. see Takahashi, K. 38(1972)285
Okuda, G. see Miwa, I. 37(1972)538
Okumara, M. see Miyazaki, S. 40(1972)193
Oliver, J. see Gordon, E.K. 35(1971)145
Oliver, R.W.A. see Heathcote, J.G. 32(1971)457
Olsen, C.
An enzymatic fluorimetric micromethod for the determination of acetoacetate, β-hydroxybutyrate, pyruvate and lactate 33(1971)293
Olthoff, D. see Kunze, D. 33(1971)373
Olthoff, D. see Kunze, D. 36(1972)561
Omachi, A., Scott, C.B., Ford, D.L.
Pyridine nucleotide metabolism in stored human erythrocytes 37(1972)351
Op de Weegh, G.J. see Heerspink, W. 39(1972)327
Orekhovich, V.N. see Elisseeva, Y.E. 31(1971)413
Orekhovich, V.N. see Chulkova, T.M. 34(1971)493
Orekhovich, V.N. see Levdikova, G.A. 42(1972)205
Orrell, D.H.
Albumin as an aid to the interpretation of serum calcium 35(1971)483
Ortiz, M.A. see Lardinois, R. 37(1972)81
Ortner, H.M. see Schreiber, B.E. 36(1972)379
Oshin, A. see Gracey, M. 36(1972)555
Osman, H.G. see Khafagy, E.Z. 40(1972)371
Otten, J.W. see Miedema, K. 32(1971)367
Otten, J.W. see Miedema, K. 40(1972)187
Outch, K.F., Dennis, P.M., Larsen, A.
A rapid method for the estimation of oestrogens in non-pregnancy urine 40(1972)377
Overfield, C.V., Savory, J., Heintges, M.G.
Glycolysis: a re-evaluation of the effect on blood glucose 39(1972)35
Owen, C.A. see Sharpless, N.S. 37(1972)359
Ozawa, K., Kitamura, O., Mizukami, T., Yamaoka, Y., Kamano, T., Takeda, H., Takasan, H., Honjo, I.
Human liver mitochondria 38(1972)385
Oziol, S., Guidollet, J., Louisot, P.
Biosynthèse de la transcortine: transglycosylation et acquisition des propriétés biologiques de la glycoproteine transcortine 39(1972)143

P

Pagani, R. see Marinello, E. 41(1972)91
Page, L.B., Dessaulles, E., Lagg, S., Haber, E.
Interference with immunoassays of angiotensin I and II by proteins in human plasma 34(1971)55
Pak, C.Y.C., Ruskin, B., Diller, E.
Enhancement of renal excretion of zinc by hydrochlorothiazide 39(1972)511
Pal, S.B.
Urinary excretion of testosterone and epitestosterone in men, women and children, in health and disease 33(1971)215
Pal, S.B., Teller, W.M.
Urinary excretion of dehydroepiandrosterone in normal children and in patients with adrenocortical disorders 38(1972)371
Palasciano, G. see Francavilla, A. 37(1972)298
Palo, J., Savolainen, H.
Studies on serum and urinary glycopeptides and glycosaminoglycans in aspartylglucosaminuria 36(1972)431
Panio, M., Javitt, N.B.
Quantitative estimation of hemolytic in vitro using ^{51}Cr-tagged erythrocytes 32(1971)487
Panveliwalla, D. see Burke, C.W. 32(1971)207
Parekh, A.C. see Jung, D.H. 35(1971)73
Pargaonkar, P.S. see Berenson, G.S. 36(1972)175
Parkhouse, R.M.E. see Virella, G. 32(1971)427
Parkinson, C.E., Gal, I.
Factors affecting the laboratory management of human serum and liver vitamin A analyses 40(1972)83
Parsonage, M.J. see Gardner-Thorpe 35(1971)39
Parvez, H., Gripois, D.
Simplified and precise method for the assay of enzyme catechol-o-methyl transferase without high speed fractionation 39(1972)253
Paschen, K., Fuchs, C.
A new micro-method for Na, K, Ca, and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry 35(1971)401
Patchen, L. see Murphy, W.H. 42(1972)309
Paterson, Y.
A new screening test for serum creatine phosphokinase 34(1971)373
Paterson, Y., Lawrence, E.F.
Factors affecting serum creatine phosphokinase levels in normal adult females 42(1972)131
Pavlikhina, L.V. see Eliseeva, Y.E. 31(1971)413
Pawlak, A.L., Karon, H., Torlinski, L., Dzieciuchowicz, S.
The binding of ^{51}Cr with phosphate compounds in chromium labelled red blood cells 35(1971)395
Payne, R.B.
The application of standard deviation calculated from successive duplicates to quality control data 42(1972)263
Payne, R.B. see Johnsson, K.R. 32(1971)279
Pearce, M.A. see Evans, C. 38(1972)25
Pearson, C.M. see Kar, N.C. 38(1972)183
Pearson, C.M. see Kar, N.C. 38(1972)252
Pearson, C.M. see Kar, N.C. 40(1972)262
Pearson, C.M. see Kar, N.C. 40(1972)341
Peeters, J.A.B.M., Brombacher, P.J., Maesen, F.P.V.
Specific and non-specific precipitins in the serum of patients suffering from "pigeon breeders" disease 34(1971)467
Pemberton, J.R., Matson, R.L., Claus, K.D., Macheak, M.E.
Changes in plasma enzyme levels of sheep infected with Clostridium novyi, Type B 34(1971)431
Pennock, C.A. see Moore, G.R. 41(1972)439
Pennock, C.A. see Murphy, D. 42(1972)67
Pepper, D.S. see Shortridge, K.F. 42(1972)285
Perez Diaz, A. see Heredia del Portal, L. 34(1971)487
Périn, J.-P., Jollès, P.
Etude comparée des lysozymes de leucocytes de sujets sains et de malades atteints de leucémie myéloide chronique 42(1972)77
Perkins, J.R.
Effects of light on the determination of citruline 35(1971)247

Pernollet, J.C. see Clauvel de Mendonca, M. 39(1972)149
Perry, J.D. see Smith, I. 35(1971)59
Perry, Th.L., Hansen, S., Diamond, S., Melanco, S.B., Lesk, D.
Acetic and banzoic acids in the urine of patients with chronic schizophrenia 31(1971)181
Perry, T.L. see Hansen, S. 39(1972)71
Persaud, J. see Leonard, P.J. 35(1971)409
Persijn, J.-P., Slik, W. van der, Riethorst, A., Timmer, C.J.
Determination of serum iron and unsaturated iron-binding capacity 35(1971)89
Persijn, J.P., Slik, W. van der, Zwart, W.A.
Colorimetric assay for γ-glutamyl transpeptidase 35(1971)239
Persijn, J.P. see Slik, W. van der 37(1972)391
Pesce, A.J., Boreisha, I., Polak, V.E.
Rapid differentiation of glomerular and tubular proteinuria by sodium dodecyl sulfate polyacrylamide gel electrophoresis 40(1972)27
Pesquet, A. see Brunelle, Ph. 33(1971)265
Petek, W., Kostner, G., Knoetgen, U.
Immunochemical characterization of the 'pre-α' band in lipoprotein 38(1972)460
Peter, B. see Imler, M. 37(1972)245
Peters, H.J. see Lombarts, A.J.P.F. 35(1971)257
Peters, H.J. see Lombarts, A.J.P.F. 36(1972)185
Peters, J.E., Schneider, L, Haschen, R.J.
Bestimmung der L-alanyl-peptidhydrolase (Alanin-Aminopeptidase, Aminosäure-arylamidase) im menslichen Harn 36(1972)289
Peters, J.E., Mampel, E., Schneider, L., Burchardt, U., Fukala, E., Ahrens, L., Haschen, R.J.
Alaninaminopeptidase (L-Alanyl-peptidhydrolase) in Harn bei Nierenerkrankungen 37(1972)213
Peters, W.-H., Grosser, V., Knapp, A.
Creatinine excretion in women during fasting 39(1972)273
Pettersen, J.E.
Formation of *n*-hexanedioic acid from hexadecanoic acid by an initial ω-oxidation in ketotic rats 41(1972)231
Pettersen, J.E., Jellum, E.
The identification and metabolic origin of 2-furoylglycine and 2,5-furandicarboxylic acid in human urine 41(1972)199
Pettersen, J.E., Jellum, E., Eldjarn, L.
The occurrence of adipic and suberic acid in urine from ketotic patients 38(1972)17
Pfaffenberger, C.D. see Horning, E.C. 34(1971)135
Pfeiffer, H. see Gupta, D. 40(1972)205
Pflugshaupt, R. see Scherz, R. 39(1972)109
Phelan, M.B., Neale, G., Moss, D.W.
Serial studies of serum alkaline phosphatase and 5'-nucleotidase levels in hepatobiliary disease 32(1971)95
Phillips, A.P., Blackmore, D.J.
Regression analysis of serum protein levels 36(1972)251
Phillips, G. see McGregor, F. 40(1972)59
Phillips, G.B. see Wille, L.E. 34(1971)457
Phillips, J. see Tocci, P.M. 40(1972)449
Picard, J., Veissiere, D., Voyer, F., Bereziat, G.
Composition en acides gras des phospholipides dans les lipoproteines seriques anormales de la cholestase 36(1972)247
Picard, J., Veissiere, D., Voyer, F.
Identification de l'apolipoprotéines sériques anormales de la cholestase 37(1972)483
Piccardi, G., Nyssen, M., Dorche, J.
Détermination du fer et de la capacité totale de fixation dans le sérum humain par une méthode sans deprotéinisation 40(1972)219
Pickford, J.C. see McGale, E.H.F. 38(1972)395
Pierce, J.V. see Beaven, V.H. 32(1971)67
Pihko, H. see Uitto, J. 32(1971)265
Pijnenburg, A.M.C.M. see Van Kreel, B.K. 32(1971)103
Pileggi, V.J., Di Giorgio, J., Wybenga, D.R.
A one-tube serum uric acid method using phototungstic acid as protein precipitant and color reagent 37(1972)141
Pincherle, G. see Rollason, J.G. 39(1972)75
Pink, P.J.F. see Sharp, P. 36(1972)93

Pinelli, A., Gaspari, R.
A new precise and sensitive method for the assay of urine porphyrins using combined thin-layer chromatography and spectrophotofluorimetric analysis 39(1972)135
Pinon, J.-C., Laudat, Ph.
Low-density lipoprotein of human plasma: N-terminal amino acids in familial hyperbetalipoproteinemia (Type II) 32(1971)131
Piolanti, P. see Fiorelli, G. 37(1972)179
Pisano, J. see Beaven, V.H. 32(1971)67
Pisano, L. see Condorelli, S. 38(1972)141
Pissavy, M. see Groc, W. 42(1972)423
Pitkänen, E.
The serum polyol pattern and the urinary polyol excretion in diabetic and in uremic patients 38(1972)217
Pitkänen, E., Servo, C.
Polyol oxidoreductase activity in human blood serum during acute hepatitis 33(1971)273
Placer, Z. see Vidláková, M. 36(1972)61
Plomteux, G.
Valeur diagnostique des activités estérasiques du sérum dans les affections hépatiques 32(1971)475
Plotkin, W. see Kurtz, D.J. 34(1971)463
Plumet, A. see Joncquiert, F. 42(1972)361
Pointner, H., Vatier, J., Dubrasquet, M., Accary, J.P., Bonfils, S.
Isolation of a gastrosecretagogue substance from hog pancreas 42(1972)321
Polak, V.E. see Pesce, A.J. 40(1972)27
Pole, D.J. see Balazs, N.D.H. 40(1972)213
Pollard, A.C. see Walker, A.W. 34(1971)19
Polonovski, C. see Cathelineau, L. 41(1972)305
Poortmans, J.R. see Lebreton, J.P. 33(1971)101
Poortmans, J., Luke, K.H., Zipursky, A., Bienenstock, J.
Fibrinolytic activity and fibrinogen split products in exercise proteinuria 35(1971)449
Popescu, T.A, see Szantay, L. 32(1971)75
Poplawska, W. see Januszewicz, W. 32(1971)261
Postmes, T.J., Coenegracht, J.M.
A chemical determination of plasma inorganic iodine by ultrafiltration 38(1972)313
Potter, J.L., Timmons, G.D., Rinehart, L., Witmer, E.J.
An improved method for the determination of leukocyte arylsulfatase A and its application to the diagnosis of metachromatic leukodystrophy in homozygous and heterozygous states 39(1972)518
Potts, J.T. see Habener, J.F. 39(1972)407
Pousset, J.L. see Lemonnier, A. 33(1971)359
Powell, J.B. see Matusik, J.E. 39(1972)15
Prange, Jr. A.J. see Martin, B.R. 38(1972)271
Preibisz, J. see Januszewicz, W. 32(1971)261
Presant, C.A., Wiernik, P.H., Serpick, A.A.
Effects of phenylalanine and related compounds on serum alkaline phosphatase assay 32(1971)465
Price, C.P., Hill, P.G., Sammons, H.G.
A comparison of two colorimetric procedures for the assay of 5-nucleotidase 33(1971)260
Price, C.P. see Woodman, D.D. 38(1972)39
Price, C.P., Woodman, D.D.
An improved autoanalyzer technique for the determination of serum alkaline phosphate 35(1971)265
Price, J.
A method for estimating the ratio of the monomethylated metabolites of 3,4-dihydroxybenzoic acid in urine, and its application to a study of schizophrenic metabolism 32(1971)419
Price, S.A. see Toseland, P.A. 37(1972)477
Price Evans, D.A. see Walker, B.A. 35(1971)433
Princiotti, J.V. see Bagley Jr, D.H. 35(1971)311
Privalenko, M.N., Vihka, I.V., Khorlin, A.Ya.
Determination of the true activity of serum hyaluronidase by a method precluding the synergic action of concomitant exoglycosidase 41(1972)269
Prodanov, K., Astrug, A.
Guanase activity in endemic Balkan nephropathy 35(1971)445
Pronsky, W. see Lust, G. 39(1972)281
Przyrembel, H., Bremer, H.J.
Cystathioninuria in premature infants 41(1972)95
Pullar, I.A. see Antun, F.T. 34(1971)387

Putman, J.M.
A routine method for determining plasma ionised calcium and its application to the study of congenital heart disease in children 37(1972)33

Q

Qazi, Q.H., Hill, J.G., Thompson, M.W.
The steroid 11-oxygenation by gas liquid chromatography
31(1971)435
Que, G.S. see Gips, C.H. 37(1972)295
Quist, K.D. see Moinuddin, M.
37(1972)123

R

Raab, W.P.
Kaliopenic nephrosis: protective action of L-ornithine-L-aspartate 39(1972)239
Raaijmakers, C.E. see Tavenier, P. 32(1971)63
Rabinowitz, M. see Schen, R.J. 40(1972)53
Radhakrishnamurthy, B. see Berenson, G.S. 36(1972)175
Radhakrishnamurthy, B., see Lopez-S, A. 31(1971)123
Radom, S., Zulawski, M., Dahlig, E.
Circadian rhythm of total urinary hydroxyproline excretion and 3-H hydroxyproline test 39(1972)277
Rahman, M.
A rapid colorimetric method for oestriol assay in pregnancy urine 39(1972)287
Rajaratnam, R. see Chong, Y.H. 34(1971)85
Ramachandran, M., Iyner, G.Y.N.
Purine nucleoside phosphorylase activity of human erythrocytes in iron deficiency anaemia 40(1972)281
Randall, Z.C. see Rose, D.P. 40(1972)276
Rapp, W.
The quantification of an acid stable esterase in human gastric juice by single linear immunodiffusion 36(1972)5
Rapp, W., Lehmann, H.E.
Nachweis des α_1,β-Fötoproteins in menslichem Tumorascites und seine partielle Isolierung 31(1971)45
Raptis, S., see Böhmer, R. 33(1971)61
Rau, D. see Rosalki, S.B. 39(1972)41
Rawstron, J.R., Ng, S.H.
Rapid electrophoresis of alkaline phosphatase isoenzymes 32(1971)305
Razafimahaleo, E. see Frénoy, J.-P. 42(1972)51
Reddy, V. see Mohanram, M. 34(1971)93
Reed, A.H.
Misleading correlations in clinical applications 40(1972)266
Rege, V.P. see Chapman, L. 38(1972)339
Regemorter, N. van, Mardens, Y., Lowenthal, A., Sande, M. van, Lavinha, F.
Distribution de deux peptides de l'acide γ-aminobutyrique dans le liquide céphalorachidien et le cerveau humain 38(1972)59
Regouw, B.J.M., Cornelissen, P.J.H.C., Helder, R.A.P., Spijkers, J.B.F., Weeber, Y.M.M.
Specific determination of free fatty acid in plasma 31(1971)187
Reinken, L., Hohenhauer, L., Ziegler, E.E.
Activity of red cell glutamic oxalacetic transaminase in epileptic children under antiepileptic treatment 36(1972)270
Reitsema, A. see Gips, C.H. 33(1971)256
Rem, J. see Nørgaard-Pedersen, B. 42(1972)109
Rem, J. see Siggaard-Andersen, O. 42(1972)85
Rem, J., Siggaard-Andersen, O., Nørgaard-Pedersen, B., Sørensen, S.
Hemoglobin pigments. II. Photometer for oxygen saturation carboxyhemoglobin and methemoglobin in capillary blood 42(1972)101
Renaud, D. see Jardillier, J.-C. 38(1972)187
Riariosforza, R.G. see Marcolongo, R. 41(1972)91
Ribeiro, T. see Clemente, F. 33(1971)317
Richard, J.L. see Claude, J.R. 32(1971)229
Richardson, R.W., Setchell, K.D., Woodman, D.D.
An improved procedure for the estimation of serum cholesterol 31(1971)403
Richardson, R.W., Setchell, K.D.R., Woodman, D.D.
Estimation of the 'normal range' for serum cholesterol by different methods 37(1972)305
Richet, C. see Havez, R. 33(1971)445
Rietra, P.J.G.M., Tager, J.M., Groot, W.P. de
Detection of Fabry hemizygotes and heterozygotes by measurement of α-galactosidase in urine 40(1972)229
Rietz, K. see Hoffmann, I. 33(1971)415
Rijks, J.A. see Cramers, C.A. 34(1971)159
Riley, C. see Sharp, P. 36(1972)93

Ringoir, S. Wieme, R.J.
Serum LDH in hemodialysis
42(1972)315
Rinehart, L. see Potter, J.L. 39(1972)518
Ringelhahn, B.
A simple laboratory procedure for the recognition of A (African type) G-6PD deficiency in acute haemolytic crisis
36(1972)272
Ringelhahn, B., Kotoney-Ahulu, F.I.D.
Sickle cell crisis and acid-base balance
34(1971)63
Rittenberg, M.B. see Jackson, L.J.
39(1972)463
Ritthaler, F. see Weicker, H. 37(1972)59
Rizzo, P. see Marcucci, F. 34(1971)321
Roberts, L.B. see Brydon, W.G.
41(1972)435
Robertson, P.B., Taylor, R.E., Fullmer, H.M.
A reproducible quantitative collagenase radiofibril assay 42(1972)43
Robins, A.J., Milewczyk, B.K., Booth, E.M., Mallick, N.P.
Plasma amino acid abnormalities in chronic renal failure 42(1972)215
Robbins, J.B. see Myerowitz, R.L.
39(1972)307
Roberts, D.B. see Wright Jr., G.L.
32(1971)285
Roberts, J., Agar, N.S.
An improved method for the automated analysis of erythrocyte reduced glutathione
34(1971)475
Robertson, W.G., Morgan, D.B.
The distribution of urinary calcium excretions in normal persons and stone-formers 37(1972)503
Robinson, B.H.B. see Rushton, M.L.
35(1971)5
Robinson, D. see Rollason, J.G.
39(1972)75
Robinson, D. see Wilding, P. 41(1972)375
Rodriguez Garay, E.A., Del Rosario Spetale, M., Morisoli, L.S.
Relationship between bilirubin and β-glucuronidase activity in rats with experimental obstructive jaundice
37(1972)171
Rodríguez-Kábana, R. see Jemmali, M.
42(1972)153
Roelcke, D.
St_1-anti-st_1 : a new human autoimmune system 38(1972)468
Rogers, M., Chamberlain, J.
The use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of urinary pregnanediol 39(1972)439
Rokkanen, P. see Lindy, S. 31(1971)19
Rolland, M., Montfort, M.-F., Valenta, L., Lissitzky, S.
Iodoamino acid composition of the thyroglobulin of normal and diseased thyroid glands. Comparison with *in vitro* iodinated thyroglobulin 39(1972)95
Rollason, J.G., Pincherle, G., Robinson, D.
Serum gamma glutamyl transpeptidase in relation to alcohol consumption
39(1972)75
Rollason, J.G. see Wilding, P.
41(1972)375
Rommel, K. see Böhmer, R. 33(1971)61
Romsdahl, M.M. see McGregor, F.
40(1972)59
Romslo, I.
A simple method of preserving serum-OCT-activity 36(1972)262
Roos, K.J.
Rapid, sensitive and inexpensive method for estimating blood and urine alcohol concentration 31(1971)285
Ropartz, C. see Lebreton, J.P.
33(1971)101
Rosalki, S.B.
A comment on the paper by Léric et al.
32(1971)151
Rosalki, S.B., Thomson, W.H.S.
Serum gamma-glutamyl transpeptidase in muscle disease 33(1971)264
Rosalki, S.B., Rau, D.
Serum γ-glutamyl transpeptidase activity in alcoholism 39(1972)41
Rose, D.P., Randall, Z.C.
Tryptophan metabolism in early and advanced breast cancer and carcinoma of the cervix 40(1972)276
Rose, G.A.
A simple and rapid method for the measurement of plasma ultrafiltrable and ionized calcium 37(1972)343
Rosenfeld, E.L. see Gorodezki, V.K.
34(1971)67
Rosenfeld, E.L. see Wiederschain, G.Y.
35(1971)99

Rosenfeld, L.
Quantitative levels of the constituents of acid mucopolysaccharides and other carbohydrate polymers in dialyzed normal human urine 31(1971)263
Rosenthal, A.F., Yaseen, A.
A simplified estriol determination in pregnancy urine 31(1971)171
Rosenthal, W.A., Kaser, M.M., Milewski, K.N.
Separation and identification of barbiturates and glutethimide by thin-layer chromatography 33(1971)51
Rosselin, E.G. see Claude, J.R. 32(1971)229
Rosser, A. see Crowley, M.F. 38(1972)91
Roszkowski, I. see Wójcicka, J. 32(1971)109
Rothfield, R.D. see Melley, D. 40(1972)273
Roussel, P. see Lamblin, G. 36(1972)329
Roussel, P., Lamblin, G., Degand, P., Havez, R.
Isolement des mucies bronchique: secretées au cours de la mucoviscidose 36(1972)315
Rousselet, F. see Dugue, M. 33(1971)75
Rousselet, F. see Dugue, M. 40(1972)301
Row, V.V., McConnon, J., Volpé, R.
Absence of triiodothyronine formation from thyroxine during the determination of the triiodothyronine concentration of human serum 31(1971)471
Rowe, D.S. et al.
Measurements of concentrations of human serum immunoglobulins 36(1972)276
Roy, C.C. see Weber, A.M. 39(1972)524
Rubin, M. see Bagley, Jr., D.H. 35(1971)311
Rundle, A.T., Clothier, B., Sudell, B.
Serum IgD levels and infections in Down's syndrome 35(1971)389
Rushton, M.L., Sammons, H.G., Robinson, B.H.B.
A study of calcium absorption using an automated fluorimetric procedure 35(1971)5
Ruskin, B. see Pak, C.Y.C. 39(1972)511
Russell, D.W.
Determination of isonicotinic acid hydrazine in urine 31(1971)367
Russell, D.W.
Low circulating levels of acid-labile hydrazones after oral administration of isonicotinic acid hydrazide 41(1972)163
Rutenberg, H.L. see Lacki, A.G. 39(1972)506
Ruthven, C.R.J. see Goodwin, B.L. 40(1972)269
Ryall, R.G., Fielding, J.
The validation of biochemical assays by recovery data with special reference to serum iron 33(1971)229
Ryall, R.G. see Fielding, J. 33(1971)235
Ryan, D. see Dufau, M.L. 37(1972)109
Rybák, M., Blazková, B.
α-N-acetylglycyl-lysine methylester hydrolase and plasminogen activator in urine. Method of determination and some considerations 33(1971)241
Ryhage, R. see Bonnichsen, R. 40(1972)309
Rylance, H.J., Myhal, D.R.
Taurine excretion and the influence of drugs 35(1971)159

S

Sabater, J., Ferre, C., Antich, J.
Abnormal levels of aspartic acid, serine and cystine in the plasma in three cases of Rubinstein Taybi's syndrome 36(1972)279

Sabater, J., Villalba, M.
Creatine phosphokinase (CPK) levels in umbilical cord blood 36(1972)201

Sabater, J. see Maya, A. 39(1972)261

Sadovsky, E., Diamant, M.Z. 34(1971)73

Sager, R. see Tocci, P.M. 40(1972)449

Sailer, D. see Grabner, W. 39(1972)59

Saini, A.S.
A simple method for paper chromatography of plasma amino acids 31(1971)479

Saini, A.S.
Paper chromatographic separation of amino acids from untreated urine samples 31(1971)482

Sakauchi, N. see Horning E.C. 34(1971)135

Salako, L.A.
Serum electrolytes in hypertension in Nigerians 34(1971)105

Salkie, M.L.
The acid glycosaminoglycandegrading activity of normal human serum 31(1971)300

Salkie, M.L.
The nature of the serum activity degrading glycosaminoglycans 37(1972)329

Salkie, M.L., McDonald, D.
The variation of serum glycosaminoglycuronoglycandegrading activity with disease 37(1972)323

Sammons, H.G., see Price, C.P. 33(1971)260

Sammons, H.G. see Rushton, M.L. 35(1971)5

Samuels, M.S. see Morgan, L.R. 37(1972)292

Sandler, M. see Goodwin, B.L. 40(1972)269

Sandler, M. see Karoum, F. 32(1971)391

San Filippo, F.A., Battistone, G.C.
The fluoride content of a representative diet of the young adult male 31(1971)453

Sanghvi, A., Taddeini, L., Nagarajan, R., Wight, C.
Estriol determination in pregnancy urine by gas chromatography 31(1971)255

Sansguiri, R.S. see Afonso, E. 41(1972)275

Santolamazza, C. see Bottini, E. 31(1971)243

Sarles, H. see Clemente, F. 33(1971)317

Sarlieve, L. see Neskovic, N. 38(1972)147

Sassard, J., Vincent, M.
Comparaison des dosages radioimmunologiques et biologiques de l'activité rénine du plasma 41(1972)321

Saudubray, J.M. see Cathelineau, L. 41(1972)305

Savolainen, H. see Palo, J. 36(1972)431

Savory, J. see Overfield, C.V. 39(1972)35

Scharpé, S.
Determination of α-amylase activity in biological fluids 37(1972)301

Schatz, B.C.
Calcium-binding method revisited 35(1971)251

Schaub, J. see Lentze, M. 33(1971)301

Schen, R.J., Rabinowitz, M.
Clinical significance of abnormally shaped IgM arcs in serum immunoelectrophoresis 40(1972)53

Scherberich, J.E. see Mondorf, A.W. 37(1972)25

Scherpereel, P. see Jaillard, J. 38(1972)277

Scherpereel, Ph. see Sezille, G. 35(1971)109

Scherz, R., Pflugshaupt, R., Bütler, R.
Improved method of mass-screening for galactosemia 39(1972)109

Scheye, E.S. see Herz, F. 36(1972)537

Scheye, E.S. see Herz, F. 38(1972)301

Schlaeger, R., Kattermann, R.
Arylamidase und ihre Isoenzyme bei Erkrankungen des Pankreas und der Leber 33(1971)13

Schmidt, D.E. see Christoph, G.W. 38(1972)265

Schmidt, N.A. see Calseyde, J.F. van de 38(1972)103

Schmidt, N.A. see Calseyde, J.F. van de 32(1971)361

Schneider, I. see Peters, J.E. 36(1972)289
Schneider, I. see Peters, J.E. 37(1972)213
Schneider, J.A. see Schulman, J.D. 35(1971)383
Schnitzer, N. see Streifler, C. 38(1972)244
Schoenborn, W. see Kostner, G. 38(1972)155
Scholtis, R.J.H. see Calseyde, J.F. van de 38(1972)103
Scholtis, R.J.H. see Calseyde, J.F. van de 32(1971)361
Schothorst, A.A., Streveninck, J. van, Went, L.N., Suurmond, D. Metabolic aspects of the photodynamic effect of protoporphyrin in protoporphyria and in normal red blood cells 33(1971)207
Schothorst, A.A., Steveninck, J. van, Went, L.N., Suurmond, D. Photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal red blood cells 39(1972)161
Schouten, H. see Giterson, A.L. 34(1971)489
Schouten, H. see Goossens, J.P. 41(1972)149
Schouten, H., Station van Eps, L.W., Van Delden, G.J.A. Transketolase in sickle cell anemia 31(1971)487
Schreiber, B.E., Ortner, H.M., Spitzy, H. Chemische Bestimmung von Trijodthyronin in Blutserum 36(1972)379
Schretlen, E.D.A.M. see Werkman, H.P.T. 31(1971)395
Schröckert, W.M., Bässler, K.H. Messung der Gesamtaktivität von Glutamat-Oxalacetat-Transaminase in Leberhomogenaten 33(1971)55
Schroeder, W.A. see Huisman, T.H.J. 38(1972)5
Schuller, E., Allinquant, B., Garcia, M., Lefèvre, M., Moreno, P., Tompe, L. Electro-immunodiffusion des proteines du liquide céphalo-rachidien. Dosage de l'α_2 -HS, de la céruloplasmine, de la β_1 A/β_1C, de l'hémopexine et de l'IgA 33(1971)5
Schuller, E., Delasnerie, N., Moreno, P., Tompe, L. Electro-immunodiffusion des protéines du liquide céphalorachidien. Dosage de l'α_1-lipoprotéine, de la β_1 E (C'4) et de la β_2-glycoprotéine 1 39(1972)233
Schuller, E., Lefevre, M., Tompe, L. Electroimmunodiffusion of α_2 M, IgA and IgM in nanogram quantities with a hydroxyethylcellulose–agarose gel: application to unconcentrated CSF 42(1972)5
Schulman, J.D. see Blass, J.P. 33(1971)472
Schulman, J.D. see Lustberg, T.J. 35(1971)325
Schulman, J.D., Schneider, J.A., Bradley, K.H., Seegmiller, J.E. Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic cells 35(1971)383
Schulman, J.D., Schneider, J.A., Bradley, K.H. Seegmiller, J.E. Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells 37(1972)53
Schwartz, H.D., McConville, B.C., Christopherson, E.F. Serum ionized calcium by specific ion electrode 31(1971)97
Schwartz, K. see Clauvel de Mendonca, M. 39(1972)149
Schwille, P.O., Ernstberger, W. Ultrafiltrables Calcium und Magnesium in Serum von gesunden und Nierensteinkranken 38(1972)379
Scotland, C.J. see Morrison, B. 39(1972)301
Scott, C.B. see Omachi, A. 37(1972)351
Scott, F. see Butterworth, J. 40(1972)139
Scott, P.H. A fluorometric method for the determination of plasma tyrosine concentrations 35(1971)17
Scriver, C.R. see Cusworth, D.C. 41(1972)355
Scriver, C.R. see Gold, R.J.M. 33(1971)467
Seakins, J.W.T. The determination of urinary phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis 35(1971)121
Seal, U.S. see Barbosa, J. 37(1972)105
Seaman, C.V.F. see Jackson, L.J. 39(1972)463

Searcy, R., Colaianni, W., Young, E., Drnec, J., Magoc, T.
A screening procedure for detecting and characterizing hyperlipoproteinemia 38(1972)291
Secunda, S.K. see Frazer, A. 36(1972)499
Sedee, P.D.J.W. see Messerschmidt, H.J.M. 36(1972)51
Seegmiller, J.E. see Lustberg, T.J. 35(1971)325
Seegmiller, J.E. see Schulman, J.D. 35(1971)383
Seet, A.-M., Goh, T.-C.
Detection of faecal occult blood using chlorpromazine as reagent 42(1972)209
Seidel, D.
A new immunochemical technique for a rapid, semiquantitative determination of the abnormal lipoprotein (LP-X) characterizing cholestasis 31(1971)225
Seiler, D. see Kelleter, R. 42(1972)57
Seitanidis, B., Angelopoulos, B.
Serum immunoglobulins in hydatid disease 31(1971)311
Seitanidis, B., Mihas, A., Angelopoulos, B.
Serum immunoglobulin levels in white patients with sickle cell disease 37(1972)531
Seligson, D. see Seligson, H. 38(1972)199
Seligson, D. see Spector, H. 31(1971)5
Seligson, H., Seligson, D.
Measurement of thyroxine by competitive protein binding 38(1972)199
Semb, T.H., Gudmundson, C.R., Westlin, N.E., Hallander, L.B.
Alkaline phosphatase activity and isoenzymes in experimental fractures 31(1971)375
Seppälä, P.O., Kärkkäinen, J., Lehtonen, A., Mäkisara, P.
Chondroitin sulphate in the normal and rheumatoid synovial fluid 36(1972)549
Serio, M. see Fiorelli, G. 37(1972)179
Serpick, A.A., see Presant, C.A. 32(1971)465
Servo, C. see Pitkänen, E. 33 (1971)273
Setchell, K.D. see Richardson, R.W. 31(1971)403
Setchell, K.D.R., Cooper, J.H.D.
A routine method for the detection and quantitation of amphetamine in urine 35(1971)67
Setchell, K.D.R. see Richardson, R.W. 37(1972)305
Seutter, E., Sutorius, A.H.M.
Quantitative analysis of hydroquinone in urine 38(1972)231
Sezille, G. see Fruchart, J.C. 38(1972)247
Sezille, G., Jaillard, J., Scherpereel, Ph., Fruchart, J.C., Biserte, G.
Variations quantitatives et qualitatives des acides gras non-esterifiés plasmatiques sous l'effet d'une surcharge lipidique administrée par voie orale chez l'homme normal 35(1971)109
Sezille, G. see Jaillard, J. 38(1972)277
Shackelford, A.H., Frattali, V., Reen, R. van
The determination of inorganic sulfate by an isotope dilution technique 34(1971)13
Shackleton, C.H.L. see Manson, M.E. 38(1972)45
Shakespeare, M.J. see Moss, D.W. 40(1972)35
Shalaby, F.Y. see Khafagy, E.Z.I. 40(1972)298
Shalaby, F.Y. see Khafagy, E.Z.I. 40 (1972)371
Sharada, D. see Bamji, M.S. 31(1971)409
Sharp, P.
Interference in glucose oxidase-peroxidase blood glucose methods 40(1972)115
Sharp, P., Riley, C., Cook, J.G.H., Pink, P.J.F.
Effect of two sulphonylureas on glucose determinations by enzymic methods 36(1972)93
Sharpless, N.S., McCann, D.S.
Dopa an 3-O-methyldopa in cerebrospinal fluid of Parkinsonism patients during treatment with oral L-dopa 31(1971)155
Sharpless, N.S., Muenter, M.D., Tyce, G.M., Owen, C.A. Jr.
3-Methoxy-4-hydroxyphenylalanine (3-*O*-methyldopa) in plasma during oral L-dopa therapy of patients with Parkinson's disease 37(1972)359
Sharma, A.K., Datta, P.
Spectrophotometric estimation of serum lactate dehydrogenase with semicarbazide in the reaction medium 32(1971)134

Sharman, D.F. see Antun, F.T. 34(1971)387
Sheid, B., Chin, A.E., Nelson, J.H. Serum-induced inhibition of enzymes which synthesize RNA or utilize RNA as a substrate 39(1972)477
Shelton, J.B. see Kiesouw, L.A. 41(1972)123
Shelton, J.R. see Huisman, T.H.J. 38(1972)5
Shelton, J.B. see Huisman, T.H.J. 38(1972)5
Shepherdson, J.C. see Walker, W.H.C. 35(1971)455
Sheraidah, G.S. see Skillen, A.W. 40(1972)21
Sherwin, A.L. see Bock, G.W. 34(1971)97
Shida, N. see Matsuda, I. 42(1972)241
Shih, V. see Mathysse, S. 35(1971)253
Shimizu, K. see Kobayashi, K. 35(1971)173
Shinko, T. see Takahashi, K. 38(1972)285
Shortridge, K.F., Biddle, F., Pepper, D.S. Rubella virus non-specific haemagglutination inhibitor: evidence for the role of glycolipid bound to low density (β)lipoprotein 42(1972)285
Shreeve, D.R., Johnson, P.F. Comparison between [^{14}C] inulin and [^{51}Cr] EDTA measurement of glomerular filtration rate in man 42(1972)453
Siggaard-Andersen, O., Nørgaard-Pedersen, B., Rem, J. Hemoglobin pigments. I. Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood 42(1972)85
Siggaard-Andersen, O. see Nørgaard-Pedersen, B. 42(1972)109
Siggaard-Andersen, O. see Rem, J. 42(1972)101
Silk, E. see Chapman, L. 38(1972)339
Simmons, P. Quantitation of plasma proteins in low concentrations using RID 35(1971)53
Simpson, E. see Nisbet, J.A. 39(1972)339
Šindelář, J. see Engliš, M. 41(1972)75
Singh, H. see Sundaram, G.S. 34(1971)425
Sioe Sam Tjoa, see Mamer, O.A. 32(1971)171
Sirtori, C., Hassanein, K.M., Hassanein, R., Boulos, B.M. Phenotyping of type II and IV hyperlipoproteinemias by a simple quantitative agarose gel lipoprotein electrophoresis 31(1971)305
Skillen, A.W., Fifield, R.D., Sheraidah, G.S. Serum alkaline phosphatase isoenzyme patterns in disease 40(1972)21
Škramovský, V., Večerek, B., Bendová, M., Trnka, V. Fluorometric determination of cystine-aminopeptidase/oxytocinase in blood serum 35(1971)353
Sláma, J. see Zelníček, E. 35(1971)496
Slee, R.G. see Koster, J.F. 40(1972)294
Slik, W. van der see Persijn, J.P. 35(1971)239
Słończewski, B. see Gola, A. 38(1972)127
Sluiter, W.J., Kersen, F. van, Zanten, A.K. van Beekhuis, H., Doorenbos, H. A radioimmunoassay of human TSH, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions 42(1972)255
Smeets, E.H.J., Muller, H., Wael, J. de A NADH-dependent transketolase assay in erythrocyte hemolysates 33(1971)407
Smith, A.F. The effect of temperature on lactate and 2-hydroxy butyrate dehydrogenase assay 35(1971)498
Smith, A.F. Separation of tissue and serum creatine kinase isoenzymes on polyacrylamide gel slabs 39(1972)351
Smith, A.F. see Brown, S.S. 38(1972)51
Smith, E.R.B., Weil-Malherbe, H. On the occurrence of glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic and homovanillic acids in human urine 35(1971)505
Smith, I. see Dayman, J. 40(1972)335
Smith, I., Kellow, A.H. The estimation of true urinary tyramine in man 40(1972)353
Smith, I., Lightstone, P.J., Perry, J.D. Isoelectric focusing of alkaline phosphatases. A focusing-disc electrophoresis transfer technique 35(1971)59

Smith, I., March, S.E., Gordon, A.J.
Tyramine metabolism. A method for the quantitative extraction of radioactive tyramine and its metabolites from urine 40(1972)415
Smith, M.J. see Dayman, J. 40(1972)335
Smith, P.D., Stitch, S.R.
A rapid semi-automated method for the determination of urinary oestriol in late pregnancy by gas-liquid chromatography 36(1972)439
Smith, R. see Bishop, M.D. 33(1971)401
Smorenburg, H. see Breebaart, K. 38(1972)263
Snyder, S., Ashwell, G.
Quantitation of specific serum glycoproteins in malignancy 34(1971)449
Sodhi, H.S. see Kodchodkar, B.J. 41(1972)47
Sodhi, H.S. see Sundaram, G.S. 34(1971)425
Sodhi, H.S. see Sundaram, G.S. 39(1972)115
Soh, C.C. see Chong, Y. 34(1971)85
Soloff, L.A. see Lacko, A.G.
Solow, E.B., Green, J.B.
The determination of ethosuximide in serum by gas chromatography. Preliminary results of clinical application 33(1971)87
Somer, H., Konttinen, A.
Demonstration of serum creatine kinase isoenzymes by fluorescence technique 40(1972)133
Somer, H., Konttinen, A.
A method allowing the quantitation of serum creatine kinase isoenzymes 36(1972)531
Somer, H. see Murros, J. 41(1972)263
Sonka, J. see Hilgertová, J. 36(1972)511
Sonneck, J.M. see Manuel, Y. 31(1971)484
Sonnet, J., De Noyette, J.P., Steichen-Defalque, M.
Focalisation isoélectrique de la NADH: Methémoglobine réductase et des NAD(P)H: Diaphorases de l'érythrocyte humain 32(1971)5
Sonntag, A.C. see Vogh, B.P. 40(1972)431
Soons, M.P.J. see Brombacher, P.J. 36(1972)389
Sørensen, S. see Rem, J. 42(1972)101
Spector, H., Glusman, S., Jatlow, P., Seligson, D.
Direct determination of copper in urine by atomic absorption spectrophotometry 31(1971)5
Spencer, H. see Warren, J.M. 38(1972)435
Spiegel, H.E., Christian, R.P.
An analytical method for measuring dopa and some metabolites in urine and plasma of Parkinsonian patients 31(1971)143
Spijkers, J.B.F. see Regouw, B.J.M. 31(1971)187
Spikesman, A. see King, B. 36(1972)267
Spitzy, H. see Schreiber, B.E. 36(1972)379
Sprang, F.J. v.d. see Wadman, S.K. 34(1971)277
Srinivasan, S.R. see Lopez-S., A. 31(1971)123
Srinivasan, S.R. see Berenson, G.S. 36(1972)175
Stafford, M. see Horning, M.G. 37(1972)381
Stahl, A. see Imler, M. 37(1972)245
Stahl, J. see Imler, M. 37(1972)245
Stáhlavská, A., Malát, M.
Quantitative Gehaltsbestimmung von Ädte und von weiteren Aminopolyessigsäuren im Harn und Blutserum 41(1972)181
Štahlavská, A. see Nýdr, J. 38(1972)457
Stárka, L. see Hampl, R. 34(1971)77
Statius van Eps, L.W. see Goossens, J.P. 41(1972)149
Statius van Eps, L.W. see Schouten, H. 31(1971)487
Statius van Eps, L.W., Schouten, H., Slooff, P.A.M., Delden, G.J.A. van
Sodium, potassium and calcium in erythrocytes in sickle cell-anemia 33(1971)477
Steen, G. see Borg, L. 41(1972)363
Steichen-Defalque, M. see Sonnet, J. 32(1971)5
Stein, S.M., Horn, D.B.
The estimation of plasma glycerol using a reaction rate analyser 39(1972)293
Stekelenburg, G.J., Koorevaar, G.
Head space analysis 34(1971)305
Sternberg, M. see Cloarec, L. 33(1971)45
Sternberg, M., Marçais, J., Cloarec, L., Moisy, M., Domingo, M., Lagrue, G., Jayle, M.F.
Haptoglobinurie au cours de la glomerulo-néphrite de masugi chez le rat 32(1971)123

Stevanato, G. see Lippi, U. 37(1972)199
Steveninck, J. van see Schothorst, A.A. 33(1971)207
Steveninck, J. van see Schothorst, A.A. 39(1972)161
Stevens, J.A. see Kidder, D.E. 37(1972)491
Stevens, J., Thomas, F.
Alkaline phosphatase: reaction rate analysis at 340 nm 37(1972)541
Stevens, J.F.
Determination of glucose by an automatic analyser 32(1971)199
Stillwell, A. see Wilson, D.M. 36(1972)260
Stitch, S.R. see Smith, P.D. 36(1972)439
Stöffler, G. see Kohne, E. 40(1972)285
Stokke, O. see Eldjarn, E. 40(1972)461
Storrie, M. see Gracey, M. 36(1972)555
Stolbach, L.L. see Inglis, N.R. 38(1972)67
Stone, M.C., Thorp, J.M., Mills, G.L., Dick, T.B.S.
Diagnosis and classification of abnormal lipoprotein patterns 31(1971)333
Stott, A.W.
A simple scanning method for the quantitative estimation of serum lecithin 37(1972)535
Straková, M. see Hilgertová, J. 36(1972)511
Strandholm, J.J. see Joyce, J.R. 32(1971)313
Street, H.V.
Determination of barbiturates in blood by G.L.C. 34(1971)357
Strecker, G., Montreuil, J.
N-Acétylglucoaminurie et N-acétylmannosaminurie associées a une sialurie 33(1971)253
Strecker, G., Montreuil, J.
Description d'une oligosaccharidosurie accompagnant une ganglioside GM 2 à déficit total en N-acétyl-hexosaminidases 33(1971)393
Streifler, C., Schnitzer, N., Harell, A.
A rare isoenzyme of alkaline phosphatase in 4 patients with ulcerative colitis 38(1972)244
Stübchen-Kirchner, H. see Tilz, G.P. 42(1972)147
Stuber, A.
Screening tests and chromatography for the detection of inborn errors of metabolism 36(1972)309
Sturrock, S. see Applegarth, D.A. 39(1972)258
Sturrock, S. see Ingram, P. 35(1971)523
Sudell, B. see Rundle, A.T. 35(1971)389
Sudo, Y. see Nagatsu, T. 39(1972)417
Sugai, M. see Matsuda, I. 34(1971)491
Sugiura, M. see Iino, S. 42(1972)161
Sulway, M.J. see Trotter, M.D. 35(1971)137
Summer, G.K. see Hill, H.D. Jr. 36(1972)105
Summer, G.K. see Switzer, B.R. 32(1971)203
Sundaram, G.S., Singh, H., Sodhi, H.S.
Thin-layer chromatographic separation of chenodeoxycholic and deoxycholic acids 34(1971)425
Sundaram, G.S., Sodhi, H.S., Bhatnagar, R.
Comparison of methods for iodinating plasma lipoproteins 39(1972)115
Sutcliffe, R.G., Brock, D.J.H.
Enzymes in uncultured amniotic fluid cells 31(1971)363
Sutherland, G.R. see Butterworth, J. 39(1972)275
Sutorius, A.H.M. see Seutter, E. 38(1972)231
Suurmond, D., see Schothorst, A.A. 33(1971)207
Suurmond, D. see Schothorst, A.A. 39(1972)161
Suzuki, H. see Iino, S. 42(1972)161
Swain, M.C.
The assay of plasma progesterone in women by a simple competitive protein binding method using guinea-pig serum 39(1972)455
Swanson, R.E. see Fellman, J.H, 39(1972)242
Swingler, M. see Harrison, J.F. 31(1971)149
Swingler, M.C. see Terry, J.M. 35(1971)317
Switzer, B.R., Summer, G.K.
A modified fluorometric micromethod for DNA 32(1971)203
Szantay, I. see Toader, C. 37(1972)189
Szantay, L., Popescu, T.A., Cucuianu, M.
Some aspects of the metabolism of (^{35}S) methionine in hyperlipemic subjects 32(1971)75
Szczeklik, A.
Proteolytic activity of serum bound with α_2-macroglobulin in diseases with reduced thrombin formation in clotting blood 31(1971)205

Szewczuk, A., Szczeklik, A.
Cobalt-activated acylase in human serum. Occurrence in hepatobiliary diseases 33(1971)309
Szczeklik, A. see Szewczuk, A. 33(1971)309
Sznajderman, M. see Januszewicz, W. 32(1971)261
Szpunar, W.E., Ericsson, A.D., McCann, D.S.
Tyrosine metabolism: urinary excretion studies in Parkinsonism 35(1971)199
Szustkiewicz, C., Demetriou, J.
Detection of some clinically important carbohydrates in plasma and urine by means of thin-layer chromatography 32(1971)355

T

Tabaqchali, S. see Burke, C.W. 32(1971)207
Taddeini, L. see Sanghvi, A. 31(1971)255
Tager, J.M. see Rietra, P.J.G.M. 40(1972)229
Takahashi, K., Ushikubo, Oimoni, M., Shinko, T.
Creatine phosphokinase isozymes of human heart muscle and skeletal muscle 38(1972)285
Takahashi, S., Gjessing, L.R.
A fluorometric method combined with thin layer chromatography for the determination of norepinephrine, epinephrine and dopamine in human urine 36(1972)369
Takahashi, Y. see Higashino, K. 40(1972)67
Takahashi, Y. see Higashino, K. 41(1972)313
Takahashi, Y. see Kang, K.-Y. 42(1972)175
Takasan, H. see Ozawa, K. 38(1972)385
Take, S. see Davis, J. 35(1971)305
Takeda, H. see Ozawa, K. 38(1972)385
Takeda, R., Noto, M., Murakami, M.
Radiogas chromatographic analysis of sulfoconjugates of C-21-corticosteroid-metabolites in human urine 36(1972)163
Takekoshi, Y. see Matsuda, I. 42(1972)241
Täljedal, I.-B. see Leclerq, R. 36(1972)254
Tamura, Z. see Fukaya, J. 33(1971)469
Tamura, Z. see Nakamura, H. 39(1972)367
Tan, I.-K., Chio, L.-F., Lim, T.-S.
Heat stability of human serum alkaline phosphatase in bone and liver diseases 41(1972)329
Tan, I.K. see Lim, P. 42(1972)47
Tan, S.Y., Anuman-Rajadhon, Y., Hobkirk, R.
Conjugation of phenolic steroid ring D α-ketols in human pregnancy urine 31(1971)387
Tandt, W.R. den
Acid hydrolases in uncultured amniotic fluid cells 40(1972)199
Tangheroni, W., Cao, A., Lungarotti, S., Coppa, G., De Virgiliis, S., Furbetta, M.
Characterization of platelet alkaline phosphatase in normal subjects and in trisomy 21 Down's syndrome patients 35(1971)165
Tani, P. see Uitto, J. 32(1971)265
Taniguchi, N.
Age differences in the pattern of urinary glycosaminoglycan excretion in normal individuals 37(1972)225
Taniguchi, N.
Prepararive separation of urinary acidic glycosaminoglycans by agar gel electrophoresis 42(1972)221
Tanphaichitr, V.S., Eys, J. van
The assay of pyruvate kinase activity in blood cells 41(1972)41
Tashimo, M., Matsuda, I.
Insulin and epinephrine sensitivity of isolated fat cells in experimental nephrosis 41(1972)67
Tasseron, S.J.A. see Willebrands, A.F. 32(1971)251
Tavenier, P., Raaijmakers, C.E., Van Eijk, H.G., Leijnse, B.
Determination of iron and transferrin in normal human urines 32(1971)63
Tay, B.S. see Lim, P. 42(1972)47
Taylaur, C.E. see Mills, G.L. 42(1972)273
Taylor, R.E. see Robertson, P.B. 42(1972)43
Teichmann, W. see Machill, G. 39(1972)171
Teller, W.M. see Pal, S.B. 38(1972)371
Tenhaeff, D., Maruhn, D., Ahl, E.
A simple and reliable method for the determination of oestriol in urine 31(1971)37
Tentori, L., Carta Sorcini, M., Buccella, C.
Hemoglobin Abruzzo: beta 143 (H 21) His→ Arg) 38(1972)258
Terry, J.M., Blainey, J.D., Swingler, M.C.
An automated method for lysozyme assay 35(1971)317
Ter Welle, H.F. see Willebrands, A.F. 32(1971)251
Ter Welle, H.F., Willebrands, A.F.
Serum lipid screening and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids 39(1972)183
Thein-Than, see Aung-Than-Batu 32(1971)145
Theodorsen, L. see Hansen, S.O. 31(1971)119

Theodossiou, A. see Kehayoglou, K.A. 35(1971)508
Thielmann, K. see Heredia del Portal, L. 34(1971)487
Thielmann, K., Moreira Aquino, A. Whole blood samples dried and stored on filter paper as substrate for the electrophoretic separation on hemoglobin S from hemoglobin A. A screening procedure 35(1971)239
Thomas, D.M. see Moss, D.W. 40(1972)35
Thomas, E. see Stevens, J. 37(1972)541
Thomas, G.H., Howell, R.R. Arylsulfatase A activity in human urine: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy 36(1972)99
Thomitzek, W.D. An improved acidimetric method for the determination of free fatty acids 31(1971)288
Thompson, M.W. see Qazi, Q.H. 31(1971)435
Thompson, R.P.H., Hofmann, A.F. Separation of bilirubin and its conjugates by thin layer chromatography 35(1971)517
Thomson, W.H.J. Serum enzyme studies in acquired disease of skeletal muscle 35(1971)183
Thomson, W.H.S. see Rosalki, S.B. 33(1971)264
Thomson, W.H.S. Serum enzyme studies in inherited disease of skeletal muscle 35(1971)217
Thornburn Burns, D. see Miller, J.N. 31(1971)427
Thorp, J.M. see Stone, M.C. 31(1971)333
Thürkow, I., Wesseling, H., Meijer, D.K.F. Estimation of phenytoin in body fluids in the presence of sulphonyl urea compounds 37(1972)509
Tichý, M. see Hrnčíř, Z. 40(1972)237
Tichý, M., Hrnčíř, Z., Hrkal, Z. The properties of IgM-L pyroglobulin 36(1972)363
Tilz, G.P., Stübchen-Kirchner, H. Nachweis von niedermolekulären Bestandteilen in verschiedenen Antilymphocytenglobulinen 42(1972)147
Timmons, G.D. see Potter, J.L. 39(1972)518
Timmons, M.C. see Martin, B.R. 38(1972)271
Timson, J. see Emery, A.E.H. 37(1972)544
Tischler, B. see Applegarth, D.A. 39(1972)258
Tiselius, H.-G. A chromatographic separation of the different forms of vitamin B_6 40(1972)319
Tissot, R. see Geissbühler, F. 33(1971)111
Tixier, R. see Dugue, M. 40(1972)301
Tjoa, S. see Crawhall, J.C. 34(1971)47
Toader, C., Acalovschi, I., Szantay, I. Protein metabolism following surgical stress. Pre- and postoperative (^{75}Se)-methionine incorporation in serum and albumin 37(1972)189
Tocci, P.M., Phillips, J., Sager, R. The effect of diet upon the excretion of parahydroxyphenylacetic acid and creatinine in man 40(1972)449
Tomassini, G. see Gasbarro, L. 36(1972)275
Tomaszewski, J. see Kowalewski, J. 34(1971)123
Tomlinson, B. see Marcuson, R.W. 42(1972)245
Tömpe, L. see Schuller, E. 33(1971)5
Tömpe, L. see Schuller, E. 39(1972)233
Tömpe, L. see Schuller, E. 42(1972)5
Tong, D. see Bell, E.D. 42(1972)445
Toothill, C. see Gardner-Thorpe, 35(1971)39
Torliński, L. see Pawlak, A.L. 35(1971)395
Tornqvist, H. see Nilsson-Ehle, P. 42(1972)383
Torsvik, H., Boman, H., Bjermann, I., Harboe, M., Norum, K.R. Binding of lipid dyes to immunoglobins 42(1972)433
Toseland, P.A., Michelin, M.J., Price, S.A. The determination of 3-hydroxyanthranilic acid in human urine by thin layer electrophoresis and fluorometry 37(1972)477
Townsend, J. see Walker, W.H.C. 36(1972)119
Trafford, D.J.M. see Makin, H.L.J. 32(1971)299
Trigwell, J. see Curzon, G. 37(1972)335
Trijbels, J.M.S. see Werkman, H.P.T. 31(1971)395
Trouillas, P. see Mathieu, P. 41(1972)5
Tomanić, C. see Mikac-Dević, D. 38(1972)235
Tooth, E.A. see Chapman, L. 38(1972)339
Toseland, P.A., Grove, J., Berry, D.J. An isothermal GLC determination of the plasma levels of carbamazepine diphenylhydantoin, phenobarbitone and primidone 38(1972)321

Trafford, D.J.H., Makin, H.L.J.
Rapid quantitative gas-chromatographic fractionation of the major urinary 17-oxosteroids and 17-oxogenic steroids 40(1972)421
Treiber, L.R.
Zur Bestimmung von Oxosteroiden mit 2,4-Dinitrophenylhydrazin 38(1972)171
Trip, J.A.J., Dam, J. van
Ceruloplasmin crystals: another variant 36(1972)563
Trnka, V. see Škramovský, V. 35(1971)353
Trotter, E. see Trotter, M.D. 35(1971)137
Trotter, M.D., Sulway, M.J., Trotter, E.
The rapid determination of acetone in breath and plasma 35(1971)137
Tsetanova, E.
Aldolase isoenzymes in the serum of patients with neuromuscular diseases 31(1971)283
Türler, K., Käser, H.
Quantitative fluorimetric determination of urinary DOPA and its significance for the diagnosis of neural crest tumours 32(1971)41
Turner, M.W. see Gerrard, J. 40(1972)243
Turto, H. see Lindy, S. 31(1971)19
Turto, H. see Lindy, S. 35(1971)377
Turto, H. see Uitto, J. 36(1972)43
Tuvemo, T. see Hamfelt, A. 41(1972)287
Tweedie, M.C.K. see Walker, B.A. 35(1971)433
Tyce, G. see Muenter, M.D. 37(1972)359
Tyree, A.B. see Harrison, W.W. 31(1971)63
Tyree, A.B. see Lindy, S. 31(1971)19

U

Ueda, M., Berk, J.E., Fridhandler, L., Davis, J.
Ultracentrifugal characteristics of macro-amylasemic serum 35(1971)299
Uehara, H. see Ishihara, A. 41(1972)255
Uehara, H. see Kurahasi, K. 42(1972)141
Uitto, J. see Lindy, S. 35(1971)377
Uitto, J. Øhlenschläger, K., Lorenzen, I.
Solubility of skin collagen in normal human subjects and in patients with generalised scleroderma 31(1971)13
Uitto, J., Tani, P., Pihko, H.
Clinical significance of urinary and serum hydroxyproline determination in sarcoidosis 32(1971)265
Uitto, J., Turto, H., Lindy, S.
Assay of lactate dehydrogenase in human skin: total activity and isoenzyme composition 36(1972)43
Upshall, D.G., Wailling, D.G.
The determination of LSD in human plasma following oral administration 36(1972)67
Ushikubo, S. see Takahashi, K. 38(1972)285
Usui, T., Kawamoto, H.
Decolorization of indocyanine green in serum by ferric ion 31(1971)477
Usui, T., Kawamoto, H.
A new method for estimation of corticosteroid-binding globulin with hydrophobic resin 37(1972)151
Uterman, G.
Disc-electrophoretic patterns of human serum high density lipoproteins 36(1972)521
Utili, R. see Illiano, G. 33(1971)161

V

Vainio, K. see Lindy, S. 31(1971)19
Vainio, K. see Lindy, S. 35(1971)377
Valenta, L. see Rolland, M. 39(1972)95
Vallon, J.J., Badinand, A., Bichon, C.
Isolement chromatographique sur Sephadex G-10 des metanephrines et des melanogenes des urines 36(1972)397
Valovicová, E. see Adam, J. 36(1972)241
Vaňásek, J. see Hrnčíř, Z. 40(1972)237
Van de Calseyde, J.F., Scholtis, R.J.H., Schmidt, N.A., Leyten, C.J.J.A.
Gas chromatography in the estimation of urinary metanephrines and VMA 32(1971)361
Van Delden, G.J.A. see Schouten, H. 31(1971)487
Van der Burg, P. see Voogd, C.E. 37(1972)533
Van der Heiden, C., Wadman, S.K., Ketting, D., De Bree, P.K.
Urinary and faecal excretion of metabolites of tyrosine and phenylalanine in a patient with cystic fibrosis and severly impaired amino acid absorption 31(1971)133
Van der Heiden, C. see Wadman, S.K. 31(1971)215
Van der Heiden, C., Wauters, E.A.K., Ketting, D., Duran, M., Wadman, S.K.
G.L.C. analysis of urinary tyrosine and phenylalanine metabolites in patients with gastrointestinal disorders 34(1971)289
Van der Heiden, C. see Wadman, S.K. 34(1971)277
Van der Heiden, C., Wadman, S.K., De Bree, P.K., Wauters, E.A.K.
Increased urinary imidazolepropionic acid *N*-acetylhistamine and other imidazole compounds in patients with intestinal disorders 39(1972)201
Van der Heul, C., Eijk, H.G. van, Wiltink, W.F., Leijnse, B.
The binding of iron to transferrin and to other serum components at different degrees of saturation with iron 38(1972)347
Vandermeers, A., Vandermeers-Piret, M.C., Christophe, J.
A general method for automated kinetic measurements of enzymatic activities 37(1972)471
Vandermeers-Piret, M.C. see Vandermeers, A. 37(1972)471
Van der Molen, H.J., Jong, F.H. de, Cooke, B.A.
Some aspects in steroid analysis in the clinical chemical laboratory with special reference to the role of gas-liquid-chromatography (G.L.C.) 34(1971)169
Van der Ploeg, P.H.W. see Kampen, E.J. van 40(1972)485
Van der Slik, W. see Hünteler, J.L.A. 37(1972)391
Van der Slik, W. see Hünteler, J.L.A. 42(1972)449
Van der Wal, G.
A modified method for the determination of total iron binding capacity 36(1972)570
Vandewalle, P. see Hayem-Levy, A. 35(1971)151
Van Eijk, H.G. see Beijenberg, B.G. 31(1971)277
Van Eijk, H.G. see Heul, V. van der 38(1972)347
Van Eijk, H.G. see Tavenier, P. 32(1971)63
Van Eijk, H.G. see Van Kreel, B.K. 32(1971)103
Van Eys, J. see Tanphaichitr, V.S. 41(1972)41
Van Heijst, A.N.P. see Maas, A.H.J. 33(1971)325
Van Kampen, E.J., Anker, A.P.
Steroid spectra, pattern recognition and quantitative analysis 34(1971)241
Van Kampen, E.J. see Anker, A.P. 42(1972)335
Van Kampen, E.J., Van der Ploeg, P.H.W.
Lipoprotein electrophoresis on gelatinized cellulose acetate 40(1972)485
Van Kersen, F. see Sluiter, W.J. 42(1972)255
Van Kreel, B.K., Pijnenburg, A.M.C.M., Van Eijk, H.G., Leijnse, B.
A new device for preparative acrylamide gel electrophoresis and its use for the fractionation of a horse spleen ferritin preparation 32(1971)103
Van Munster, P.J.J. see Werkman, H.P.T. 31(1971)395
Van Oudheusden, A.P.M.
Kinetic determination of serum oxytocinase in last trimester of pregnancy 32(1971)140

Van Reen, R. see Shackelford, A.H. 34(1971)13
Van Roon-Djordjevic, B., Cerfontain-Van Staalen, I.
Urinary excretion of histidine metabolites as an indication for folic acid and vitamin B_{12} deficiency 41(1972)55
Van Zanten, A.K. see Sluiter, W.J. 42(1972)255
Van Rossum, J.M.
G.L.C. in pharmacology and toxicology 34(1971)311
Van Rossum, J.M. see Vree, T.B. 34(1971)333
Van Rossum, J.M. see Vree, T.B. 34(1971)365
Van Roy, F.P., Meuwissen, J.A.T.P., De Meuter, F., Heirwegh, K.P.M.
Determination of bilirubin in liver homogenates and serum with diazotized *p*-iodoaniline 31(1971)109
Van Sande, M. see Regemorter, N. van 38(1972)59
Van Sprang, F.J. see Wadman, S.K. 31(1971)215
Van Stekelenburg, G.J., Koorevaar, G.
Evidence for the existence of mammalian acetoacetate decarboxylase with special reference to human blood serum 39(1972)191
Vatier, J., Dubrasquet, M., Bader, J.-P., Bonfils, S.
Isolement chromatographique de substances gastrosécrétagogues urinaires dans le syndrome de Zollinger-Ellison 33(1971)365
Vatier, J. see Jardillier, J.-C. 38(1972)187
Vatier, J., Neuberger, Ph., Dubrasquet, M., Bonfils, S.
Isolation and nature of urinary gastrosecretagogue substances in Zollinger-Ellison syndrome and in pernicious anaemia 40(1972)391
Vatier, J. see Pointer, H. 42(1972)321
Vecerek, B. see Škramovský, V. 35(1971)353
Veenkamp, F.J.N. see Goverde, B.C. 41(1972)29
Veissiere, D. see Picard, J. 36(1972)247
Veissiere, D. see Picard, J. 37(1972)483
Vens, M.D. see Lauwerys, R. 40(1972)443
Verdonk, G. see Matthys, F. 36(1972)341
Verjee, Z.H.M.
A note on the fluorometric determination of plasma cortisol 33(1971)265
Vermeulen, A.
Evaluation of G.L.C. techniques for the estimation of androgens 34(1971)223
Vestergaard, P. see Kahane, Z. 35(1971)49
Vestergaard, P. see Kahane, Z. 38(1972)413
Vidi, A., Bonardi, G.
Simple quantitative method for determining 8-methoxy-4-hydroxyphenylacetic acid and 3,4-dihydroxyphenylacetic acid in urine 38(1972)463
Vidláková, M., Erazímová, J., Horký, J., Placer, Z.
Relationship of serum antioxidative activity to tocopherol and serum inhibitor of lipid peroxidation 36(1972)61
Vihka, I.V. see Privalenko, M.N. 41(1972)269
Villalba, M. see Sabater, J. 36(1972)201
Vincent, M. see Sassard, J. 41(1972)321
Virasoro, E., Copinschi, G., Bruno, O.D., Leclercq, R.
Radioimmunoassay of human growth hormone using a charcoal–dextran separation procedure 31(1971)294
Virella, G., Parkhouse, R.M.E.
Detection of monomeric IgM by acrylamide disc gel electrophoresis followed by agar gel immunodiffusion 32(1971)427
Visser, B.F. see Maas, A.H.J. 33(1971)325
Visser, J.W.E. see De Lange, W.E. 42(1972)21
Vítek, K., see Vítek, V. 33(1971)33
Vítek, V., Vítek, K., Adams Cowley, R.
Isomaltose and maltose in the urine of severely injured humans 33(1971)33
Vlassopoulos, K. see Melissinos, K. 40(1972)165
Vliegenthart, J.F.G. see Klosse, J.A. 42(1972)409
Vogh, B.P., Garg, L.C., Sonntag, A.C., Maren, T.H.
4,4'-diformamidodiphenylsulfone (DFD): analysis of plasma and urine for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound 40(1972)431
Völlmin, J.A.
High resolution gas chromatography of urinary steroids on glass capillary columns 34(1971)207
Völlmin, J.A. see Curtius, H.Ch. 37(1972)277

Völlmin, J.A. see Curtius, H.-Ch. 42(1972)233
Volpé, R. see Row, V.V. 31(1971)471
Voogd, C.E., Burg, P. v.d. Serum vitamin-B_{12} levels and chlorpromazine 37(1972)533
Voorhorst, C.D., De Kloep, K. Amylase assay in serum using dyed amylpectine 39(1972)391
Voyer, F. see Picard, J. 36(1972)247
Voyer, F. see Picard, J. 37(1972)483
Vrbová, H. see Hilgertová, J. 36(1972)511
Vree, T.B., Breimer, D.D., Ginneken, C.A.M. van Rossum, J.M. van, Zeeuw, R.A. de, Witte, A.H. Identification of cannabivarins in hashish by a new method of combined gas chromatography mass spectrometry 34(1971)365
Vree, T.B., Gorgels, J., Muskens, A., Rossum, J.M. Deuterated amphetamines 34(1971)333

W

Wad, N. see Iversen, P.F. 32(1971)137
Wadman, S.K. see Breebaart, K. 37(1972)157
Wadman, S.K., De Bree, P.K., Van der Heiden, C., Van Sprang, F.J.
Automatic column chromatographic analysis of urinary and serum imidazoles in patients with histidinaemia and normals 31(1971)215
Wadman, S.K. see Klosse, J.A. 32(1971)321
Wadman, S.K. see Klosse, J.A. 42(1972)409
Wadman, S.K. see Van der Heiden, C. 31(1971)133
Wadman, S.K. see Heiden, C. v.d. 34(1971)289
Wadman, S.K., Heiden, C. v.d., Ketting, D., Sprang, F.J. v.,
Abnormal tyrosine and phenylalanine metabolism in patients with tyrosyluria and phenylketonuria; G.L.C. chromatographic analysis of urinary metabolites 34(1971)277
Wadman, S.K. see Heiden, C. van der 39(1972)201
Wael, J. de, see Smeets, E.H.J. 33(1971)407
Wagemaker, G., Eijk, H.G. van, Leijnse, B.
A sensitive bio-assay for the determination of erythropoietin. A modification of the post-hypoxic polycythemic mice assay 36(1972)357
Wailling, D.G. see Upshall, D.G. 36(1972)67
Wald, N.J., Fenton, J.
Artefact due to traces of detergent on laboratory glassware affecting carboxyhaemoglobin measurement 39(1972)266
Walkar, A., Master, R.W.P.
Protein and isozyme components in normal and abnormal human semen 39(1972)433
Walker, A.W., Pollard, A.C.
Observations on serum alkaline phosphatase electrophoretic patterns on polyacrylamide gel. With particular reference to the effects of butanol extraction 34(1971)19
Walker, B.A., Eze, L.C., Tweedie, M.C.K., Price Evans, D.A.
The influence of ABO blood groups, secretor status and fat ingestion on serum alkaline phosphatase 35(1971)433
Walker, W.H.C.
Curve regeneration in continuous flow analysis 32(1971)309
Walker, W.H.C., Shepherdson, J.C., McGowan, G.K.
Theoretical considerations in continuous flow analysis 35(1971)455
Walker, W.H.C., Townsend, J., Keane, P.M.
Analog device for curve regeneration in continuous flow analysis 36(1972)119
Wallace, J.E., Biggs, J.D., Blum, K.
Gas-liquid and thin-layer chromatographic determination of morphine in biologic specimens 36(1972)85
Wang, R.B. see Feng, H.W. 42(1972)225
Ward, F.B. see Baum, G. 36(1972)405
Waringa, B.H. see Kersen, F. van 38(1972)239
Warnet, J.M. see Claude, J.R. 32(1971)229
Warren, J.M., Spencer, H.
Analysis of stable strontium in biological materials by atomic absorption spectrophotometry 38(1972)435
Warshaw, J.B. see Inglis, N.R. 38(1972)67
Watanabe, M., Hayashi, K.
A fluorometric method for 3-hydroxyanthranilic acid in human urine 37(1972)417
Watson, E., Kalman, S.M.
A thirty-minute determination of sedatives in plasma by gas-liquid chromatography 38(1972)33
Watson, W.A. see Doumas, B.T. 31(1971)87
Wauters, E.A.K. see Heiden C. v.d. 34(1971)289
Wauters, E.A.K. see Heiden, C. v.d. 39(1972)201
Weber, A.M., Chartrand, L., Doyon, G., Gordon, S., Roy, C.C.
The quantitative determination of fecal bile acids, in children by the enzymatic method 39(1972)524
Weber, F. see Hornig, D. 31(1971)25
Weber, F. see Hornig, D. 33(1971)187
Wederfoort, I.E. see Giterson, A.L. 34(1971)489
Weeber, Y.M.M. see Regouw, B.J.M. 31(1971)187
Weeke, B. see Nielsen, H.G. 35(1971)281
Weeke, B. see Nielsen, H.G. 36(1972)133

Weicker, H., Kropp, J., Metz, J., Ritthaler, F. Ebert, W.
Isolation of a membrane protein with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test 37(1972)59
Weicker, H. see Metz, J. 34(1971)31
Weil-Malherbe, H. see Smith, E.R.B. 35(1971)505
Weise, M., Bockhorn, H.
Discontinuous microdisc-electrophoresis for quantitative albumin determination in urine of patients with kidney transplants 42(1972)391
Weiser, H. see Hornig, D. 32(1971)33
Weizel, A. see Lossow, W.J. 36(1972)33
Went, L.N. see Schothorst, A.A. 33(1971)207
Went, L.N. see Schothorst, A.A. 39(1972)161
Werkman, H.P.T., Trijbels, J.M.F., Van Munster, P.J.J., Schretlen, E.D.A.M., Moerkerk, C.
Automated determination of serum iron and ferrioxamine in urine 31(1971)395
Wesseling, H. see Thürkow, I. 37(1972)509
Westlin, N.E. see Semb, T.H. 31(1971)375
Wetter, O.
Specific and unspecific recombination of myeloma polypeptide chains 36(1972)284
Whitehead, R.G. see Grimble, R.F. 31(1971)355
Whittaker, M. see Jackson, P. 41(1972)299
Whyte, J.N.C. see Ingram, P. 35(1971)523
Wichrzycki, A. see Wójcicka, J. 32(1971)109
Widdop, B. see Braithwaite, R.A. 35(1971)461
Wieczorek, E.
Effect of radiotherapy on γ-glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix 37(1972)203
Wiederschain, G.Y., Rosenfeld, E.L. Brusilovsky, A.I., Kolibaba, L.G.
α-L-fucosidase and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation 35(1971)99
Wieme, R.J. see Ringoir, S. 42(1972)315
Wieme, R.J. see Yourassowsky, E. 42(1972)189
Wiernik, P.H. see Presant, C.A. 32(1971)465
Wight, C. see Sanghvi, A. 31(1971)255
Wijngaarden, G.K. van see Meijer, A.E.F.H. 33(1971)247
Wilding, P., Rollason, J.G., Robinson, D.
Patterns of change for various biochemical constituents detected in well population screening 41(1972)375
Wilkinson, A.W. see Barlow, G.B. 41(1972)169
Wille, L.E., Phillips, G.B.
Lipoprotein and lipid composition of neonatal serum 34(1971)457
Willebrands, A.F. see Ter Welle, H.F. 39(1972)183
Willebrands, A.F., ter Welle, H.F., Tasseron, S.J.A.
Functional state of mitochondria isolated from failing and from hypertrophic non-failing human hearts 32(1971)251
Williams, A. see Hodgkinson, A. 36(1972)127
Williams, H.L., Conrad, M.E.
Problems in the measurement of iron binding capacity in serum 37(1972)131
Williams, R. see Murray-Lyon, I.M. 39(1972)215
Wills, M.R., Laite, P.A.
Apparent change in the pK_1 of carbonic acid in plasma in response to acute metabolic acidosis in normal subjects 35(1971)514
Wilson, D.M., Lever, M., Brosnan, E.A., Stillwell, A.
A simplified tetracycline assay 36(1972)260
Wilson, J.B. see Wong, S.C. 35(1971)521
Wilson, R.G.
The activities of some acid hydrolases in the skin of patients with cystic fibrosis of the pancreas 36(1972)113
Wilson, R.G.
Glycosaminoglycans in the skin of patients with cystic fibrosis of the pancreas 36(1972)185
Wiltink, W.F. see Heul, C. v.d. 38(1972)347
Winckers, P.L.M., Jacobs, Ph.
A simple automated determination of glucose in body fluids using an aqueous o-toluidine-acetic acid reagent 34(1971)401
Winkelman, J.W. see Wybenga, D.R. 40(1972)121
Winsten, S. see Dalal, F.R. 32(1971)327
Wise, L. see Margraaf, H.W. 36(1972)566
Wise, L. see Margraaf, H.W. 39(1972)247

Wiss, O. see Hornig, D. 31(1971)25
Wiss, O. see Hornig, D. 32(1971)33
Wiss, O., see Hornig, D. 33(1971)187
Witmer, E.J. see Potter, J.L. 39(1972)518
Witte, A.H. see Vree, T.B. 34(1971)365
Witter, R.F. see Moinuddin, M. 37(1972)123
Witting, L.A., Haberland, C., Brunngraber, E.G.
Ganglioside patterns in galactosemia 37(1972)387
Wocial, B. see Januszewicz, W. 32(1971)261
Wójcicka, J., Roszkowski, I., Wichrzycki, A., Frydrychowska, T.
Acid-base balance in women with jaundice in late pregnancy 32(1971)109
Wold, S. see Leclerq, R. 36(1972)254
Woldring, M.G. see Kersen, F. van 38(1972)239
Wolter, R. see Copinschi, G. 38(1972)207
Wolthers, B.G. see Bootsma, J. 41(1972)219
Wolthers, B.G., Nusse, B.J., Bootsma, J., Groen, A.
Determination of serum guanase by means of a NADH-linked reaction 41(1972)223
Wong, S.C., Bouver, N., Huisman, T.H.J., Wilson, J.B.
Hb-J-Georgia = Hb-J-Baltimore = $\alpha_2\beta_2$ ^{16}Gly → Asp 35(1971)521
Wong, S.C., Huisman, T.H.J.
Further evidence for non-linkage of the Hbα and Hbβ structural loci in man 38(1972)473
Wood, E.J. see Elder, M.G. 38(1972)211
Wood, P.D. see Lossow, W.J. 36(1972)33
Woodley, J.F.
Pyrrolidoencarboxylyl peptidase activity in normal intestinal biopsies and those from coeliac patients 42(1972)211
Woodman, D.D., Price, C.P.
Estimation of serum total lipids 38(1972)39
Woodman, D.D. see Price, C.P. 35(1971)265
Woodman, D.D. see Richardson, R.W. 31(1971)403
Woodman, D.D. see Richardson, R.W. 37(1972)305
Worth, H.G.J.
A rapid method for glycolipid measurement in spleen 34(1971)443
Wright, Jr. G.L., Farrell, K.B., Roberts, D.B.
Gradient polyacrylamide gel electrophoresis of human serum proteins: improved discontinuous gel electrophoresis technique and identification of individual serum components 32(1971)285
Wybenga, D.R., Ibbott, F.A., Winkelman, J.W.
The indirect confirmation of hyperlipoproteinemia phenotypes II, III and IV 40(1972)121
Wybenga, D.R. see Pileggi, V.J. 37(1972)141

Y

Yagi, K. see Ito, T. 39(1972)125
Yamamoto, K., Ohgimi, Y., Kojima, H., Matsuda, I.
Urinary hydroxyproline, excretion and growth in children with congenital heart disease 37(1972)165
Yamaoka, Y. see Ozawa, K. 38(1972)385
Yamamura, Y. see Higashino, K. 40(1972)67
Yamamura, Y. see Higashino, K. 40(1972)305
Yamamura, Y. see Higashino, K. 41(1972)313
Yamamura, Y. see Kang, K.-Y. 42(1972)175
Yanniotis, G. see Geissbühler, F. 33(1971)111
Yaseen, A. see Rosenthal, A.F. 31(1971)171
Yaverbaum, S. see Baum, G. 36(1972)405
Yosizawa, Z. see Abe, T. 42(1972)29
Young, E. see Searcy, R. 38(1972)291
Yourassowsky, E., De Broe, M.E., Wieme, R.J.
Effect of heparin on gentamicin concentration in blood 42(1972)189
Yun, T.K. see Feng, H.W. 42(1972)225

Z

Zaleski. W.A. see Hill, A. 37(1972)455
Zapf, P.W.
A semi-automated method for serum ornithine carbamyl transferase
32(1971)451
Zapolski, E.J. see Bagley Jr., D.H.
35(1971)305
Zatónski, W. see Kwiatowska, J.
40(1972)101
Zawislak, H. see Kowalewski, J. 34(1971)123
Zbikowska, A. see Kowalewski, J.
34(1971)123
Zeeuw, R.A. de see Vree, T.B.
34(1971)365
Zelniček, E., Sláma, J.
Phenylpyruvate and *o*-hydroxyphenylacetate in phenylketonuric urine
35(1971)496
Zender, R.
Analyse de l'hydroxyproline urinaire. Methode et valeurs fréquentes
37(1972)263
Zhagats, R. see Cooney, D.A. 40(1972)249
Ziegler, E.E. see Reinken, L. 36(1972)270
Zimprich, H. see Gupta, D. 40(1972)205
Zipursky, A. see Poortmans, J. 35(1971)449
Zlatkov, N.B. see Genov, D. 37(1972)207
Zondag, H.A. see Berends, G.T. 41(1972)187
Zondag, H.A. see Haesen, J.P. 37(1972)463
Zuławski, M. see Radom, S. 39(1972)277
Zwart, W.A. see Persijn, J.P. 35(1971)239

SUBJECT INDEX

Z

A

Abnormal serum lipoproteins, in cholestasis: identification of the protein moiety (Picard, Veissiere, Voyer) 37(1972)483

AB0 blood groups, secretor status and fat ingestion, influence on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 35(1971)433

A^- (African type) G-6PD deficiency, in acute haemolytic crisis, a simple laboratory procedure for the recognition (Ringelhahn) 36(1972)272

Acetic acid, urine, in chronic schizophrenia (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Acetoacetate decarboxylase, evidence for the existence of mammalian, with special reference to human blood serum (Van Stekelenburg, Koorevaar) 39(1972)191

Acetoacetate, β-hydroxybutyrate, pyruvate and lactate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293

Acetone, rapid determination in breath and plasma (Trotter, Sulway, Trotter) 35(1971)137

Acetone as solvent in flame-photometric determination of lithium in serum (Denswil, Detmers) 40(1972)129

Acetylcholinesterase deficiency, red cell, in auto-immune hemolytic anemia and in paroxysmal nocturnal hemoglobinuris (Herz, Kaplan, Scheye) 38(1972)301

N-Acetylglucosaminuria, and *N*-acetyl-mannosaminuria associated with sialuria (Strecker, Montreuil) 33(1971)253

α-*N*-Acetylglycyl-lysine methylester hydrolase, and plasminogen activator in urine. Method of determination and some considerations (Rybák, Blazková) 33(1971)241

N-Acetylhexosaminidase, total deficiency, oligo-saccharide excretion in a case of GM 2 gangliosidosis (Strecker, Montreuil) 33(1971)393

N-Acetylhistamine, increased urinary imidazole-propionic acid, and other imidazole compounds in patients with intestinal disorders (van der Heiden, Wadman, de Bree, Wauters) 39(1972)201

N-Acetylmannosaminuria, and *N*-acetyl-glucosaminuria associated with a sialuria (Strecker, Montreuil) 33(1971)253

Acid, adipic and suberic, occurrence of in urine from ketotic patients (Pettersen, Jellum, Eldjarn) 38(1972)17

Acid–base balance, late pregnancy, jaundice (Wójcicka, Roszkowski, Wichrzycki, Frydrychowska) 32(1971)109

Acid–base balance, in sickle cell crisis (Ringelhahn, Kotoney-Ahulu) 34(1971)63

Acid glycosidases, artificial substrates in the assay of (Hultberg, Öckerman) 39(1972)49

Acid hydrolases, activities in the skin of patients with cystic fibrosis of the pancreas (Wilson) 36(1972)113

Acid phosphatases, red cells, oxidized glutathione and acetylphenylhydrazine on, in vitro (Bottini, Modiano, Santolamazza, Filippi, Businco) 31(1971)243

Acid phosphatase in renal failure, clinical and experimental studies (Kobayashi, Nishimoto, Shimizu) 35(1971)173

Acid mucopolysaccharides, urinary excretion in kwashiorkor and vitamin A-deficient children (Mohanram, Reddy) 34(1971)93

Acid, 4-pyridoxic, determination of, in urine by a fluorimetric method (Mikac-Dević, Tomanić) 38(1972)235

Acid stable esterase, quantification in human gastric juice by single linear immunodiffusion (Rapp) 36(1972)5

Acidosis, fatal congenital, lactic, aliphatic C_6–C_{14} dicarboxylic acids in urine from an infant with (Borg, Lindstedt, Steen) 41(1972)363

Acidosis, renal tubular, incomplete, in sickle cell disease (Goossens, Statius van Eps, Schouten, Giterson) 41(1972)149

Aciduria, organic, potential source of some. Urinary bacteria: (Hansen, Perry, Lesk) 39(1972)71

Aciduria, pyroglutamic: studies on the enzymic block and on the metabolic origin of pyro-glutamic acid (Eldjarn, Jellum, Stokke) 40(1972)461

Acrylamide–agarose gel, identification of protein fractions separated by electrophoresis of human serum on (Dugue, Boschetti, Tixier, Rousselet, Girard) 40(1972)301

Acrylamide gel electrophoresis of human pregnancy sera, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by (Kleiner, Brouet-Yager) 40(1972)177

Acute haemolytic crisis, a simple laboratory procedure for the recognition of A⁻ (African type) G-6PD deficiency (Ringelhahn) 36(1972)272

Acyl phosphatase in normal and diseased human muscle (Kar, Pearson) 40(1972)262

Acylase, cobalt-activated, in human serum, Occurrence in hepatobiliary diseases (Szewczuk, Szczeklik) 33(1971) 309

Acylation of lysolecithin with long-chain fatty acids by normal and dystrophic human muscle (Kunze, Olthoff) 36(1972)561

S-Adenosylmethionine, assay in human blood (Illiano, Utili, Cicala) 33(1971)161

S-adenosylmethionine, in human blood (Bohuon, Caillard) 33(1971)256

S-Adenosylmethionine and L-DOPA (Mathysse, Lipinski, Shih) 35(1971)253

Adrenal glands, tyrosine hydroxylase in human, and human pheochromocytoma (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

Adrenocortical disorders, urinary excretion of dehydroepiandrosterone in normal children and in patients with (Pal, Teller) 38(1972)371

Adrenocortical dysfunction, diagnosis, gas–liquid chromatographic fractionation of urinary 17-oxo steroids (Makin, Trafford) 32(1971)299

Adsorption column chromatography, and thin-layer chromatography, for a method for the detection of drugs at therapeutic dosages in human urine (Hetland, Knowlton, Couri) 36(1972)473

Agar medium, for a comparative α-amylase study (Ceska) 36(1972)419

Agarose gel electrophoresis, identification of C-reactive protein in human serum or plasma (Kindmark) 35(1971)491

Agarose, gel electrophoresis, quantitation of the α-lipoprotein complex (Dyerberg, Hjorne) 33(1971)460

Age, changes in polyunsaturated fatty acids, serum (Müller) 32(1971)115

Age differences, in the pattern of urinary glycosaminoglycan excretion in normal individuals (Taniguchi) 37(1972)225

Age, sex, fasting and surgery, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433

Alanine aminopeptidase, in urine in renal diseases (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213

Alanyl-peptide hydrolase, determination in urine (Peters, Schneider, Haschen) 36(1972)289

L-Alanyl-peptidehydrolase, in urine in renal diseases (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213

Albumin as an aid to the interpretation of serum calcium (Orrell) 35(1971)483

Albumin determination, discontinuous microdisc-electrophoresis for quantitative, in urine of patients with kidney transplants (Weise, Bockhorn) 42(1972)391

Albumin dye binding defect, associated with bisalbuminemia (Hosty, Caputo, Hollenbeck) 36(1972)579

Albumin, fibrinogen, globulin and, investigations on the interaction of, on plasma viscosity (Leonhardt, Bungert) 42(1972)181

Albumin, and IgG, immunochemical estimation in CSF (Delpech, Lichtblau) 37(1972)15

Albumin, IgG and IgA in normal human pancreatic juice (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

Albumin, serum, neonatal jaundice, saturation index (Howorth) 32(1971)271

Albumin standards, serum albumin measurement, bromcresol green (Doumas, Watson, Biggs) 31(1971)87

Alcohol consumption, serum γ-glutamyl transpeptidase in relation to (Rollason, Pincherle, Robinson) 39(1972)75

Alcohol, in blood and urine, rapid sensitive, inexpensive method (Roos) 31(1971)285

Alcoholism, serum γ-glutamyl transpeptidase activity in (Rosalki, Rau) 39(1972)41

Alcohols, gas chromatography, capillary columns (Karoum, Sandler) 32(1971)391

Aldopentoses and fucose, free, rates of urinary excretion of, by fasting healthy adults: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Aldosterone determination, a chromatographic method in human urine (Leung, Griffiths) 37(1972)423

Aldosterone, G.L.C. in biological fluids (Aakvaag) 34(1971)197

Alimentary secretions, copper binding, radiometric assay, Wilson's disease (Gollan, Davis, Deller) 31(1971)197

Alkaline orthophosphatase activity, elevated, inorganic pyrophosphatase activity in human sera with (Hørder) 42(1972)373

Alkaline phosphatase activity changes, of serum sample after thawing and after reconstitution from the lyophilized state (Brojer, Moss) 35(1971)511
Alkaline phosphatase activity during pregnancy, the serum heat labile (Biswas, Hindocha) 38(1972)455
Alkaline phosphatase antigens, human intestinal, preparation and characterization of (Fishman, Inglis, Fisnman) 38(1972)75
Alkaline phosphatase, characterization in platelets in normal subjects and in trisomy 21 Down's syndrome patients (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 35(1971)165
Alkaline phosphatase in dog serum, L-phenyl-alanine inhibition as a method for measuring the intestinal component of (Marcuson, Tomlinson) 42(1972)245
Alkaline phosphatase, human placental, a new method of radioimmunoassay for (Iino, Abe, Oda, Suzuki, Sugiura) 42(1972)161
Alkaline phosphatase, human serum, heat stability of, in bone and liver diseases (Tan, Chio, Lim) 41(1972)329
Alkaline phosphatases, isoelectric focusing. A focusing-disc electrophoresis transfer technique. (Smith, Lightstone, Perry) 35(1971)59
Alkaline phosphatase isoenzymes, determination (Bergerman, Blethen) 36(1972)493
Alkaline phosphatase and isoenzymes, fractures, experimental (Semb, Gudmundson, Westlin, Hallander) 31(1971)375
Alkaline phosphatase, isoenzymes, rapid electrophoresis (Rawstron, Ng) 32(1971)303
Alkaline phosphatase, leukocyte, evaluation of activity. Comparison of the biochemical and cytochemical assay. (Diamant, Sadovsky, Gal) 34(1971)73
Alkaline phosphatase, and 5'-nucleotidase activities in serum in patients with hepatobiliary disease (Belfield) 37(1972)525
Alkaline phosphatase, placental, biochemical studies (Aleem) 33(1971)125
Alkaline phosphatase, placental-type from human tumour tissue (Jacoby, Bagshawe 35(1971)473
Alkaline phosphatase, a rare isoenzyme of, in 4 patients with ulcerative colitis (Streifler, Schnitzer, Harell) 38(1972)244
Alkaline phosphatase: reaction rate analysis at 340 nm (Stevens, Thomas) 37(1972)541
Alkaline phosphatase, serum, assay, phenylalanine on (Presant, Wiernik, Serpick) 32(1971)465
Alkaline phosphatase, serum, hepatobiliary disease (Phelan, Neale, Moss) 32(1971)95
Alkaline phosphatase, serum, isoenzyme patterns in disease (Skillen, Fifield, Sheraidah) 40(1972)21
Alkaline phosphatase, serum, observations on electrophoretic patterns on polyacrylamide gel. With particular reference to the effects of butanol extraction. (Walker, Pollard) 34(1971)19
Alkaline phosphatase, standardization of mechanised determinations in serum (Horn) 37(1972)43
Alkaline phosphatase, studies on a variant, in sera of patients with hepatocellular carcinoma (Higashino, Hashinotsume, Kang, Takahashi, Yamamura) 40(1972)67
Alkaline phosphate, serum, an improved auto-analyser technique for the determination (Price, Woodman) 35(1971)265
Alkaptonuria, phenylketonuria and tyrosinosis, the investigation of aromatic acids using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455
Alpha, specificity of inhibitors lacking in, anti-trypsin deficiency and hereditary angio edema toward human proteolytic enzymes (Colman, Mitchell) 39(1972)5
Amino acid absorption, severly impaired, tyrosine and phenylalanine metabolites, urine and faeces (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133
Amino acid anomalies, in urine, thin-layer chromatographic screening test without desalting using internal standards (Kraffczyk, Helger, Lang, Bremer) 35(1971)345
Amino acid, composition of hair from different racial origins (Gold, Scriver) 33(1971)467
Amino acid, creatine and creatinine studies in myotonic dystrophy (Emery, Burt) 39(1972)361
Amino acid(s), metabolism, uremic patients (Condon, Asatoor) 32(1971)333
Amino acid oxidase, quantitative determination of intestinal peptide hydrolase activity (Donlon, Fottrell) 33(1971)325
Amino acids, quantitative changes in plasma, in patients with renal disease (McGale, Pickford, Aber) 38(1972)395
Amino acids, urinary excretion of, determined by atomic absorption spectrometry (Bousquet, Bouvier, Dreux) 42(1972)327
Amino acids, urinary peptides and, an automated chromatographic system for the combined analysis of (Klosse, Huistra, De Bree, Wadman, Vliegenthart) 42(1972)409

Amino acids, urine, thin-layer chromatography, effect of desalting (Heathcote, Davies, Haworth, Oliver) 32(1971)457
Amino compounds, the determination of nitrogen of, in urine by chelates (Nýdr, Štáhlavská) 38(1972)457
Aminoaciduria, modification in the rat after administration of cycloleucine (Lemonnier, Moatti, Charpentier, Levillain) 33(1971)351
γ-Aminobutyric acid, distribution of two peptides of, in cerebrospinal fluid and the human brain (Regemorter, Mardens, Lowenthal, Van Sande, Lavinha) 38(1972)59
δ-Aminolaevulinic acid in urine, automated analysis of (Lauwerys, Delbroeck, Vens) 40(1972)443
δ-Aminolaevulinic acid, in urine, a new possibility for the demonstration on the basis of Mauzerall-Granick method (Berkö, Durkö) 37(1972)443
Aminopeptidase (oxytocinase), origin of activity in serum during pregnancy (Göpffarth, Abraham) 36(1972)303
Aminotransferase activities comparison as determined by the original, revised and optimum spectrophotometric methods (Ellis, Goldberg) 35(1971)241
Amitriptyline and nortriptyline "steady-state" plasma levels in patients, a specific gas-chromatographic method for the measurement (Braithwaite, Widdop) 35(1971)461
Ammonia, blood, discontinuous and continuous determination by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245
Ammonia in blood plasma, enzymatic determination of (Ishihara, Kurahashi, Uehara) 41(1972)255
Ammonia, determination of, in blood plasma by an ion exchange method (Kurahashi, Ishihara, Uehara) 42(1972)141
Ammonia, and glucose relationships (Gips, Que) 37(1972)295
Ammonia, spectrophotometric determination, inhibition of indophenol reaction (O'Donovan) 32(1971)59
Amniotic fluid amino acids in maternal phenylketonuria (Emery, Farquhar, Timson) 37(1972)544
Amniotic fluid cells, acid hydrolases in uncultured (Den Tandt) 40(1972)199
Amniotic fluid cells from controls, electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and patients with the variant of glycogen storage disease Type II (Pompe's disease) (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294
Amniotic fluid cells, cultivated, pyruvate kinase (Koster, Staal, Niermeyer) 36(1972)572
Amniotic fluid cells, uncultured, enzymes (Sutcliffe, Brock) 31(1971)363
Amniotic fluid, gas chromatographic-mass spectrometric analysis of organic acids in (Hagenfeldt, Hagenfeldt) 42(1972)219
Amniotic fluid, human placenta and foetus liver at various stages of gestation, α-L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)99
Amphetamines, deuterated (Vree, Gorgels, Muskens, v. Rossum) 34(1971)333
Amphetamine, in urine, a routine method for the detection and quantitation (Setchell, Cooper) 35(1971)67
α-Amylase activity, determination in biological fluids (Scharpé) 37(1972)301
Amylase activity, determination of, in serum and urine using blue starch substrate (Irie, Hunaki, Bando, Kawai) 42(1972)63
Amylase assay in serum using dyed amylopectine (Voorhorst, De Kloep) 39(1972)391
α-Amylase, comparative study using an agar medium (Ceska) 36(1972)419
α-Amylase, contained in human blood, serum and plasma for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453
α-Amylase, contained in serum and urine of patients suffering from acute pancreatitis for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463
α-Amylase, detection, a new approach for quantitative and semi-quantitative determinations of enzymatic activities with simple laboratory equipment (Ceska) 33(1971)135
α-Amylase enzyme, contained in normal human urine, hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 33(1971)147
Amylase, serum, chromogenic method (Dalal, Winsten) 32(1971)327
Amylopectine, amylase assay in serum using dyed (Voorhorst, de Kloep) 39(1972)391
Analog device, for curve regeneration in continuous flow analysis (Walker, Townsend, Keane) 36(1972)119
Analysis, continuous flow, curve regeneration (Walker) 32(1971)305

Analysis, gas-chromatographic of the protein and carbohydrate moiety of glycoproteins in red cell membranes (Metz, Ebert, Weicker) 34(1971)31
Analysis, of urinary hydroxyproline (Zender) 37(1972)263
Analytical precision, measurement in clinical chemistry (Broughton, Annan) 32(1971)433
Analytical separation techniques, gas phase, applicable to problems in clinical chemistry (Horning, Devaux, Moffat, Pfaffenberger, Sakauchi, Horning) 34(1971)135
Androgens, evaluation of G.L.C. techniques for the estimation (Vermeulen) 34(1971)223
Androgens, urinary, under stimulation-suppression tests in children with gonadal dysgenesis (Gupta, Pfeiffer, Zimprich) 40(1972)205
Androstenedione in human female plasma by competitive protein binding, a method for the assay of testosterone and (André, James) 40(1972)325
Anemia, autoimmune hemolytic, and in paroxysmal nocturnal hemoglobinuria, red cell acetylcholinesterase deficiency in (Herz, Kaplan, Scheye) 38(1972)301
Anaemia, iron deficiency, purine nucleoside phosphorylase activity of human erythrocytes in (Ramachandran, Iyner) 40(1972)281
Anemia, sickle cell, homozygous Hb-C disease, SC-disease, chemical heterogeneity of fetal homoglobin in subjects with, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5
Anemia, sickle cell, transketolase in (Schouten, Statius van Eps, Van Delden) 31(1971)487
Angio edema, hereditary, toward human proteolytic enzymes, specificity of inhibitors lacking in alpha, antitrypsin deficiency and (Colman, Mitchell) 39(1972)5
Angiotensin I, and II, immunoassays, interference by proteins in human plasma (Page, Dessaulles, Lagg, Haber) 34(1971)55
Angiotensin II, measurement of, in blood by radioimmunoassay (Cain, Coghlan, Catt) 39(1972)24
Anticonvulsant concentrations in blood, a comprehensive scheme for the evaluation using thin-layer chromatography (Gardner-Thorpe, Parsonage, Toothill) 35(1971)39
Anti-epileptic drugs, estimation, a comprehensive gas-chromatographic scheme (Gardner-Thorpe, Parsonage, Smethurst, Toothill) 36(1972)223
Anti-epileptic drugs, some, rapid routine determination of, in serum by gas chromatography (Larsen, Naestoft, Hvidberg) 40(1972)171
Antigens, human intestinal alkaline phosphatase, preparation and characterization of (Fishman, Inglis, Fishman) 38(1972)75
Antigen, preparation of human liver isoenzymes of alkaline phosphatase (Fishman, Inglis, Fishman) 34(1971)393
Antioxidative activity, serum, relationship to tocopherol and serum inhibitor of lipid peroxidation (Vidláková, Erazímová, Horký, Placer) 36(1972)61
Antiplasmin, a low molecular weight, of human blood platelets (Ganguly) 39(1972)466
Antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes, specificity of inhibitors lacking in alpha (Colman, Mitchell) 39(1972)5
α_1-Antitrypsin, human serum, isolation and demonstration of electrophoretic and immunologic heterogeneity (Myerowitz, Hanzel, Robbins) 39(1972)307
α_1-Antitrypsin levels, serum, during the ovarian cycle (Kueppers, Brackertz, Czygan) 39(1972)131
α_1-Antitrypsin, and orosomucoid separation by polyacrylamide gel electrophoresis (Barbosa, Doe, Seal) 37(1972)105
Aplastic anemia, evidence for an abnormality in the erythrocyte membranes of patients having paroxysmal nocturnal haemoglobinuria and (Jackson, Whittaker) 41(1972)299
Arginase isozyme, investigation in erythrocyte (Nishibe, Makino) 34(1971)409
Arginine, the measurement in plasma (Bacchus, London) 33(1971)481
Ariboflavinosis, reduced glutathione reductase in red cells (Bamji, Sharada) 31(1971)409
Aromatic acids, investigation in phenylketonuria, alkaptonuria and tyrosinosis using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455
Aromatic amides, chemical conversions of, during electrolytic desalting (Dayman, Coulson, Smith, Smith, Jepson) 40(1972)335
Arsenious acid reaction, ceric, the use of the, for the determination of small amounts of iodine or iodine compounds (Heerspink, op de Weegh) 39(1972)327
Arterial disease, peripheral, lipids and lipoproteins, micro-nephelometry (Newall) 32(1971)185

Arteriosclerotic vascular disease, changes in polyunsaturated fatty acids, serum (Müller) 32(1971)115
Arthritis, rheumatoid, cortisol 21-acetate: apparently abnormal plasma levels in patients with (Margraf, Wise, Ballinger) 39(1972)247
Artifact formation during incubation of neutral steroids with commercial β-glucuronidase preparations (Manson, Nocke-Fink, Gustafsson, Shackleton) 38(1972)45
Arylamidase, and its isoenzymes in diseases of the liver and the pancreas (Schlaeger, Kattermann) 33(1971)13
Arylamine in the presence of metabolites and acid-labile substituents on the parent compound, analysis of plasma and urine for unsubstituted 4,4'-diformamidodiphenylsulfone (DFD) (Vogh, Garg, Sonntag, Maren) 40(1972)431
Arylesterase, serum, a new and simple procedure for (Burlina, Miconi, Galpigna) 39(1972)255
Arylsulphatase A activity, in human urine: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy (Thomas, Howell) 36(1972)99
Arylsulphatase activity, in lung, liver, kidney neoplasms (Morgan, Reehlmann, Maddux, Gidman, Samuels, Krementz) 32(1971)316
Arylsulphatases, in blood (Gniot-Szulżicka) 32(1971)17
Arylsulphatase, and its relation to homovanillic acid in neuroblastomas (Morgan, Maddux, Samuels, Krementz) 37(1972)289
Arylsulfatases, urinary, in bilharziasis (Khafagy, Shalaby) 40(1972)298
[1-^{14}C] Ascorbic acid, and [1-^{14}C] dehydroascorbic acid, studies on the uptake by platelets of guinea pigs (Hornig, Weber, Wiss) 33(1971)187
[1-^{14}C] Ascorbic acid, uptake and release by erythrocytes, guinea pigs (Hornig, Weber, Wiss) 31(1971)25
Ascorbic acids, labelled, uptake and release by leukocytes of guinea pigs (Hornig, Weiser, Weber, Wiss) 32(1971)33
L-Asparaginase in electropherograms, a colorimetric technique for the demonstration of (Cooney, Moore, Zhagats) 40(1972)249
L-Asparaginase therapy, effect of, upon serum pseudocholinesterase and ceruloplasmin levels in patients with acute leukemia (Cucuianu, Bornuz, Macavei) 38(1972)97
Aspartate aminotransferase isoenzymes, an electrophoretic method for the quantitation of (Murros, Konttinen, Somer) 41(1972)263
Aspartate, erythrocyte, aminotransferase activity during pregnancy, pyridoxal phosphate and folic acid concentration in blood and (Hamfelt, Tuvemo) 41(1972)287
Aspartic acid, serine, cystine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 36(1972)279
Aspartylglucosaminuria, studies on serum and urinary glycopeptides and glycosaminoglycans (Palo, Savolainen) 36(1972)431
Assay, biochemical and cytochemical, comparison in evaluation of the leukocyte alkaline phosphatase activity (Diamant, Sadovsky, Gal) 34(1971)73
Assay, cholesterol, a new color reaction (Jung, Parekh) 35(1971)73
Assay, enzymatic isotopic of histamine, modification and its application to measurement of histamine in tissues serum and urine (Beaven, Jacobsen, Horáková) 37(1972)91
Assay, of human serum and liver guanase activity, with 8-azaguanine as substrate (Ellis, Goldberg) 37(1972)47
Assay, improved automated, of serum glutamic-oxalacetic transaminase (Lombarts, Peters) 35(1971)257
Assay procedure, automated fluorometric, for study of calcium absorption (Rushton, Sammons, Robinson) 35(1971)5
Assay radiochemical, for *p*-hydroxyphenylpyruvate hydroxylase activity in human liver (Lindblad) 34(1971)113
Atomic-absorption spectrophotometry for a new micro-method for Na, K, Ca, and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry (Paschen, Fuchs) 35(1971)401
Atomic absorption spectrophotometry, determination of gold in body fluids by (Balazs, Pole, Masarei) 40(1972)213
Atomic absorption spectroscopy, determination of zinc, trichloroacetic acid on (James, MacMahon) 32(1971)307
ATPase, in erythrocyte membrane, in patients with acute or chronic renal disease (Francavilla, Albano, Mastrangelo, Coratelli, Palasciano, Amerio) 37(1972)298
Autoanalyser technique, improved, for the determination of serum alkaline phosphate (Price, Woodman) 35(1971)265
Autoanalyzer, frequency distribution of errors in the determination of serum urea and electrolyte values (Annan, Broughton, Jolliff) 34(1971)481

Autoanalyzer, range expansion (Campbell) 33(1971)475
Automated analysis, an improved method, of erythrocyte reduced glutathione (Roberts, Agar) 34(1971)475
Automated determination, of serum iron latent iron-binding capacity by continuous flow analysis without dialysis (Hünteler, Van der Slik, Persijn) 37(1972)391
Automated method, an improved rapid, for the estimation of blood glucose (Moore, Barnes, Pennock) 41(1972)439
Automatic dialy[illegible]echnique, for discontinuous and [illegible]ontinuous determination of blood ammonia (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245
Automated fluorometric procedure, for histidine in blood (Hill, Summer, Newton) 36(1972)105
Automated kinetic measurements, of enzymatic activities, a general method (Vandermeers, Vandermeers-Piret, Christophe) 37(1972)471
Automated method, for the determination of serum γ-glutamyltranspeptidase (Haesen, Berends, Zondag) 37(1972)463
Automatic measurement, of bile salts in bile with 3α-hydroxysteroid deshydrogenase (Domingo, Amic, Hauton) 37(1972)399
Automatic measurements, of some mucosal carbohydrases (Kidder, Hill, Stevens) 37(1972)491
8-Azaguanine, substrate for assay of human serum and liver guanase activity (Ellis, Goldberg) 37(1972)47

B

Bacteria, urinary: potential source of some organic acidurias (Hansen, Perry, Lesk) 39(1972)71

Barbiturates determination, in biological fluids (Chromy, Babjuk) 37(1972)547

Barbiturates, determination in blood by G.L.C. (Street) 34(1971)357

Barbiturates, and glutethimide, separation and identification by thin-layer chromatography (Waldemar, Rosenthal, Kaser, Milewski) 33(1971)51

B.C.G. dye binding for the estimation of plasma albumin on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique (Leonard, Motwani, Persaud) 35(1971)409

Beckman glucose analyser, use of the, for low and high glucose values (Morrison) 42(1972)192

Benzodiarone, the inhibition of xanthine oxidase activity by (Marcolongo, Marinello, Riariosforza, Pagani) 41(1972)91

Benzoic acid, urine, in chronic schizophrenia (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Bile acids, fecal, comparison of isotopic and chromatographic methods for estimating (Kudchodkar, Sodhi, Horlick) 41(1972)47

Bile, automatic measurement of bile salts with 3α-hydroxysteroid deshydrogenase (Domingo, Amic, Hauton) 37(1972)399

Bile, gas-liquid-chromatographic determination of bile acids (Klaassen) 35(1971)227

Bile, human, glycoproteins (Boucher, Clamp) 35(1971)83

Bile salts, automatic measurements in bile with 3α-hydroxysteroids deshydrogenase (Domingo, Amic, Hauton) 37(1972)399

Bilharziasis, and normal humans, the estimation of the level of properdin (Khafagy) 36(1972)287

Bilharziasis, urinary arylsulfatases in (Khafagy, Shalaby) 40(1972)298

Bilirubin, and its conjugates, separation by thin-layer chromatography (Thompson, Hofmann) 35(1971)517

Bilirubin conjugation, inhibition of, in rat liver slices by free fatty acids, with relevance to the problem of breast milk jaundice (Bevan, Holton) 41(1972)101

Bilirubin, relationship with β-glucuronidase activity in rats with experimental obstructive jaundice (Rodriguez Garay, Del Rosario Spetale, Morisoli) 37(1972)171

Bilirubin, serum and liver homogenates, diazotized *p*-iodoaniline (Van Roy, Meuwissen, De Meuter, Heirwegh) 31(1971)109

Bio-assay for the determination of erythropoietin. A modification of the post-hypoxic polycythemic mice assay (Wagemaker, Van Eijk, Leijnse) 36(1972)357

Biological fluids, determination of α-amylase activity (Scharpé) 37(1972)301

Biological fluids, determination of barbiturates (Chromy, Babjuk) 37(1972)547

Biological fluids, determination of tranquillizers by G.L.C. (v.d. Kleijn, Beelen, Frederick) 34(1971)345

Biological fluids G.L.C. of aldosterone (Aakvaag) 34(1971)197

Biological membranes, dextrans as test molecules in studies of the functional ultrastructure (Arturson, Granath) 37(1972)309

Biological solutions, a semiautomated method for the estimation of ionic calcium activity and concentration (Cham) 37(1972)5

Bisalbuminemia, associated with albumin dye binding defect (Hosty, Caputo, Hollenbeck) 36(1972)579

Bis(1-piperidylthiocarbonyl) disulfide, submicrogram serum copper quantification by spectrophotometry with (Carter) 39(1972)497

Biuret reagent, new unified, stabilized with EDTA (Gasbarro, Bandinelli, Tomassini) 36(1972)275

Blood, alcohol determination, colorimetric, comment (Rosalki) 32(1971)151

Blood, alcohol, rapid method (Roos) 31(1971)285

Blood ammonia, discontinuous and continuous determination by an automated dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Blood, anticonvulsant concentrations, comprehensive scheme for evaluation using thin-layer chromatography (Gardner-Thorpe, Parsonage, Toothill) 35(1971)39

Blood, arylsulphatases A and B in (Gniot-Szulżicka) 32(1971)17

Blood cells, the assay of pyruvate kinase activity in (Tanphaichitr, van Eys) 41(1972)41
Blood cells, red, photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal (Schothorst, van Steveninck, Went, Suurmond) 39(1972)161
Blood, determination of barbiturates by G.L.C. (Street) 34(1971)357
Blood, determination of transketolase activity (Hoffmann, Knapp, Rietz, Milner) 33(1971)415
Blood ethanol, determination by gas chromatography (Cooper) 33(1971)485
Blood, gas chromatographic analysis of mono- and disaccharides in human, and urine after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367
Blood glucose, colorimetric determination with β-D-glucose oxidase, mutarotase effect (Miwa, Okuda, Maeda, Okuda) 37(1972)538
Blood glucose methods, glucose oxidase-peroxidase, interference in (Sharp) 40(1972)115
Blood glucose, a re-evaluation of the effect on: Glycolysis (Overfield, Savory, Heintges) 39(1972)35
Blood, histidine, automated fluorometric procedure (Hill, Summer, Newton) 36(1972)105
Blood, human, assay of *S*-adenosylmethionine (Illiano, Utili, Cicala) 33(1971)161
Blood, measurement of angiotensin II in, by radioimmunoassay (Cain, Coghlan, Catt) 39(1972)24
Blood, phenylalanine and tyrosine, rapid determination, filter paper specimens (Levy, Baullinger, Madigan) 31(1971)447
Blood plasma, oligopeptides in, of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319
Blood platelets, human, a low molecular weight antiplasmin of (Ganguly) 39(1972)466
Blood, precursors of melanin in the, and urine in malignant melanoma (Hinterberger, Freedman, Bartholomew) 39(1972)395
Blood pressure, regulation, carboxycathepsin (Eliseeva, Orekhovich, Pavlikhina, Alexeenko) 31(1971)41
Blood, a radioisotope method for catechol-*O*-methyl transferase in (Griffiths, Linklater) 39(1972)383
Blood samples, small, a new method for the rapid determination of oxygen-dissociation curves in, by spectrophotometric titration (Kiesouw, Bless, Nelson, Shelton) 41(1972)123
Blood serum, chemical determination of triiodothyronine (Schreiber, Ortner, Spitzy) 36(1972)379
Blood serum, fluorometric determination of cystineaminopeptidase/oxytocinase (Škramovský, Večerek, Bendová, Trnka) 35(1971)353
Blood serum, human, evidence for the existence of mammalian acetoacetate decarboxylase with special reference to (Van Stekelenburg, Koorevaar) 39(1972)191
Blood serum, lipolytic activity of, with 1,5-diphenyl carbazide, photometric determination of the (Müller) 39(1972)89
Blood serum, human, a method for determination of chlorpromazine in (Christoph, Schmidt, Davis) 38(1972)265
Blood serum, plasma, human, containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453
Blood, studies on abnormal high binding capacity for vitamin B_{12} in chronic myeloid leukemia (Fischer) 36(1972)409
Blood sugar, urine and liquor (Giterson, Lie Fong, Wederfoort, Schouten) 34(1971)489
Blood, umbilical cord, CPK levels (Sabater, Villalba) 36(1972)201
Blood urea estimation, emergency, NADH-coupled, reduced method (Hallett, Cook) 35(1971)33
Blood and urine glucose, gas-chromatographic measurement of, and other monosaccharides (Murphy, Pennock) 42(1972)67
Body fluids, phenytoin estimation, in the presence of sulphonyl urea compounds (Thürkow, Wesseling, Meijer) 37(1972)509
Bone marrow, biochemical analysis of liver biopsy specimens, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann–Pick disease (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15
Bovine blood serum, as a substitute for human serum for quality control of the determination of cholesterol and triglyceride (Moinuddin, Witter, Quist) 37(1972)123
Br^- in plasma, estimation of, with a Br^- selective electrode (Degenhar, Abeln, Bevaart, Baks) 38(1972)217

Brain extract, creatine phosphokinase isoenzymes (Madsen) 36(1972)17
Brain tissue, gangliosides, glycoproteins and glycosaminoglycans, determination (Brunngraber, Brown, Hof) 32(1971)159
Breast milk jaundice, inhibition of bilirubin conjugation in rat liver slices by free fatty acids, with relevance to the problem of (Bevan, Holton) 41(1972)101
Breath, and plasma, rapid determination of acetone (Trotter, Sulway, Trotter) 35(1971)137
Bromcresol green method, modification, serum albumin estimation (McPherson, Everard) 37(1972)117
Bromcresol green, serum albumin measurement (Doumas, Watson, Biggs) 31(1971)87
Bronchial mucins, secreted in cystic fibrosis, the isolation (Roussel, Lamblin, Degand, Havez) 36(1972)315
Burns, severe, a non-immunoglobulin γ-protein of human serum present in increased amounts in patients with (Gerrard, Kohn, Turner) 40(1972)243
Butanol, extraction, the effects of, in observations on serum alkaline phosphatase electrophoretic patterns on polyacrylamide gel (Walker, Pollard) 34(1971)19
Butyrophenones, analytical and pharmakinetic studies (Marcucci, Mussini, Airoldi, Fanelli, Frigerio, de Nadai, Bizzi, Rizzo, Morselli, Garattini) 34(1971)321

C

Calciferol, dihydrotachysterol and cholesterol, the gas chromatography of (Evans) 42(1972)167
Calcitonin, improved radioimmunoassay for, using ^{125}I-labelled calcitonin purified by gel filtration (Habener, Deftos, Potts, Jr.) 39(1972)407
Calcium absorption, a study, using an automated fluorimetric assay procedure (Rushton, Sammons, Robinson) 35(1971)5
Calcium–albumin aggregation, calcium-specific electrode (Jacobs, Hattner, Bernstein) 31(1971)465
Calcium-binding method revisited (Schatz) 35(1971)251
Calcium excretions, urinary, the distribution in normal persons and stone formers (Robertson, Morgan) 37(1972)503
Calcium, nail magnesium and, in chronic uraemia (Lim, Tay, Tan) 42(1972)47
Calcium, potentiometric determination of serum ionized, in a normal human population (Lindgärde) 40(1972)477
Calcium, serum, ionized, improved calcium electrode (Hansen, Theodorsen) 31(1971)119
Calcium, serum, ionized, specific ion electrode (Schwarts, McConville, Christopherson) 31(1971)97
Calcium, sodium and potassium, in erythrocytes in sickle-cell anemia (Statius van Eps, Schouten, Slooff, Van Delden) 33(1971)477
Calculators, printing, assessment of, for use with the LKB reaction rate analyser (Brown, Smith) 38(1972)51
Cancer, breast, tryptophan metabolism in early and advanced, and carcinoma of the cervix (Rose, Randell) 40(1972)276
Cancer, breast, tryptophan metabolism and recurrence rates after mastectomy in patients with (Bell, Tong, Mainwaring, Hayward, Bulbrook) 42(1972)445
Cancer, quantitation of specific serum glycoproteins (Snyder, Ashwell) 34(1971)449
Cancer, ubiquinone and nucleic acid, in heart muscle (Chipperfield, Chipperfield) 31(1971)459
Cancer of the uterine cervix, effect of radiotherapy on γ-glutamyl transpeptidase and lactic dehydrogenase activity (Wieczorek) 37(1972)203
Cannabivarins, identification in hashish by a new method of combined gas chromatography-mass spectrometry (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365
Capillary blood, photometer for oxygen saturation, carboxyhemoglobin, and methemoglobin in (II.) Hemoglobin pigments (Rem, Siggaard-Andersen, Nørgaard-Pedersen, Sørensen) 42(1972)101
Capillary blood, spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in (I.) Hemoglobin pigments (Siggaard-Andersen, Nørgaard-Pedersen, Rem) 42(1972)85
Capillary columns, glass, high resolution gas chromatography of urinary steroids (Völlmin) 34(1971)207
Capillary columns versus packed columns in gas chromatography (Cramers, Rijks) 34(1971)159
Carbamazepine, diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of (Toseland, Grove, Berry) 38(1972)321
Carbamoyl transferase, serum ornithine, comparison of colorimetric methods for (Buttery, Baron) 38(1972)242
Carbohydrases, mucosal, automatic measurement (Kidder, Hill, Stevens) 37(1972)491
Carbohydrate anomalies, thin-layer chromatographic screening tests for, in plasma, urine and faeces (Kraffczyk, Helger, Bremer) 42(1972)303
Carbohydrate content, of mucosal biopsies (Barton, Brown, Clamp 36(1972)262
Carbohydrates, in plasma and urine, thin-layer chromatography (Szustkiewicz, Demetriou) 32(1971)355
Carbohydrate polymers, in normal urine, quantitative (Rosenfeld) 31(1971)263
Carbohydrate, and protein moiety of glycoproteins, gas-chromatographic analysis in red cell membrane (Metz, Ebert, Weicker) 34(1971)31
Carbon tetrachloride, release of phenyl acetate esterase from liver microsomes by (Higashino, Takahashi, Yamamura) 41(1972)313

Carbonic acid, the determination of the true equilibrium constant and the practical equilibrium coefficient for the first ionization, in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (Maas, Van Heijst, Visser) 33(1971)325
Carboxycathepsin, regulation of blood pressure (Eliseeva, Orekhovich, Pavlikhina, Alexeenko) 31(1971)413
Carboxyhaemoglobin measurement, artifact due to traces of detergent on laboratory glassware affecting (Wald, Fenton) 39(1972)266
Carboxypeptidase B determination in duodenal contents (Lorentz, Flatter) 37(1972)515
Carcinoma of the cervix, tryptophan metabolism in early and advanced breast cancer and (Rose, Randell) 40(1972)276
Carcinoma, hepatocellular, studies on a variant alkaline phosphatase in sera of patients with (Higashino, Hshinotsume, Kang, Takahashi, Yamamura) 40(1972)67
Carcinoma, liver, primary, polyacrylamide gel electrophoresis of sera (Nishioka, Hironaga, Fujita) 31(1971)439
Cardiovascular system and diabetes mellitus, γ-glutamyl transpeptidase in diseases of the liver (Jacobs) 38(1972)419
Carnitine determination in the picomole range (Cederblad, Lindstedt) 37(1972)235
L-Carnitine, excretion in man (Cederblad, Lindstedt) 33(1971)117
Carnosinase: a fluorometric assay and demonstration of two electrophoretic forms in human tissue extracts (Murphey, Patchen, Lindmark) 42(1972)309
Catecholamine metabolites, and 5-hydroxy-indolacetic acid densitometric determination after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 37(1972)157
Catecholamines, 4-*O*-methylated, in biological media (Mathieu, Charvet, Chazot, Trouillas) 41(1972)5
Catecholamine synthesis, inhibition of dopa and, in patients with phenylketonuria: pathogenesis of phenylketonuria (Curtius, Baerlocher, Vollmin) 42(1972)233
Catechol-*O*-methyl transferase in blood, a radioisotope method for (Griffiths, Linklater) 39(1972)383
Catechol-*O*-methyl transferase, enzyme, without high speed fractionation, simplified and precise method for the assay of (Parvez, Gripois) 39(1972)253
CEA. A general method of increasing the sensitivity of immune diffusion. Its application to (Darcy) 38(1972)329
Cellogel, lipid screening and lipoprotein electrophoresis (Messerschmidt, Sedee) 36(1972)51
Cellogel, a study of serum lipoprotein electrophoresis on: normal values, comparison with SML profiling and ultracentrifugation (Berends, de Jong, Zondag) 41(1972)187
Cellular injury, severe, serum malate dehydrogenase isoenzymes as indicators (Smith) 35(1971)502
Cellulose acetate, determination of alkaline phosphatase (Bergerman, Blethen) 36(1972)493
Cellulose acetate, gelatinized, lipoprotein electrophoresis on (Van Kampen, Van der Ploeg) 40(1972)485
Cellulose, two-dimensional thin-layer chromatography densitometric determination of catecholamine metabolites and 5-hydroxy-indoleacetic acid (Breebaart, Haan, Wadman) 37(1972)157
Centripetal-radial immunodiffusion, identification of precipitates in (Groc, Pissavy) 42(1972)423
Cerebrospinal fluid, human, 3-methoxy-4 hydroxyphenylethylene (Gordon, Oliver) 35(1971)145
Cerebrospinal fluid, immunochemical estimation of IgG and albumin (Delpech, Lichtblau) 37(1972)15
Cerebrospinal fluid, non-heme iron and transferrin in (Blijenberg, Van Eijk, Leijnse) 31(1971)277
Cerebrospinal fluid, Parkinsonian patients, dopa in, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155
Cerebrospinal fluid of patients with various neurologic diseases, cholinergic enzymatic activity (Johnson, Domino) 35(1971)421
Cerebrospinal fluid, protein, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321
Ceruloplasmin crystals: another variant (Trip, Van Dam) 36(1972)563
Ceric arsenious acid reaction, the use of the, for the determination of small amounts of iodine or iodine compounds (Heerspink, Op de Weegh) 39(1972)327
Ceruloplasmin levels, effect of L-asparaginase therapy upon serum pseudocholinesterase and, in patients with acute leukemia (Cucuianu, Bornuz, Macavei) 38(1972)97

Charcoal, dextran coated, for a competitive protein binding method for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 37(1972)179
Chemical properties, and the investigation of the Rh antigenicity with the Schulz Dale test of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59
Chenodeoxycholic acid, and deoxycholic acid, thin-layer chromatographic separation (Sundaram, Singh, Sodhi) 34(1971)425
Children, with congenital heart disease, a routine method for determining plasma ionised calcium (Putman) 37(1972)33
Chloride, serum, a non-mercurimetric automated method for (Fingerhut) 41(1972)247
Chlorpromazine, does it interfere with the Porter-Silber reaction? (Ellman) 35(1971)79
Chlorpromazine, a method for determination of, in human blood serum (Christoph, Schmidt, Davis) 38(1972)265
Chlorpromazine as reagent, detection of faecal occult blood using (Seet, Goh) 42(1972)209
Chlorpromazine, and serum vitamin B_{12} levels (Voogd, V.d. Burg) 37(1972)533
Cholestasis, abnormal lipoprotein, rapid determination (Seidel) 31(1971)225
Cholestasis, abnormal serum lipoproteins: identification of the protein moiety (Picard, Veissiere, Voyer) 37(1972)483
Cholestasis, phospholipids. Abnormal lipoproteins of fatty acid composition (Picard, Veissiere, Voyer, Bereziat) 36(1972)247
Cholesterol assay, a new color reaction (Jung, Parekh) 35(1971)73
Cholesterol, calciferol, dihydrotachysterol and, the gas chromatography of (Evans) 42(1972)167
Cholesterol determination, serum, application of, with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system (Naka) 42(1972)193
Cholesterol determination, serum, a modification of, by continuous flow analysis (Hunteler, Van der Slik) 42(1972)449
[^{14}C] Cholesterol, dietary, in vivo incorporation in rat serum lipoproteins and transfers in connective tissue (Jacotot, Monnier, Beaumont) 33(1971)95
Cholesterol, recovery of labeled, and cholesterol esters from thin-layer chromatograms (Lacko, Rutenberg, Soloff) 39(1972)506
Cholesterol, serum, estimation (Richardson, Setchell, Woodman) 31(1971)403
Cholesterol, serum, removal of, in control and hyperlipidaemic subjects (Miettinen) 39(1972)480
Cholesterol, and triglyceride, bovine blood serum as a substitute for human serum for quality control of the determination (Moinuddin, Witter, Quist) 37(1972)123
Cholesterol, triglycerides and low density lipoproteins levels in serum in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85
Cholic acid, binding to serum protein (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207
Choline ester selective electrode for kinetic analysis of cholinesterase (Baum, Ward, Yaverbaum) 36(1972)405
Cholinergic enzymatic activity, of CSF of patients with various neurologic diseases (Johnson, Domino) 35(1971)421
Cholinesterases, kinetic analysis, using a choline ester selective electrode (Baum, Ward, Yaverbaum) 36(1972)405
Chondroitin sulphate in the normal and rheumatoid synovial fluid (Seppälä, Kärkkäinen, Lehtonen, Mäkisara) 36(1972)549
Chromatograms, thin layer, recovery of labeled cholesterol and cholesterol esters from (Lacko, Rutenberg, Soloff) 39(1972)506
Chromatograph, a semi-automatic gas, the use of the steroid analyser in conjunction with, in the routine analysis of urinary pregnanediol (Rogers, Chamberlain) 39(1972)439
Chromatographic fractionation, rapid quantitative gas, of the major urinary 17-oxosteroids and 17-oxogenic steroids (Trafford, Makin) 40(1972)421
Chromatographic, gas, analysis of mono- and di-saccharides in human blood and urine after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367
Chromatographic, gas, estimation of urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate (Kahane, Ebbighausen, Vestergaard) 38(1972)413
Chromatographic method, for aldosterone determination in human urine (Leung, Griffiths) 37(1972)423
Chromatographic methods, comparison of isotopic and, for estimating fecal bile acids (Kudchodkar, Sodhi, Horlick) 41(1972)47
Chromatographic separation, a, of the different forms of vitamin B_6 (Tiselius) 40(1972)319

Chromatographic separation of hemoglobins A_2 and C. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-β-thalassemia (Huisman) 40(1972)159
Chromatographic separation of urinary metanephrines and melanogens (Vallon, Badinand, Bichon) 36(1972)397
Chromatographic system, an automated, for the combined analysis of urinary peptides and amino acids (Klosse, Huistra, De Bree, Wadman, Vliegenthart) 42(1972)409
Chromatography, automated, rapid, serum valine, alanine, glycine (Grimble, Whitehead) 31(1971)355
Chromatography, column, automatic, urinary and serum imidazoles, normals and histidinaemia (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215
Chromatography, gas, oestriol in pregnancy urine (Sanghvi, Taddeini, Nagarajan, Wight) 31(1971)255
Chromatography, gas, phenolic acids and alcohols, capillary columns (Karoum, Sandler) 32(1971)391
Chromatography, gas, urinary metanephrines and VMA (Van de Calseyde, Scholtis, Schmidt, Leyten) 32(1971)361
Chromatography, gas-liquid, steroid 11-oxygenation index (Qazi, Hill, Thompson) 31(1971)435
Chromatography, gas-liquid, a thirty-minute determination of sedatives in plasma by (Watson, Kalman) 38(1972)33
Chromatography, gas-liquid, urinary pregnanediol determination, a method for using, with electron capture (Evans, Fahmy, Morgan, Pearce, Cooke) 38(1972)25
Chromatography, gas–liquid, urinary VMA (Dekirmenjian, Maas) 32(1971)310
Chromatography, gas–mass spectrometry, identification of methaqualone metabolites from urine extract by (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309
Chromatography, paper, plasma amino acids, simple (Saini) 31(1971)479
Chromatography, quantitative thin-layer, of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147
Chromatography, and screening tests for the detection of inborn errors of metabolism (Stuber) 36(1972)309
Chromatography, sequential thin-layer, of urinary acidic glycosaminglycans (Humbel, Chamoles) 40(1972)290
Chromatography, thin-layer, carbohydrates in plasma and urine (Szustkiewicz, Demetriou) 32(1971)355
Chromatography, thin-layer, screening test, hyperaminoacidemia (Kraffczyk, Helger, Lang) 31(1971)489
Chromatography, thin-layer, and spectrophotofluorimetric analysis, a new precise and sensitive method for the assay of urine porphyrins using combined (Pinelli, Gaspari) 39(1972)135
Chromatography, thin-layer, urinary amino acids, effect of desalting (Heathcote, Davies, Haworth, Oliver) 32(1971)457
Chromium, faecal, a method for measuring, and its use as a marker in human metabolic balances (Fisher, Atkins, Joplin) 41(1972)109
Chromogens evaluation, suitable for occult blood in faeces (Deadman) 35(1971)273
Chronic myeloid leukemia, studies on the abnormal high binding capacity of blood (Fischer) 36(1972)409
Chronic renal failure, male subjects, testosterone and its binding in plasma (Gupta, Bundschu) 36(1972)479
Chyle isoenzymes, a comparison of, of alkaline phosphatase in chyle and hypophosphatasemic sera (Inglis, Fishman, Stolbach, Warshaw, Fishman) 38(1972)67
Circadian rhythm of total urinary hydroxyproline excretion and [^{3}H] hydroxyproline test (Radom, Zuławski, Dahlig) 39(1972)277
Cirrhosis, alcoholic, and active chronic hepatitis, quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215
Citrate, synthase activity, measurement in human fibroblasts (Blass, Schulman) 33(1971)472
Citrulline determination, effects of light (Perkins) 35(1971)247
Clark electrode, P_{O_2} measurements using the, factors affecting the precision and accuracy of (Isherwood, Isherwood, Annan) 42(1972)295
Clofibrate, comparison of the effect with thyroxine on serum lipids in three hypothyroid subjects (Mitchell) 35(1971)429
Clofibrate, effect on serum and faecal lipids (Mitchell, Murchison) 36(1972)153
Clostridium novyi, type B, infection, changes in plasma enzyme levels (Pemberton, Matson, Claus, Macheak) 34(1971)431
Clot detector for the SMA 12/60, an early warning (Melley, Little, Rothfield) 40(1972)273

Clotting time, fibrinogen, an improved method for determining the (Exner, Koppel) 40(1972)347
Coeliac disease, children, peptidases, tissues and intestinal mucosa (Dolly, Dillon, Duffy, Fottrell) 31(1971)55
Coelic patients, pyrrolidonecarboxylyl peptidase activity in normal intestinal biopsies and those from (Woodley) 42(1972)211
Colitis, ulcerative, a rare isoenzyme of alkaline phosphatase in 4 patients with (Streifler, Schnitzer, Harell) 38(1972)244
Collagen, neutilization in normal and hypersomatotrophic rats (Jackson, Heininger) 33(1971)179
Collagen, skin, solubility, scleroderma (Uitto, Øohlenschläger, Lorenzen) 31(1971)13
Collagenase-like enzyme, on a, detected in the extracts of hypothalamus and hypophysis (Levdikova, Orekhovich) 42(1972)205
Collagenase radiofibril assay, a reproducible quantitative (Robertson, Taylor, Fullmer) 42(1972)43
Color reaction, new, for cholesterol assay (Jung, Parekh) 35(1971)73
Color reagent, and protein precipitant, phototungstic acid used for a one-tube serum uric acid method (Pileggi, Di Giorgio, Wybenga) 37(1972)141
Colorimetric assay for γ-glutamyl transpeptidase (Persijn, Van der Slik, Zwart) 35(1971)239
Colorimetric assay, sensitive, development for homogentisic acid and the preparation and identification of various adducts of oxidized homogentisic acid (Lustberg, Schulman, Seegmiller) 35(1971)325
Colorimetric determination of blood glucose with β-D-glucose oxidase, mutarotase effect (Miwa, Okuda, Maeda, Okuda) 37(1972)538
Colorimetric determination, direct, of phosphorus in serum and urine (Drewes) 39(1972)81
Colorimetric determination, uric acid, serum and urine, uricase–catalase system (Kageyama) 31(1971)421
Colorimetric method(s), a rapid, for oestriol assay in pregnancy urine (Rahman) 39(1972)287
Colorimetric methods, comparison of, for serum ornithine carbamoyl transferase (Buttery, Baron) 38(1972)242
Colorimetric method, for the measurement of serum glutamate dehydrogenase activity (Jung) 36(1972)231
Colorimetric procedure, improved, for urine oxalate (Hodgkinson, Williams) 36(1972)127
Colorimetric technique, a, for the demonstration of L-asparaginase in electropherograms (Cooney, Moore, Zhagats) 40(1972)249
Colorimetry, assay for γ-glutamyl transpeptidase (Jacobs) 31(1971)175
Competitive protein binding, for evaluation of radio-isotope data in steroid assays (Leclerq, Täljedal, Wold) 36(1972)254
Competitive protein binding method, using dextran-coated charcoal, for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 37(1972)179
Congenital heart disease, in children, urinary hydroxyproline and growth (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165
Congenital heart disease, the study in children, a routine method for determining plasma ionised calcium, and its application (Putman) 37(1972)33
Continuous, and discontinuous determination of blood ammonia by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245
Continuous flow analysis, analog device for curve degeneration (Walker, Townsend, Keane) 36(1972)119
Continuous flow analysis, a modification of serum cholesterol determination by (Hunteler, Van der Slik) 42(1972)449
Continuous flow analysis, theoretical considerations (Walker, Shepherdson, McGowan) 35(1971)455
Continuous flow analysis, without dialysis, for an automated determination of serum latent iron-binding capacity (Hünteler, Van der Slik), Persijn) 37(1972)391
Copper, binding in biological fluids, radiometric assay, alimentary secretions, normals and Wilson's disease (Gollan, Davis, Deller) 31(1971)197
Copper metabolism in patients with Wilson's disease using ^{64}Cu, improved method for investigation of (Biesold, Günther) 42(1972)353
Copper, pathochemistry in vitiligo (Genov, Bozhkov, Zlatkov) 37(1972)207
Copper quantification, submicrogram serum, by spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide (Carter) 39(1972)497
Copper, spectrophotometric determination of, in serum, urine and faeces (Beyer) 38(1972)119
Copper, urinary, atomic absorption spectrophotometry (Spectro, Glusman, Jatlow, Seligson) 31(1971)5

Correlations, misleading, in clinical applications (Reed) 40(1972)266
Corticosteroid-binding globulin, a new method for estimation with hydrophobic resin (Usui, Kawamoto) 37(1972)151
Corticosteroids, estimation, evaluation of G.L.C. and other techniques (Norymberski) 34(1971)187
Corticosteroids, in plasma and urinary cortisol, determination by a competitive protein binding method using dextran-coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179
Cortisol 21-acetate: apparently abnormal plasma levels in patients with rheumatoid arthritis (Margraf, Wise, Ballinger) 39(1972)247
"Cortisol" levels in plasma in pellagrins (Krishnaswamy) 34(1971)415
Cortisol, plasma, a note on the fluorometric determination (Verjee) 33(1971)268
Cortisol, urinary, and plasma corticosteroids, determination by a competitive protein binding method using dextran-coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179
CPK levels, in umbilical cord blood (Sabater, Villalba) 36(1972)201
^{51}Cr, binding with phosphate compounds in chromium labelled red blood cells (Pawlak, Karón, Torliński, Dzieciuchowicz) 35(1971)395
C-reactive protein, identification by agarose gel electrophoresis of human serum of plasma (Kindmark) 35(1971)491
Creatine assay in the presence of protein with LKB 8600 Reaction Rate Analyser (Larsen) 38(1972)477
Creatine and creatinine studies, amino acid, in myotonic dystrophy (Emery, Burt) 39(1972)361
Creatine kinase isoenzymes, separation of tissue and serum, on polyacrylamide gel slabs (Smith) 39(1972)351
Creatine kinase isoenzymes, serum, demonstration of, by fluorescence technique (Somer, Konttinen) 40(1972)133
Creatine kinase isoenzymes, in serum, a method for the quantitation (Somer, Konttinen) 36(1972)531
Creatine kinase, serum, determination, the significance of the 'dilution effect' (Holt, Knight, Kakulas) 33(1971)457
Creatine kinase, serum levels, the effect of pregnancy (King, Spikesman, Emery) 36(1972)267
Creatine phosphokinase, factors affecting the levels in serum in the general population, the role of race, activity and age (Meltzer) 33(1971)165
Creatine phosphokinase isoenzymes of human heart muscle and skeletal muscle (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285
Creatine phosphokinase isoenzymes, in human tissue with special reference to brain extract (Madsen) 36(1972)17
Creatine phosphokinase levels, serum, factors affecting, in normal adult females (Paterson, Lawrence) 42(1972)131
Creatine phosphokinase levels in umbilical cord blood (Sabater, Villalba) 36(1972)201
Creatine phosphokinase, a new screening test in serum (Paterson) 34(1971)373
Creatinine, assay, in presence of protein (Cook) 32(1971)485
Creatinine, assay by a reaction-kinetic principle (Larsen) 41(1972)209
Creatinine, determination in serum without deproteinization (Bartels, Böhmer, Heierli) 37(1972)193
Creatinine, determination in urine; preservation of the sample of filter paper (Heredia del Portal, Pérez Díaz, Lavin Palmieri, Thielmann) 34(1971)487
Creatinine excretion in women during fasting (Peters, Grosser, Knapp) 39(1972)273
Creatinine in man, the effect of diet upon the excretion of parahydroxyphenylacetic acid (Tocci, Phillips, Sager) 40(1972)449
Creatinine, micro-determination (Bartels, Böhmer) 32(1971)81
Creatinine studies, amino acid, creatine and, in myotonic dystrophy (Emery, Burt) 39(1972)361
Crotonic acid, an artefact in screening for organic acidaemias (Gompertz) 33(1971)459
Cultured normal amniotic fluid cells, and normal and cystinotic fibroblasts, *in vitro*, cystine, cysteine and glutathione metabolism (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53
Curve regeneration, analog device, in continuous flow analysis (Walker, Townsend, Keane) 36(1972)119
Cycloleucine, administration, modification of aminoaciduria in the rat (Lemonnier, Moatti, Charpentier, Levillain) 33(1971)351
Cystathioninuria in premature infants (Przyrembel, Bremer) 41(1972)95

Cysteine, cystine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro* and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Cysteine, cystine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383

Cystic fibrosis, the determination of urinary phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Cystic fibrosis, glycopeptides of bronchial fibrillar mucus (Lamblin, Degand, Roussel, Havez, Hartemann, Fillat) 36(1972)329

Cystic fibrosis, isolation of secreted bronchial mucins (Roussel, Lamblin, Degand, Havez) 36(1972)315

Cystic fibrosis, and liver β-galactosidase and β-glucosidase (Butterworth, Bain, McCrae) 41(1972)367

Cystic fibrosis of the pancreas patients, activities of some acid hydrolases in the skin (Wilson) 36(1972)113

Cystic fibrosis of the pancreas patients, glycosaminoglycans in the skin (Wilson) 36(1972)189

Cystic fibrosis patients, lysosomal enzymes of cultured fibroblasts of (Butterworth, Scott, McCrae, Bain) 40(1972)139

Cystic fibrosis, tyrosine and phenylalanine metabolites, urine and faeces (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Cystine, aspartic acid, serine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 36(1972)279

Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383

Cystine, cysteine and glutathione metabolism in normal and cystinotic fibroblasts *in vitro*, and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53

Cystine, serum, aminopeptidase in pregnancy, an automated method for the assay of (Chapman, Rege, Jowett, Silk, Tooth) 38(1972)339

Cystineaminopeptidase/oxytocinase, fluorometric determination in blood serum (Škramovský, Večerek, Bendová, Trnka) 35(1971)353

Cystinlysinuria, urinary diamines (Bremer, Kohne, Endres) 32(1971)407

Cystinotic and normal fibroblasts *in vitro*, and in cultured normal amniotic fluid cells, metabolism of cystine, cysteine, and glutathione (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383; 37(1972)53

Cystinuria, a qualitative spot test for (Kelly, Leikhim, Desjardins) 39(1972)469

Cystinuria, urinary diamines (Bremer, Kohne, Endres) 32(1971)407

D

Dansyl-hydrazones, determination of individual urinary 17-ketosteroids as the (Apter, Chayen, Gould, Harell) 42(1972)115
Decarboxylase inhibitor, effect on parkinsonism and metabolism of dopa in plasma (Geissbühler, Constantinidis, Eisenring, Krassoievitch, Yanniotis, Tissot) 33(1971)111
Deficiency, hereditary, of subunit H of lactate dehydrogenase (Kitamura, Iijima, Hashimoto, Hiratsuka) 34(1971)419
[1-^{14}C] Dehydroascorbic acid, and [1-^{14}C]-ascorbic acid, studies on the uptake by platelets of guinea pigs (Hornig, Weber, Wiss) 33(1971)187
[1-^{14}C] Dehydroascorbic acid, uptake and release by erythrocytes, guinea pigs (Hornig, Weber, Wiss) 31(1971)25
Dehydroepiandrosterone excretion, and temperature, relation with seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josífko) 36(1972)511
Dehydroepiandrosterone in normal children and in patients with adrenocortical disorders, urinary excretion of (Pal, Teller) 38(1972)371
Dehydroepiandrosterone sulfate, determination in human plasma by competitive protein binding (Hampl, Stárka) 34(1971)77
Dehydrogenase, glutamate, in various buffer systems, activity and stability of (Ellis, Goldberg) 39(1972)472
Dehydrogenase, lactate, in human testes (McKee, Longstaff, Latner) 36(1972)221
Dehydrogenase, NADP-linked, in Duchennes muscular dystrophy (Kar, Pearson) 38(1972)183
Densitometric determination, of catecholamine metabolites and 5-hydroxy-indoleacetic acid after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 37(1972)157
Densitometry, and thin-layer chromatography, for simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol (Gasbarro) 37(1972)271
11-Deoxy-17-oxosteroids in urine, a rapid method for the analysis of enzyme hydrolysable (Moore) 39(1972)532
Deoxycholic acid, and chenodeoxycholic acids, thin-layer chromatographic separation (Sundaram, Singh, Sodhi) 34(1971)425
Deoxyribonucleic acid, fluorometric micro-determination (Switzer, Summer) 32(1971)203
Depression, a sex difference in mean serum magnesium levels in (Herzberg, Bold) 39(1972)229
Deproteinization, serum creatinine determination without (Bartels, Böhmer, Heierli) 37(1972)193
Desalting, electrolytic, chemical conversions of aromatic amides during (Dayman, Coulson, Smith, Smith, Jepson) 40(1972)335
Detection method of drugs at therapeutic dosages in human urine using adsorption column chromatography and thin-layer chromatography (Hetland, Knowlton, Couri) 36(1972)473
Deuterated phenylalanine, use for the elucidation of the phenylalanine-tyrosine metabolism (Curtius, Völlmin, Baerlocher) 37(1972)277
Dextran-coated charcoal, for competitive protein-binding method for determination of plasma corticosteroids and urinary cortisol (Fiorelli, Piolanti, Forti, Serio) 37(1972)179
Dextrans, as test molecules in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography (Arturson, Granath) 37(1972)309
Diabetes mellitus, γ-glutamyl transpeptidase in diseases of the liver, cardiovascular system and (Jacobs) 38(1972)419
Diabetes mellitus, oral glucose tolerance test, plasma fucose and sialic acid concentrations (Howard, Kelleher) 31(1971)75
Diabetic clinic, the determination of plasma glucose in a (Morrison, Scotland, Fleck) 39(1972)301
Diabetic, the serum polyol pattern and the urinary polyol excretion in, and in uremic patients (Pitkänen) 38(1972)221
Dialysate, elimination of free, peptide-bound and protein-bound hydroxyproline during peritoneal dialysis in patients with renal failure (Kowalewski, Tomaszewski, Hanzlik, Zawislak, Zbikowska) 34(1971)123

Dialysis, peritoneal, in patients with renal failure, elimination of free, peptide-bound and protein-bound hydroxyproline (Kowalewski, Tomaszewski, Hanzlik, Zawislak, Zbikowska) 34(1971)123

Dialysis technique, automatic, for discontinuous and continuous determination of blood ammonia (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Dialyzers, modifications to SMA 6/60 and SMA 12/60 (Farrance, Culross, Dennis) 38(1972)475

Diamines, urine, in cystinuria and cystinlysinuria, cadaverine, putrescine, 1,3-diaminopropane, 2,2-dithiobis(ethylamine), spermidine (Bremer, Kohne, Endres) 32(1971)407

Diazepam, cathode-ray polarographic determination in plasma (Berry) 32(1971)235

Dicarboxylic acids, aliphatic C_6–C_{14}, in urine from an infant with fatal congenital lactic acidosis (Borg, Lindstedt, Steen) 41(1972)363

Diet, the effect of, upon the excretion of *P*-hydroxyphenylacetic acid and creatinine in (Tocci, Phillips, Sager) 40(1972)449

4,4'-Diformamidodiphenylsulfone (DFD): analysis of plasma and urine for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound (Vogh, Garg, Sonntag, Maren) 40(1972)431

Digoxin radioimmunoassay: sephadex separation of free from antibody-bound digoxin (Bundgaard Christiansen, Damkjaer Nielsen) 42(1972)125

Dihydrotachysterol and cholesterol, the gas chromatography of calciferol (Evans) 42(1972)167

Dihydrotachysterol$_2$ in human serum, methods for the estimation of ergocalciferol and (Evans) 42(1972)343

3,4-Dihydroxyphenylacetic acid, and 3-methoxy-4-hydroxyphenylacetic acid, a simple and rapid gas chromatography for determining in urine from patients of parkinsonism treated with L-3,4-dihydroxyphenylalanine (Fukaya, Imai, Tamura) 33(1971)469

Dilution technique, isotope, for determination of inorganic sulfate (Shackelford, Frattali, Van Reen) 34(1971)13

Dinitrophenylhydrazine, 2,4-determination of oxosteroids with (Treiber) 38(1972)171

1,5-Diphenyl carbazide, photometric determination of the lipolytic activity of blood serum with (Müller) 39(1972)89

Diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of carbamazepine (Toseland, Grove, Berry) 38(1972)321

Diphenylhydantoin, rapid quantitative determination in plasma, serum, and whole blood of patients with epilepsy (Bock, Sherwin) 34(1971)97

Disc electrophoresis, immunoglobulin in (Felgenhauer) 39(1972)177

Disc electrophoresis, of prostatic fluid. Relative mobility and molecular weight of some enzymes and proteins (Atanasov, Gikov) 36(1972)213

Disc-electrophoretic patterns of human serum high density lipoproteins (Utermann) 36(1972)521

Disaccharidase, activity in the jejunum of subtotally pancreatectomized rats (Böhmer, Rommel, Goberna, Raptis) 33(1971)61

Disaccharidase, intestinal, a simple and rapid thin-layer chromatographic method for the assay (Lentze, Schaub, Harms) 33(1971)301

Discontinuous, and continuous determination of blood ammonia by an automatic dialysis technique (Imler, Frick, Stahl, Peter, Stahl) 37(1972)245

Dissociation, of intestinal active transport, from (Na^++K^+)ATPase activity (Gracey, Burke, Storrie, Oshin) 36(1972)555

Distribution, of urinary calcium excretions in normal persons and stone-formers (Robertson, Morgan) 37(1972)503

Dodecylsulfate-polyacrylamide gel, electrophoresis of serum and its comparison with sedimentation velocity techniques (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574

Dopa, in CSF of Parkinson patients, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155

Dopa, inhibition of, and catecholamine synthesis in patients with phenylketonuria: pathogenesis of phenylketonuria (Curtius, Baerlocher, Vollmin) 42(1972)233

Dopa, metabolites, in urine and plasma, Parkinson (Spiegel, Christian) 31(1971)143

Dopa, and 3-*O*-methyldopa, a method for the determination in the plasma of Parkinsonian patients (Curzon, Kantamaneni, Trigwell) 37(1972)335

Dopa, in plasma, parkinsonism and metabolism. Effect of a decarboxylase inhibitor (Geissbühler, Constantinidis, Eisenring, Krassoievitch, Yanniotis, Tissot) 33(1971)111

L-Dopa and *S*-adenosylmethionine (Mathysse, Lipinski, Shih) 35(1971)253
L-Dopa therapy, oral, of patients with Parkinson's disease, 3-*O*-methyldopa in the plasma (Sharpless, Muenter, Tyce, Owen) 37(1972)359
Dopa, urinary, fluorimetric determination, neural crest tumours (Türler, Käser) 32(1971)41
Dopamine, urine, acute myocardial infarction (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261
Down's syndrome, serum IgD levels and infections (Rundle, Clothier, Sudell) 35(1971)389
Drift correction, an assessment of, in continuous flow chemical analytical systems (Nisbet, Simpson) 39(1972)339
Drugs, dangerous, mass spectrometry, identification (Law, Aandahl, Fales, Milne) 32(1971)221
Drugs influence on taurine excretion (Rylance, Myhal) 35(1971)159
Duchennes muscular dystrophy, NADP-linked dehydrogenases in (Kar, Pearson) 38(1972)183
Duodenal contents, determination of carboxypeptidase B (Lorentz, Flatter) 37(1972)515
Dystrophy, myotonic, amino acid, creatine and creatinine studies in (Emery, Burt) 39(1972)361

E

Edema fluids, presence of serum proteins (Bogdanowski, Grabowski) 36(1972)351
[^{51}Cr]EDTA measurement of glomerular filtration rate in man, comparison between [^{14}C]inulin and (Shreeve, Johnson) 42(1972)453
EDTA, quantitative determination of, and other polyamino acetic acids in urine and serum (Štáhlavská, Malát) 41(1972)181
EDTA, stabilization of a new unified Biuret reagent (Gasbarro, Bandinelli, Tomassini) 36(1972)275
Electrode, choline ester selective, for kinetic analysis of cholinesterases (Baum, Ward, Yaverbaum) 36(1972)405
Electroimmunodiffusion of α_2M, IgA and IgM in nanogram quantities with a hydroxyethylcellulose–agarose gel: application to unconcentrated CSF (Schuller, Lefevre, Tömpe) 42(1972)5
Electro-immunodiffusion of the proteins of cerebrospinal fluid: determination of α_1-lipoprotein, β_1-E(C'4) and β_2-glycoprotein I (Schuller, Delasnerie, Moreno, Tömpe) 39(1972)233
Electrolytes, in serum in hypertension in Nigerians (Salako) 34(1971)105
Electrolytic desalting, chemical conversions of aromatic amides during (Dayman, Coulson, Smith, Smith, Jepson) 40(1972)335
Electropherograms, a colorimetric technique for the demonstration of L-asparaginase in (Cooney, Moore, Zhagats) 40(1972)249
Electrophoresis, acrylamide disc gel and agar gel immunodiffusion, detection of monomeric IgM (Virella, Parkhouse) 32(1971)427
Electrophoresis, acrylamide gel, horse spleen ferritin, fractionation (Van Kreel, Pijnenburg, Van Eijk, Leijnse) 32(1971)103
Electrophoresis, acrylamide gel, of human pregnancy sera, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by (Kleiner, Brouet-Yager) 40(1972)177
Electrophoresis, agar gel, preparative separation of urinary acidic glycosaminoglycans by (Taniguchi) 42(1972)221
Electrophoresis, agarose gel, lipoproteins, simple, quantitative (Sirtori, Hassanein, Hassanein, Boulos) 31(1971)305
Electrophoresis, cellulose acetate, protein separations, discontinuous buffer systems (Miller, Newton, Thorburn Burns) 31(1971)427
Electrophoresis, determination of alkaline phosphatase (Bergerman, Blethen) 36(1972)493
Electrophoresis, disc, immunoglobulins in (Felgenhauer) 39(1972)177
Electrophoresis, exclusion gel, molecular size determination, serum proteins (Felgenhauer) 32(1971)53
Electrophoresis, gradient polyacrylamide gel, serum proteins, identification of components (Wright, Farrell, Roberts) 32(1971)285
Electrophoresis of human serum on acrylamide–agarose gel, identification of protein fractions separated by (Dugue, Boschetti, Tixier, Rousselet, Girard) 40(1972)301
Electrophoresis, lipoprotein, on gelatinized cellulose acetate (Van Kampen, Van der Ploeg) 40(1972)485
Electrophoresis, paper, lipoprotein X simulating paraproteinemia in (May, Donabedian) 38(1972)255
Electrophoresis, polyacrylamide gel, in clinical chemistry: problems of standardization and performance (Maurer, Allen) 40(1972)359
Electrophoresis, polyacrylamide gel, sera, liver carcinoma, primary (Nishioka, Hironaga, Fujita) 31(1971)439
Electrophoresis, rapid, alkaline phosphatase isoenzymes (Rawstrom, Ng) 32(1971)303
Electrophoresis, of serum in dodecylsulfate–polyacrylamide gel and its comparison with sedimentation velocity techniques (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574
Electrophoresis, serum lipoproteins, subtle abnormalities (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123
Electrophoresis, sodium dodecyl sulfate–polyacrylamide gel, rapid differentiation of glomerular and tubular proteinuria by (Pesce, Boreisha, Polak) 40(1972)27
Electrophoresis, starch gel, ferritin studies, in pulmonary haemosiderosis and glomerulonephritis (Bungert, Leonhardt, Macha) 32(1971)385

Electrophoretic characteristics, of macro-amylasemic serum (Davis, Berk, Take, Fridhandler) 35(1971)305
Electrophoretic forms, two, in human tissue extracts, a fluorometric assay and demonstration of: carnosinase (Murphey, Patchen, Lindmark) 42(1972)309
Electrophoretic, immunoelectrophoretic and immunodiffusion preparations, a highly sensitive method for demonstrating proteins in (Kerényl, Gallyas) 38(1972)465
Electrophoretic and immunologic heterogeneity, human serum α_1-antitrypsin: isolation and demonstration of (Myerowitz, Handzel, Robbins) 39(1972)307
Electrophoretic method, an, for the quantitation of aspartate aminotransferase isoenzymes (Murros, Konttinen, Somer) 41(1972)263
Electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Pompe's disease) (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294
Electrophoretic patterns, on polyacrylamide gel of serum alkaline phosphatase. With particular reference to the effects of butanol extraction (Walker, Pollard) 34(1971)19
Electrophoretic separation, of Hb S from Hb A, in whole blood samples, dried and stored on filter paper as substrate. A screening procedure (Thielmann, Moreira Aquino) 35(1971)239
Endemic Balkan nephropathy, guanase activity (Prodanov, Astrug) 35(1971)445
Enzymatic activities, a general method for automated kinetic measurements (Vandermeers, Vandermeers-Piret, Christophe) 37(1972)471
Enzymatic hydrolysis of 3-methoxy-4-hydroxy-phenylethyleneglycol conjugates (Martin, Timmons, Prange) 38(1972)271
Enzymatic method, the quantitative determination of fecal bile acids in children by the (Weber, Chartrand, Doyon, Gordon, Roy) 39(1972)524
Enzymes, amniotic fluid cells, uncultured (Sutcliffe, Brock) 31(1971)363
Enzyme assays, spectrophotometric standardization (Martinek, Jacobs, Hammer) 36(1972)75
Enzyme level, plasma, of sheep infected with *Clostridium novyi*, type B (Pemberton, Matson, Claus, Macheak) 34(1971)431
Enzymes lysosomal in amniotic fluid (Butterworth, Sutherland, McCrae) 39(1972)275
Enzyme and proteins, relative mobility and molecular weight, by disc electrophoresis of prostatic fluid (Atanasov, Gikov) 36(1972)213
Enzyme, serum, studies in acquired disease of skeletal muscle (Thomson) 35(1971)183
Enzyme, serum, studies in inherited disease of skeletal muscle (Thomson) 35(1971)217
Enzymic methods, glucose determinations, the effect of two sulphonylureas (Sharp, Riley, Cook, Pink) 36(1972)93
Enzymes, vitamin B_6, in normal amd pre-eclamptic human placentae (Gaynor, Dempsey) 37(1972)411
Epilepsy patients, rapid quantitative determination of diphenylhydantoin in plasma, serum and whole blood (Bock, Sherwin) 34(1971)97
Epileptic children under antiepileptic treatment, red cell glutamic oxaloacetic transaminase activity (Reinken, Hohenhauer, Ziegler) 36(1972)270
Epinephrine, norepinephrine and dopamine, determination in human urine, by fluorometry combined with thin-layer chromatography (Takahashi, Gjessing) 36(1972)369
Epinephrine sensitivity, insulin and, of isolated fat cells in experimental nephrosis (Tashimo, Matsuda) 41(1972)67
Equilibrium coefficient, practical, and the true equilibrium constant for the first ionization of carbonic acid in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (Maas, Van Heijst, Visser) 33(1971)325
Ergocalciferol and dihydrotachysterol$_2$ in human serum, methods for the estimation of (Evans) 42(1972)343
Errors of metabolism, inborn, screening tests and chromatography for the detection (Stuber) 36(1972)309
Erythrocytes, acid phosphatases, oxidized glutathione and acetylphenylhydrazine on (Bottini, Modiano, Santolamazza, Filippi, Businco) 31(1971)243
Erythrocyte glucose-6-phosphate activity, human, seasonal variations in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josífko) 36(1972)511

Erythrocyte, guinea pigs, uptake and release of labelled ascorbic and dehydroascorbic acid (Hornig, Weber, Wiss) 31(1971)25
Erythrocytes, human, isolation of a membrane protein with a low molecular weight: the chemical properties and the investigation of the Rh antigenicity with the Schultz Dale test (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59
Erythrocytes, human, purine nucleoside phosphorylase activity of, in iron deficiency anaemia (Ramachandran, Iyner) 40(1972)281
Erythrocyte, investigation of arginase isozyme (Nishibe, Makino) 34(1971)409
Erythrocytes, isoelectric focusing of NADH: methemoglobin reductase and NAD(P)H: diaphorase (Sonnet, De Noyette, Steichen-Defalque) 32(1971)5
Erythrocyte membrane ATPase, in patients with acute or chronic renal disease (Francavilla, Albano, Mastrangelo, Coratelli, Palasciano, Amerio) 37(1972)298
Erythrocyte membrane, on the isolation of materials with Rh antigenic properties from the human (Jackson, Rittenberg, Seaman) 39(1972)463
Erythrocyte membranes of patients having paroxysmal nocturnal haemoglobinuria and aplastic anemia, evidence for an abnormality in the (Jackson, Whittaker) 41(1972)299
Erythrocyte membrane, photodynamic damage of the, caused by protoporphyrin in protoporphyria and in normal red blood cells (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161
Erythrocytes, a method for the determination of sodium, potassium, magnesium and lithium concentrations (Frazer, Secunda, Mendels) 36(1972)499
Erythrocyte phosphofructokinase alterations in polycythemia vera (Kwiatowska, Zatoński, Baranowski) 40(1972)101
Erythrocyte, reduced glutathione reductase, in ariboflavinosis (Bamji, Sharada) 31(1971)409
Erythrocytes, stored human, pyridine nucleotide metabolism (Omachi, Scott, Ford) 37(1972)351
Erythropoietin determination, a sensitive bioassay. A modification of the post-hypoxic polycythemic mice assay (Wagemaker, Van Eijk, Leijnse) 36(1972)357
Esterase, acid stable, quantification in human gastric juice by single linear immunodiffusion (Rapp) 36(1972)5
Esterase activity, sensitive isotopic assay, urinary kallikrein (Beaven, Pierce, Pisano) 32(1971)67
Estimation method, new, of corticosteroid-binding globulin with hydrophobic resin (Usui, Kawamoto) 37(1972)151
Estriol, pregnancy urine, single extraction gas chromatography, and alkaline purification, drug interference (Foster, Hochholzer) 32(1971)147
Ethanol, blood, determination gas chromatography (Cooper) 33(1971)485
Ethosuximide, determination in serum by gas chromatography, preliminary results of clinical application (Solow, Green) 33(1971)87
Exercise proteinuria, fibrinolytic activity and fibrinogen split products (Poortmans, Luke, Zipursky, Bienenstock) 35(1971)449
Exoglycosidases, determination of the true activity of serum hyaluronidase by a method precluding the synergic action of concomitant (Provalenko, Vihka, Ya. Khorlin) 41(1972)269

F

Faecal bile acids, the quantitative determination of, in children by the enzymatic method (Weber, Chartrand, Doyon, Gordon, Roy) 39(1972)524

Faecal bile acids, comparison of isotopic and chromatographic methods for estimating (Kudchodkar, Sodhi, Horlick) 41(1972)47

Faecal chromium, a method for measuring, and its use as a marker in human metabolic balances (Fisher, Atkins, Joplin) 41(1972)109

Faecal lipids, and serum, effect of clofibrate (Mitchell, Murchison) 36(1972)153

Faecal occult blood, detection of, using chlorpromazine as reagent (Seet, Goh) 41(1972)475

Faecal occult blood, detection of, using chlorpromazine as reagent (Seet, Goh) 42(1972)209

Faeces, plasma, urine and, thin-layer chromatographic screening tests for carbohydrate anomalies in (Kraffczyk, Helger, Bremer) 42(1972)303

Faeces, serum urine and, spectrophotometric determination of copper in (Beyer) 38(1972)119

Faeces, tyrosine and phenylalanine metabolites, cystic fibrosis and amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

α-Fetoprotein in infantile diseases (Kang, Higashino, Takahashi, Hashinotsume, Yamamura) 42(1972)175

Familial hypercholesterolemia (Kehayoglou, Karli, Kiriazidis, Theodossiou) 35(1971)508

Fasting, healthy adults, rates of urinary excretion of free aldopentoses and fucose by: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Fasting, pulmonary A-V differences of lipids and free fatty acids in relation to, and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Fasting, sex, age, and surgery, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433

Fat cells, isolated, insulin and epinephrine sensitivity of, in experimental nephrosis (Tashimo, Matsuda) 41(1972)67

Fat ingestion, ABO blood groups, secretor status, influence on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 35(1971)433

Fatty acid-containing stool fractions, a combined thin layer-gas chromatographic method for the analysis (Matthys, Christophe, Verdonk) 36(1972)341

Fatty acids curve, free, in normals during the oral flucose tolerance test (Gola, Frydecka, Słończewski) 38(1972)127

Fatty acids, free, improved acidimetric method (Thomitzek) 31(1971)288

Fatty acids, free, inhibition of bilirubin conjugation in rat liver slices by, with relevance to the problem of breast milk jaundice (Bevan, Holton) 41(1972)101

Fatty acids, free, plasma, specific determination (Regouw, Cornelissen, Helder, Spijkers, Weeber) 31(1971)187

Fatty acids, free, pulmonary A-V differences of lipids and, in relation to fasting and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Fatty acids, free, renal excretion (Hagenfeldt) 32(1971)471

[^{14}C] Fatty acids, the incorporation in lipids of skeletal muscle in progressive muscular dystrophy (Duchenne) (Kunze, Olthoff, Bönsch) 33(1971)373

Fatty acids, non-esterified in plasma, quantitative and qualitative variations, when an overdose of lipids is administered by oral route in normal man (Sezille, Jaillard, Scherpereel, Fruchart, Biserte) 35(1971)109

Fatty acids, polyunsaturated, serum, changes, age and arteriosclerotic vascular diseases (Müller) 32(1971)115

Fatty acids, short-chain, a rapid method for the quantitative analysis in serum or plasma (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463

Feces, fecal, see Faeces, faecal

Ferrioxamine, urine, automated determination (Werkman, Trijbels, Van Munster, Schretlen, Moerkerk) 31(1971)395

Ferritin, horse spleen, fractionation, acrylamide gel electrophoresis (Van Kreel, Pijnenburg, Van Eijk, Leijnse) 32(1971)103

Ferritin, immunologic studies in a case of pulmonary haemosiderosis and glomerulonephritis (Goodpasture syndrome) (Bungert, Leonhardt, Macha) 35(1971)233
Ferritin, in pulmonary ferrosiderosis and glomerulonephritis, starch gel electrophoretic studies (Bungert, Leonhardt, Macha) 32(1971)385
Ferrosiderosis, pulmonary, ferritin, starch gel electrophoresis (Bungert, Leonhardt, Macha) 32(1971)385
Fetal hemoglobin, chemical heterogeneity of, in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5
α_1-Fetoprotein, in tumor ascites, partial purification (Rapp, Lehmann) 31(1971)45
Fibrillar mucus, bronchial, glycopeptides, in cyctic fibrosis (Lamblin, Degand, Roussel, Havez, Hartemann, Fillat) 36(1972)329
Fibrin crosslinking, assessment by gel electrophoresis, a precaution (Finlayson, Morton) 36(1972)254
Fibrinogen clotting time, an improved method for determining the (Exner, Koppel) 40(1972)347
Fibrinogen, globulin and albumin, investigations on the interaction of, on plasma viscosity (Leonhardt, Bungert) 42(1972)181
Fibrinogen, human, in plasma following carbamylation by Laurell electrophoresis in antibody containing gel, quantitative determination (Nielsen, Weeke) 35(1971)281
Fibrinogen split products and fibrinolytic activity in exercise proteinuria (Poortmans, Luke, Zipursky, Bienenstock) 35(1971)449
Fibrinolytic activity, and fibrinogen split products in exercise proteinuria (Poortmans, Luke, Zipursky, Bienenstock) 35(1971)449
Fibrinolytic activity in renal disease (Ito, Niwa, Matsui) 36(1972)145
Fibroblasts, normal and cystinotic, *in vitro* and cultured normal amniotic fluid cells, cystine, cysteine and glutathione metabolism (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53
Fingernails, human, survey analysis of trace elements by spark source mass spectrometry (Harrison, Clemena) 36(1972)485
Flame-photometric determination of lithium in serum, acetone as solvent in (Denswil, Detmers) 40(1972)129
Flavin levels, plasma, of patients receiving long-term hemodialysis (Ito, Niwa, Matsui, Ohishi, Yagi) 39(1972)125
Flow microcalorimeter, heat production by leucocytes and thrombocytes, thyroid dysfunction (Levin) 32(1971)87
Fluorescence technique, demonstration of serum creatine kinase isoenzymes by (Somer, Konttinen) 40(1972)133
Fluoride, in normal diet (San Filippo, Battistone) 31(1971)453
Fluorogenic substrate, rapid electrophoretic microzone membrane technique for Regan isoenzyme (placental type alkaline phosphatase) (Inglis, Guzek, Kirley, Green, Fishman) 33(1971)287
Fluorimetric assay procedure, automated, for study of calcium absorption (Rushton, Sammons, Robinson) 35(1971)5
Fluorimetric method, determination of 4-pyridoxic acid in urine by (Mikac-Dević, Tomanić) 38(1972)235
Fluorometric assay, a, and demonstration of two electrophoretic forms in human tissue extracts: carnosinase (Murphey, Patchen, Lindmark) 42(1972)309
Fluorometric determination, of serotonin in blood plasma and platelets, a semi-mechanized method (Hardeman, Den Uyl, Prins) 37(1972)71
Fluorometric determination, of cystineamino-peptidase/oxytocinase in blood serum (Škramovský, Večerek, Bendová, Trnka) 35(1971)353
Fluorometric method, combined with thin-layer chromatography, for the determination of norepinephrine, epinephrine, and dopamine in human urine (Takahashi, Gjessing) 36(1972)369
Fluorometric method, for 3-hydroxyanthranilic acid in human urine (Watanabe, Hayashi) 37(1972)417
Fluorometric method, for the determination of plasma tyrosine concentrations (Scott) 35(1971)17
Fluorometric procedure, automated, for histidine in blood (Hill, Summer, Newton) 36(1972)105
Fluorometry, for the determination of 4-hydroxy-3-methoxyphenylglycol in urine (Antun, Pullar, Eccleston, Sharman) 34(1971)387
Fluorometry, micro-determination of DNA (Switzer, Summer) 32(1971)203

Fluorometry, repurification of dichloromethane used for extraction (Lever) 31(1971)291.

Fluorometry, and thin-layer electrophoresis, for the determination of 3-hydroxyanthranilic acid in human urine (Toseland, Michelin, Price) 37(1972)477

Focusing-disc electrophoresis transfer technique, for isoelectric focusing of alkaline phosphatases (Smith, Lightstone, Perry) 35(1971)59

α_1-Foetoglobulin, human, during the last trimester of gestation (Lardinois, Anagnostakis, Ortiz, Delisle) 37(1972)81

α_1-Foetoprotein, isolation and crystallization from human plasma (Lehmann, Lehmann, Martini) 33(1971)197

α_1-Foetoprotein, quantitation of human, purification and sensitive immuno-electrophoretical detection and (Norgaard-Pedersen) 38(1972)163

Foetus liver, human placenta, and amniotic fluid at various stages of gestation, α-L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)99

Folic acid concentration in blood, pyridoxal phosphate and, and erythrocyte aspartate aminotransferase activity during pregnancy (Hamfelt, Tuvemo) 41(1972)287

Folic acid and vitamin B_{12} deficiency, urinary excretion of histidine metabolites as an indication for (Van Roon-Djordjevič, Cerfontain-Van Staalen) 41(1972)55

Free cholesterol, phospholipids, free fatty acids, triglycerides and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Free fatty acids, phospholipids, free cholesterol triglycerides and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Free fatty acids, plasma, in male population, epidemiological study in metabolic diseases (Claude, Eschewege, Rosselin, Richard, Warnet) 32(1971)229

Frequency distribution of errors, in the determination of serum urea and electrolyte values with the autoanalyzer (Annan, Broughton, Jolliff) 34(1971)481

Fructose 1,6-diphosphatase in normal and diseased human muscle (Kar, Pearson) 38(1972)252

Fucose, rates of urinary excretion of free aldopentoses and, by fasting, healthy adults: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13

Fucose, plasma, oral glucose tolerance test in normals and diabetes mellitus (Howard, Kelleher) 31(1971)75

α-L-Fucosidase, and other glycosidases in human placenta, foetus liver and amniotic fluid at various stages of gestation (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)89

2,5-Furandicarboxylic acid in human urine, the identification and metabolic origin of 2-furoylglycine and (Pettersen, Jellum) 41(1972)199

2-Furoylglycine and 2,5-furandicarboxylic acid in human urine, the identification and metabolic origin of (Pettersen, Jellum) 41(1972)199

G

Galactosemia, ganglioside patterns (Witting, Haberland, Brunngraber) 37(1972)387
Galactosemia, improved method of mass-screening for (Scherz, Pflugshaupt, Bütler) 39(1972)109
Galactosemia, increased mannitol excretion in controlled hereditary (Blau) 38(1972)441
β-Galactosidase and β-glucosidase, liver, cystic fibrosis and (Butterworth, Bain, McCrae) 41(1972)367
β-Galactosidase isoenzymes, chloride ions, differential effect, separate assay method (Wan Ho, O'Brien) 32(1971)443
α-Galactosidase in urine, detection of fabry hemizygotes and heterozygotes by measurement of (Rietra, Tager, De Groot) 40(1972)229
Gallium-67, the behaviour of tracer, towards serum proteins (Gunasekera, King, Lavender) 39(1972)401
Gamma-glutamyl transpeptidase, serum, in muscle disease (Rosalki, Thomson) 33(1971)264
Gamma-glutamyl transpeptidase, serum, in relation to alcohol consumption (Rollason, Pincherle, Robinson) 39(1972)75
Gangliosides, in brain tissue, determination (Brunngraber, Brown, Hof) 32(1971)159
Ganglioside concentration, in human plasma (Dacremont) 37(1972)449
Ganglioside patterns, in galactosemia (Witting, Haberland, Brunngraber) 37(1972)387
Gas chromatograph, semi-automatic, the use of a steroid analyser in conjunction with a, in the routine analysis of urinary pregnanediol (Rogers, Chamberlain) 39(1972)439
Gas chromatographic analysis of mono- and disaccharides in human blood and urine after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367
Gas-chromatographic, analysis, of the protein and carbohydrate moiety of glycoproteins in red cell membrane (Metz, Ebert, Weicker) 34(1971)31
Gas-chromatographic detector, mass spectrometer (Brooks, Middleditch) 34(1971)145
Gas-chromatographic diagnosis of intermittent maple syrup urine disease (branch-chain keto-aciduria) (Gompertz, Draffan) 40(1972)5
Gas-chromatographic fractionation, rapid quantitative, of the major urinary 17-oxo-steroids and 17-oxogenic steroids (Trafford, Makin) 40(1972)421
Gas-chromatographic–mass spectrometric analysis of organic acids in amniotic fluid (Hagenfeldt, Hagenfeldt) 42(1972)219
Gas chromatographic measurement of blood and urine glucose and other monosaccharides (Murphy, Pennock) 42(1972)67
Gas-chromatographic method, a simple semi-automated, for determining pregnanediol and oestriol simultaneously in pregnancy urine (Alink) 39(1972)449
Gas-chromatographic method, specific, for the measurement of "steady-state" plasma levels of amitriptyline and nortriptyline in patients (Braithwaite, Widdop) 35(1971)461
Gas-chromatographic scheme, comprehensive, for the estimation of antiepileptic drugs (Gardner-Thorpe, Parsonage, Smethurst, Toothill) 36(1972)223
Gas chromatography, the, of calciferol, dihydro-tachysterol and cholesterol (Evans) 42(1972)167
Gas chromatography, combined with mass spectrometry in identification of cannabivarins in hashish (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365
Gas chromatography high resolution, of urinary steroids on glass capillary columns (Völlmin) 34(1971)207
Gas chromatography, mass spectrometry, identification and quantitation of urinary phenolic acids in tyrosinemia (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47
Gas chromatography–mass spectrometry, identification of methaqualone metabolites from urine extract by (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309
Gas chromatography and mass spectrometry, identification of urinary acids (Mamer, Crawhall, Tjoa) 32(1971)171
Gas chromatography packed versus capillary columns (Cramers, Rijks) 34(1971)159
Gas chromatography, rapid routine determination of some anti-epileptic drugs in serum by (Larsen, Naestoft, Hvidberg) 40(1972)171

Gas chromatography, a solid sampler with single sample leading (Evans) 37(1972)289
Gas-liquid chromatographic analysis of urinary metabolites in abnormal tyrosine and phenylalanine metabolism in patients with tyrosyluria and phenyiketonuria (Wadman, V.d. Heiden, Ketting, Sprang) 34(1971)277
Gas-liquid-chromatographic determination of bile acids in bile (Klaassen) 35(1971)227
Gas-liquid chromatography, of aldosterone in biological fluids (Aakvaag) 34(1971)197
Gas-liquid chromatography, analysis of urinary tyrosine and phenylalanine metabolites in patients with gastrointestinal disorders (V.d. Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289
Gas-liquid chromatography, determination of barbiturates in blood (Street) 34(1971)357
Gas-liquid chromatography, determination of tranquillizers in biological fluids (V.d. Kleijn, Beelen, Frederick) 34(1971)345
Gas-liquid chromatography, estimation of thyroid hormones (Docter, Henneman) 34(1971)297
Gas-liquid chromatography, evaluation, and other techniques for the estimation of corticosteroids (Norymberski) 34(1971)187
Gas-liquid chromatography, evaluation of the contribution of the technique for the estimation of progesterone and pregnanesteroids (Klopper) 34(1971)215
Gas-liquid chromatography, evaluation for the estimation of oestrogens (Adlercreutz) 34(1971)231
Gas-liquid chromatography, evaluation of the technique for the estimation of androgens (Vermeulen) 34(1971)223
Gas-liquid chromatography, for the investigation of aromatic acids in phenylketonuria, alkaptonuria and tyrosinosis (Hill, Hoag, Zaleski) 37(1972)455
Gas-liquid chromatography, methods on steroids in diagnostic clinical chemistry (James) 34(1971)272
Gas-liquid chromatography in pharmacology and toxicology (Van Rossum) 34(1971)311
Gas-liquid chromatography, the role in steroid analysis in the clinical chemical laboratory (Van der Molen, De Jong, Cooke) 34(1971)169
Gas-liquid chromatography, for a rapid semi-automated method for the determination of urinary oestriol in late pregnancy (Smith, Stitch) 36(1972)439
Gas-liquid chromatography, the routine measurement of urinary 17-oxosteroids and 17-oxogenic steroids (Crook) 40(1972)43
Gas-liquid chromatography, semi-automated, a quick and accurate pregnanediol determination in urine during pregnancy by (Anker, Van Kampen) 42(1972)335
Gas-liquid chromatography, a thirty-minute determination of sedatives in plasma by (Watson, Kalman) 38(1972)33
Gas-liquid chromatography, urinary pregnanediol determination, a method for using, with electron capture (Evans, Fahmy, Morgan, Pearce, Cooke) 38(1972)25
Gas-liquid, and thin-layer chromatographic determination of morphine in biologic specimens (Wallace, Biggs, Blum) 36(1972)85
Gas phase, analytical separation techniques applicable to problems in clinical chemistry (Horning, Devaux, Moffat, Pfaffenberger, Sakauchi, Horning) 34(1971)135
Gastric function, kinetic study of the action of pepsin on hemoglobin applied to (Jardillier, Renaud, Vatier, Agneray) 38(1972)187
Gastric secretory substances, chromatographic separation from the urine of Zollinger-Ellison patients (Vatier, Dubrasquet, Bader, Bonfils) 33(1971)365
Gastric juice, human, quantification of an acid stable esterase by single linear immunodiffusion (Rapp) 36(1972)5
Gastrointestinal disorders, G.L.C. analysis of urinary tyrosine and phenylalanine metabolites (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289
Gastrosecretagogue substance from hog pancreas, isolation of a (Pointner, Vatier, Dubrasquet, Accary, Bonfils) 42(1972)321
Gastrosecretagogue substances, urinary, in Zollinger–Ellison syndrome, isolation and nature of, and in pernicious anaemia (Vatier, Neuburger, Dubrasquet, Bonfils) 40(1972)391
Gel chromatography, for molecular weight distribution analysis of dextrans as test molecules in studies of the functional ultrastructure of biological membranes (Arturson, Granath) 37(1972)309
Gel electrophoresis, acrylamide, of human pregnancy sera, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by (Kleiner, Brouet-Yager) 40(1972)177
Gel electrophoresis, for assessing fibrin cross-linking, a precaution (Finlayson, Morton) 36(1972)254

Gel electrophoresis, polyacrylamide, in clinical chemistry: problems of standardization and performance (Maurer, Allen) 40(1972)359
Gel filtration experiments in small columns, equipment for (Gullberg, Broström) 39(1972)475
Gel filtration, a mechanic system for the, of urinary oestrogens during pregnancy (Breebaart, Smorenburg, Haan) 38(1972)263
General method, for automated kinetic measurements of enzymatic activities (Vandermeers, Vandermeers-Piret, Christophe) 37(1972)471
Gentamicin concentration in blood, effect of heparin on (Yourassowsky, De Broe, Wieme) 42(1972)189
Gestation, the last trimester, human α-foetoglobulin (Lardinois, Anagnostakis, Oritz, Delisle) 37(1972)81
Gibbard and Watkins method, a modification of the, for determination of D-β-hydroxybutyrate (Bitsch) 38(1972)471
GLC determination, an isothermal, of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone (Toseland, Grove, Berry) 38(1972)321
GLC-electron capture detection assay of phenolic alcohols, sources of contamination during a (Goodwin, Karoum, Ruthven, Sandler) 40(1972)269
Globulin and albumin, investigations on the interaction of fibrinogen, on plasma viscosity (Leonhardt, Bungert) 42(1972)181
Globulins, different anti-lymphocytic, determination of low-molecular substances in (Tilz, Stübchen-Kirchner) 42(1972)147
Globulin preparation, a purified, for standardization of non-specific protein interactions, a radioimmunoassay of human TSH, employing a solid phase second antibody, and (Sluiter, Van Kersen, Van Zanten, Beekhuis, Doorenbos) 42(1972)255
Glomerular filtration rate in man, comparison between [^{14}C]Inulin and [^{51}Cr]EDTA measurement of (Shreeve, Johnson) 42(1972)453
Glomerulonephritis, ferritin, starch gel electrophoresis (Bungert, Leonhardt, Macha) 32(1971)385
Glomerulonephritis, Masugi's, rat, haptoglobinuria (Sternberg, Marçais, Cloarec, Moisy, Domingo, Lagrue, Jayle) 32(1971)123
Glomerulonephritis, pulmonary haemosiderosis (Goodpasture syndrome), immunologic studies of ferritin (Bungert, Leonhardt, Macha) 35(1971)233
Glucose, and ammonia relationships (Gips, Que) 37(1972)295
Glucose, automatic determination (Stevens) 32(1971)199
Glucose, blood, an improved rapid automated method for the estimation of (Moore, Barnes, Pennock) 41(1972)439
Glucose, blood, a re-evaluation of the effect on: Glycolysis (Overfield, Savory, Heintges) 39(1972)35
Glucose, blood and urine, gas chromatographic measurement of, and other monosaccharides (Murphy, Pennock) 42(1972)67
Glucose, in body fluids, a simple automated determination in body fluids using an aqueous *o*-toluidine acetic acid reagent (Winckers, Jacobs) 34(1971)401
Glucose determinations, by enzymic methods, the effect of two sulphonylureas (Sharp, Riley, Cook, Pink) 36(1972)93
Glucose, oral, free fatty acids curve in normals during the, tolerance test (Gola, Frydecka, Słończewski) 38(1972)127
β-D-Glucose oxidase, mutarotase effect on colorimetric determination of blood glucose (Miwa, Okuda, Maeda, Okuda) 37(1972)538
Glucose oxidase-peroxidase blood glucose methods, interference in (Sharp) 40(1972)115
Glucose-6-phosphatase assay, serum, a modification of the (Elder, Wood) 38(1972)211
Glucose-6-phosphate activity, in human erythrocytes, seasonal variations in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josifko) 36(1972)511
Glucose phosphate isomerase, serum, direct ultramicro dosage (Brunelle, Pesquet) 33(1971)265
Glucose-6-phosphatase, serum, lack of diagnostic value (Belfield, Goldberg) 31(1971)81
Glucose, plasma, the determination of, in a diabetic clinic (Morrison, Scotland, Fleck) 39(1972)301
Glucose, studies of conditions for the polarographic determination of, with glucose oxidase (Jemmali, Rodríguez-Kábana) 42(1972)153
Glucose tolerance test, oral, plasma fucose and sialic acid concentrations, in normals and diabetes mellitus (Howard, Kelleher) 31(1971)75
Glucose values, high, use of the Beckman glucose analyser for low and (Morrison) 42(1972)192

β-Glucosidase, cystic fibrosis and liver β-galactosidase and (Butterworth, Bain, McCrae) 41(1972)367
α-1,4-Glucosidases, glycogen breakdown in human lymphocytes: activities of phosphorylase and (Kelleter, Seiler) 42(1972)57
β-Glucuronidase preparations, commercial, artifact formation during incubation of neutral steroids with (Manson, Nocke-Fink, Gustafsson, Shackleton) 38(1972)45
β-Glucuronidase, relationship with bilirubin, in rats with experimental obstructive jaundice (Rodriguez Garay, Del Rosario Spetale, Morisoli) 37(1972)171
Glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic acid and homovanillic acids, occurrence in human urine (Smith, Weil-Malherbe) 35(1971)505
Glutamate dehydrogenase activity, in serum, measurement by a colorimetric method (Jung) 36(1972)231
Glutamate dehydrogenase in various buffer systems, activity and stability of (Ellis, Goldberg) 39(1972)472
Glutamic-oxaloacetic transaminase, measurement of total activity in liver homogenates (Schröckert, Bässler) 33(1971)55
Glutamic-oxalacetic transaminase, serum, an improved automated assay (Lombarts, Peters) 35(1971)257
γ-Glutamyl, serum, transpeptidase activity in alcoholism (Rosalki, Rau) 39(1972)41
γ-Glutamyl transpeptidase, colorimetric assay (Jacobs) 31(1971)175
γ-Glutamyl transpeptidase, colorimetric assay (Persijn, Van der Slik, Zwart) 35(1971)239
γ-Glutamyl-transpeptidase in diseases of the liver, cardiovascular system and diabetes mellitus (Jacobs) 38(1972)419
γ-Glutamyl transpeptidase and lactic dehydrogenase activity in cancer of the uterine cervix, effect of radiotherapy (Wieczorek) 37(1972)203
γ-Glutamyl transpeptidase, in serum, an automated method for the determination (Haesen, Berends, Zondag) 37(1972)463
Glutathione, cysteine, cystine metabolism in normal and cystinotic fibroblasts *in vitro*, and cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 35(1971)383
Glutathione, cystine, cysteine metabolism in normal and cystinotic fibroblasts *in vitro* and in cultured normal amniotic fluid cells (Schulman, Schneider, Bradley, Seegmiller) 37(1972)53
Glutathione, erythrocyte reduced, an improved method for the automated analysis (Roberts, Agar) 34(1971)475
Glutathione reductase, reduced, erythrocytes, in ariboflavinosis (Bamji, Sharada) 31(1971)409
Glutethimide and barbiturates, separation and identification by thin-layer chromatography (Waldemar, Rosenthal, Kaser, Milewski) 33(1971)51
Glycemia, and lactacidemia, new method for the simultaneous and continued determination (Guisard, Gonand, Debry) 35(1971)493
Glycemia, pyruvicemia and lactacidemia, a new method for the automated simultaneous and continuous determination (Guisard, Gonand, Debry) 36(1972)281
Glycerol, the estimation of plasma, using a reaction rate analyser (Stein, Horn) 39(1972)293
Glycogen breakdown in human lymphocytes: activities of phosphorylase and α-1,4-glucosidases (Kelleter, Seiler) 42(1972)57
Glycogen, lipids and proteins, determination in hepatic needle biopsy (Brixová, Dzúriková) 36(1972)543
Glycogen storage disease Type II (Pompe's disease), choice of leukocyte preparation in the diagnosis (Wyss, Koster, Hülsmann) 35(1971)277
Glycogen storage disease Type II (Pompe's disease), electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294
Glycolipids in animal tissues, quantitative thin-layer chromatography of (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147
Glycolipid bound to low density (β) lipoprotein, evidence for the role of: rubella virus non-specific haemagglutination inhibitor (Shortridge, Biddle, Pepper) 42(1972)285
Glycolipid measurement, a rapid method in spleen (Worth) 34(1971)443
Glycolipids, urinary in Fabry's disease (Gregoire, Jonniaux, Voet) 33(1971)385

Glycolysis: a re-evaluation of the effect on blood glucose (Overfield, Savory, Heintges) 39(1972)35
Glycopeptides, of bronchial fibrillar mucus in cystic fibrosis (Lamblin, Degand, Roussel, Havez, Hartemann, Fillat) 36(1972)329
Glycopeptides, in urine and serum, and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431
Glycoproteins, brain tissue, determination (Brunngraber, Brown, Hof) 32(1971)159
Glycoproteins, in human bile (Boucher, Clamp) 35(1971)83
Glycoproteins, in red cell membrane, gas-chromatographic analysis of the protein and carbohydrate moiety (Metz, Ebert, Weicker) 34(1971)31
Glycoproteins, specific, in serum, quantitation in malignancy (Snyder, Ashwell) 34(1971)449
Glycosaminoglycan, age differences in the pattern of urinary excretion in normal individuals (Taniguchi) 37(1972)225
Glycosaminoglycans, brain tissue, determination (Brunngraber, Brown, Hof) 32(1971)159
Glycosaminoglycan contents of normal and degenerative articular cartilage from dogs (Lust, Pronsky) 39(1972)281
Glycosaminoglycans measurement in plasma, an extension of the method (Neri, Di Ferrante, Hrgovcic) 35(1971)359
Glycosaminoglycan metabolism in the serum of healthy and varicose subjects, determination of enzymes and degradation products of (Niebes) 42(1972)399
Glycosaminoglycans, and serum and urinary glycopeptides in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431
Glycosaminoglycans, in the skin of patients with cystic fibrosis of the pancreas (Wilson) 36(1972)189
Glycosaminoglycans, urinary acidic, preparative separation of, by agar gel electrophoresis (Taniguchi) 42(1972)221
Glycosaminoglycans, urinary acidic, sequential thin-layer chromatography of (Humbel, Chamoles) 40(1972)290
Glycosaminoglycuronoglycan-degrading activity in serum, the nature (Salkie) 37(1972)329
Glycosaminoglycuronoglycan-degrading activity in serum, variation with disease (Salkie, McDonald) 37(1972)323
Glycosidases, acid, artificial substrates in the assay of (Hultberg, Öckerman) 39(1972)49
Gold, determination of, in body fluids by atomic absorption spectrophotometry (Balazs, Pole, Masarei) 40(1972)213
Goldberg method, with technical simplifications, for analysis of urinary hydroxyproline (Zender) 37(1972)263
Gonadal dysgenesis, urinary androgens under stimulation–suppression tests in children with (Gupta, Pfeiffer, Zimprich) 40(1972)205
(Goodpasture syndrome), glomerulonephritis and pulmonary haemosiderosis, immunologic studies of ferritin (Bungert, Leonhardt, Macha) 35(1971)233
Growth hormone, radioimmunoassay, charcoal – dextran separation (Virasoro, Copinschi, Bruno, Leclercq) 31(1971)294
Growth, and hydroxyproline excretion in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165
Guaiacolate, glyceryl, elimination of interference by: Analysis of urinary 5-hydroxyindoleacetic acid by thin-layer chromatography (McGregor, Phillips, Romsdahl) 40(1972)59
Guanase activity in endemic Balkan nephropathy (Prodanov, Astrug) 35(1971)445
Guanase, activity in human liver, assay with 8-azaguanine as substrate (Ellis, Goldberg) 37(1972)47
Guanase, serum, determination of, by means of a NADH-linked reaction (Wolthers, Nusse, Bootsma, Groen) 41(1972)223

H

HABA dye binding technique, comparison with the B.C.G. dye binding on the Technicon SMA 12/60 dye binding technique for the estimation of plasma albumin (Leonard, Persaud, Motwani) 35(1971)409

Haemagglutination inhibitor, rubella virus non-specific: evidence for the role of glycolipid bound to low density (β) lipoprotein (Shortridge, Biddle, Pepper) 42(1972)285

Hemodjalysis, serum LDH in (Ringoir, Wieme) 42(1972)315

Hemoglobins A_2 and C, chromatographic separation of. The quantities of hemoglobin A_2 in patients with AC trait, CC disease and C-β-thalassemia (Huisman) 40(1972)159

Hemoglobin Abruzzo: beta 143 (H 21) His→Arg (Tentori, Sorcini, Buccella) 38(1972)258

Haemoglobin chains, a simple method for the separation of, on zone micro-electrophoresis (Kohne, Kleihauer, Stöffler) 40(1972)285

Hemoglobin, fetal, chemical heterogeneity of, in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5

Hemoglobin, kinetic study of the action of pepsin on, applied to gastric function (Jardillier, Renaud, Vatier, Agneray) 38(1972)187

Haemoglobin levels, plasma, a sensitive method for automated estimation of (Clauvel de Mendonca, Appel, Pernollet, Schwartz) 39(1972)149

Haemoglobin, measuring at low concentrations, plasma inhibitors (Johnson, Ingle, Payne) 32(1971)279

Hemoglobin pigments. I. Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood (Siggaard-Andersen, Nørgaard-Pedersen, Rem) 42(1972)85

Hemoglobin pigments. II. Photometer for oxygen saturation, carboxyhemoglobin and methemoglobin in capillary blood (Rem, Siggaard-Andersen, Nørgaard-Pedersen, Sørensen) 42(1972)101

Hemoglobin pigments. III. Mixing technique for preparation of known fractions of hemoglobin pigments (Nørgaard-Pedersen, Siggaard-Andersen, Rem) 42(1972)109

Hemoglobin S electrophoretic separation from Hb A, with whole blood samples, dried and stored on filter paper as substrate. A screening procedure (Thielmann, Moreira Aquino) 35(1971)239

Haemoglobin screening, thin-layer isoelectric focusing for, and its application to haemoglobin malmö (Jeppson, Berglund) 40(1972)153

Hemoglobins, sickling, a mechanized screening procedure for (Matusik, Powell, Gregory) 39(1972)15

Haemoglobinuria and aplastic anemia, paroxysmal nocturnal, evidence for an abnormality in the erythrocyte membranes of patients having (Jackson, Whittaker) 41(1972)299

Hemoglobinuria, paroxysmal nocturnal, red cell acetylcholinesterase deficiency in autoimmune hemolytic anemia and in (Herz, Kaplan, Scheye) 38(1972)301

Haemolysis, the effects of, on the determination of plasma constituents (Brydon, Roberts) 41(1972)435

Haemolytic activity, ^{51}Cr-tagged erythrocytes, quantitative estimation, *in vitro* (Panio, Javitt) 32(1971)487

Haemolytic drug action, molecular level, experimental model (Bottini, Modiano, Santolamazza, Filippi, Businco) 31(1971)243

Haemosiderosis, pulmonary, and glomerulonephritis (Goodpasture syndrome) immunologic studies of ferritin (Bungert, Leonhardt, Macha) 35(1971)233

Haptoglobin, preparation from urine of nephrotic rats (Cloarec, Domingo, Sternberg, Marçais, Lagrue, Jayle) 33(1971)45

Haptoglobinuria, Masugi's glomerulonephritis, rat (Sternberg, Marçais, Cloarec, Moisy, Domingo, Lagrue, Jayle) 32(1971)123

Hashish, identification of cannabivarins by a new method of combined gas chromatography-mass spectrometry (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365

Hb A_2 synthesis, the influence of malaria and the Hb S gene (Isaacs) 36(1972)27

Hbα and Hbβ structural loci in man, further evidence for non-linkage of the (Wong, Huisman) 38(1972)473

Hbβ, Hbα and, structural loci in man, further evidence for non-linkage of the (Wong, Huisman) 38(1972)473
Hb-J-Georgia = Hb-J-Baltimore = $\alpha_2\beta_2^{16}$Gly→Asp (Wong, Bouver, Wilson, Huisman) 35(1971)521
Hb S gene, and malaria, the influence on Hb A_2 synthesis (Isaacs) 36(1972)27
Head space analysis (Stekelenburg, Koorevaar) 34(1971)305
Heart, failure, functional state of isolated mitochondria (Willebrands, Ter Welle, Tasseron) 32(1971)251
Heart, hypertrophy, functional state of isolated mitochondria (Willebrands, Ter Welle, Tasseron) 32(1971(251
Heart muscle, human, and skeletal muscle, creatine phosphokinase isozymes of (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285
Heat aggregation of human IgD (Englis, Sindelár) 41(1972)75
Heat production, by leucocytes and thrombocytes, in normals and thyroid dysfunction, flow microcalorimeter (Levin) 32(1971)87
Heat-stability of alkaline phosphatase isoenzymes in serum, observations of the (Moss, Shakespeare, Thomas) 40(1972)35
Heat stability of human serum alkaline phosphatase in bone and liver diseases (Tan, Chio, Lim) 41(1972)329
Hemozygotes and heterozygotes, detection of Fabry, by measurement of α-galactosidase in urine (Rietra, Tager, De Groot) 40(1972)229
Hemodialysis, long-term, plasma flavin levels of patients receiving (Ito, Niwa, Matsui, Ohishi, Yagi) 39(1972)125
Heparin, effect of, on gentamicin concentration in blood (Yourassowsky, De Broe, Wieme) 42(1972)189
Hepatic disease, diagnostic value of serum esterase (Plomteux) 32(1971)475
Hepatic diseases, human serum trehalase (Demelier, Massari, Courtois, Labat) 35(1971)335
Hepatic needle biopsy, determination of glycogen, lipids, and proteins (Brixová, Dzúrikova) 36(1972)543
Hepatic protein biosynthesis, uterine and, in estrogen-treated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 42(1972)225
Hepatitis, active chronic, quantitative immunoelectrophoresis of serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215
Hepatobiliary disease patients, serum alkaline phosphatase and 5′-nucleotidase activities (Belfield) 37(1972)525
Hepatobiliary disease, serum alkaline phosphatase and 5′-nucleotidase levels, serial studies (Phelan, Neale, Moss) 32(1971)95
Hepatobiliary pancreatic disease, change of serum γ-glutamyl transpeptidase level and isoenzyme pattern in (Miyazaki, Okumura) 40(1972)193
Hepatocellular carcinoma, studies on a variant alkaline phosphatase in sera of patients with (Higashino, Hashinotsume, Kang, Takahashi, Yamamura) 40(1972)67
Hepatoma, effect of neuraminic acid removal on the properties of a variant alkaline phosphatase in (Higashino, Hashinotsume, Yamamura) 40(1972)305
Herrera method, for estimation of the "normal range" for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305
Heterogeneity, chemical, of fetal hemoglobin in subjects with sickle cell anemia, homozygous Hb-C disease, SC-disease, and various combinations of hemoglobin variants (Huisman, Schroeder, Bouver, Miller, Shelton, Shelton, Apell) 38(1972)5
Heterozygotes, detection of fabry hemizygotes and, by measurement of α-galactosidase in urine (Rietra, Tager, De Groot) 40(1972)229
Hexadecanoic acid, formation of *n*-hexanedioic acid from, by an initial ω-oxidation in ketotic rats (Pettersen) 41(1972)231
n-Hexanedioic acid, formation of, from hexadecanoic acid by an initial ω-oxidation in ketotic rats (Pettersen) 41(1972)231
Hexosaminidase A test, abbreviated serum, from finger-tip samples: Tay-Sachs disease (Cotlier) 38(1972)233
Hexosaminidase A, white blood cell, neuraminidase-induced changes in (Murphy, Craig) 42(1972)267
Hexose monophosphate shunt, augmentation in leukemic lymphocytes after plasma fractionation (Brody, Merlie) 34(1971)437
High density lipoproteins, of human serum, disc-electrophoretic patterns (Utermann) 36(1972)521
Histamine, modification of the enzymatic isotopic assay and its application to measurement of histamine in tissues, serum, urine (Beaven, Jacobsen, Horáková) 37(1972)91

Histidinaemia, imidazoles, serum and urine, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215
Histidine, in blood, automated fluorometric procedure (Hill, Summer, Newton) 36(1972)105
Histidine load, the effect of an intravenous, on the plasma level of other amino acids (Hamblin, Holton) 42(1972)37
Histidine load test, intravenous, for the detection of heterozygotes for histidinaemia (Hague, Holton) 33(1971)464
Histidine loading, effect on excretion of imidazoles in cases of thyrotoxicosis (Harell, Neufeld, Kisch, Chayen) 35(1971)245
Histidine metabolites, urinary excretion of, as an indication for folic acid and vitamin B_{12} deficiency (Van Roon-Djordjević, Cerfontain-Van Staalen) 41(1972)55
Hodgkin's disease, the influence of simultaneous administration of vitamin B_6 and nicotinamide on tryptophan metabolism in (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258
Hoffman procedure, for estimation of the "normal range" for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305
Homocystine, a new urinary oxydative metabolite, isolation and identification (Lemonnier, Pousset, Charpentier, Moatti) 33(1971)359
Homocystinuria in filter paper saturated with urine, specific spot test for (Maya, Sabater) 39(1972)261
Homogentisic acid, new sensitive colorimetric assay development and the preparation and identification of various adducts of oxidized homogentisic acid (Lustberg, Schulman, Seegmiller) 35(1971)325
Homoprotocatechic acid, determination in urine by a radioisotopic method (Comoy, Bohuon) 36(1972)207
Homovanillic acid, arylsulphatase and its relation in neuroblastomas (Morgan, Maddux, Samuels, Krementz) 37(1972)289
Homovanillic acid(s) and glusulase-hydrolyzable conjugates of 3,4-dihydroxyphenylacetic acid, occurrence in human urine (Smith, Weil-Malherbe) 35(1971)505
Homovanillic acid, quantitative estimation in urine (Kahane, Vestergaard) 35(1971)49
Homovanillic acid, urine acute myocardial infarction (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261
Hormonal iodine determination (Kreutzer) 37(1972)519
Hormones, steroid, in adults, excretion of. Steroids in urine from adults (Eriksson, Gustafsson) 41(1972)79
Human kidney, proximal tubules, isolation and characterization of a plasma membrane fraction (Mondorf, Kinne, Scherberich, Falkenberg) 37(1972)25
Human muscle, dystrophic, acylation of lysolecithin with long-chain fatty acids (Kunze, Olthoff) 36(1972)561
Human muscle, normal, acylation of lysolecithin with long-chain fatty acids (Kunze, Olthoff) 36(1972)561
Human serum, substituted by bovine blood serum for quality control of the determination of cholesterol and triglyceride (Moinuddin, Witter, Quist) 37(1972)123
Human skin, assay of lactate dehydrogenase, total activity and isoenzyme composition (Uitto, Turto, Lindy) 36(1972)43
Hurler's syndrome, urinary amino acid output in children with (Applegarth, Bozoian, Sturrock, Tischler) 39(1972)258
Hyaluronic acid, in the pleural fluid of a mesothelioma, characterization and quantity (Havez, Boersma, Degand Richet) 33(1971)445
Hyaluronidase, serum, determination of the true activity of, by a method precluding the synergic action of concomitant exoglycosidases (Privalenko, Vihka, Ya. Khorlin) 41(1972)269
Hyatid disease, serum immunoglobulins (Seitanidis, Angelopoulos) 31(1971)311
Hydrazide, isonicotinic acid, low circulating levels of acid-labile hydrazones after oral administration of (Russell) 41(1972)163
Hydrazones, acid-labile, low circulating levels of, after oral administration of isonicotinic acid hydrazide (Russell) 41(1972)163
Hydrochlorothiazide, enhancement of renal excretion of zinc by (Pak, Ruskin, Diller) 39(1972)511
Hydrolases, acid, in normal and diseased human muscle (Kar, Pearson) 40(1972)341
Hydrolysis, enzymatic, of 3-methoxy-4-hydroxy-phenethyleneglycol conjugates (Martin, Timmons, Prange) 38(1972)271
Hydrolysis, resin-catalysed, routine assay of total urinary hydroxyproline based on (Goverde, Veenkamp) 41(1972)29

Hydrolysis, of a water-insoluble substrate incorporated into solidified medium by the enzyme α-amylase contained in normal human blood, serum and plasma (Ceska) 36(1972)453

Hydrolysis, of a water-insoluble substrate incorporated into solidified agar medium by enzyme α-amylase contained in serum and urine of patients suffering from acute pancreatitis (Ceska) 36(1972)463

Hydroquinone, quantitative analysis of, in urine (Seutter, Sutorius) 38(1972)231

Hydrophobic resin, for a new method for estimation of corticosteroid-binding globulin (Usui, Kawamoto) 37(1972)151

3-Hydroxyanthranilic acid, determination in human urine by thin-layer electrophoresis and fluorimetry (Toseland, Michelin, Price) 37(1972)477

3-Hydroxyanthranilic acid, in human urine, a fluorometric method (Watanabe, Hayashi) 37(1972)417

β-Hydroxybutyrate, acetoacetate, pryuvate and lactate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293

2-Hydroxybutyrate dehydrogenase assay and LDH, the effect of temperature (Smith) 35(1971)498

β-Hydroxybutyrate, enzymatic determination by a spectrophotometric micromethod (Chandrasekaran, Glover, Lord) 37(1972)371

D-β-Hydroxybutyrate, a modification of the Gibbard and Watkins method for determination of (Bitsch) 38(1972)471

Hydroxyethylcellulose–agarose gel, electro-immunodiffusion of α_2M, IgA and IgM in nanogram quantities with a: application to unconcentrated CSF (Schuller, Lefevre, Tömpe) 42(1972)5

5-Hydroxyindoleacetic acid, and catecholamine metabolites, densitometric determination after two-dimensional thin-layer chromatography on cellulose (Breebaart, Haan, Wadman) 37(1972)157

5-Hydroxyindoleacetic acid, urinary, analysis of, by thin-layer chromatography: elimination of interference by glyceryl guaiacolate (McGregor, Phillips, Romsdahl) 40(1972)59

5-Hydroxyindoleacetic acid, urinary in patients with atypical phenylketonuria (Matsuda, Sugai, Arashima, Anakura) 34(1971)491

4-Hydroxy-3-methoxyphenylglycol, fluorimetric determination in urine (Antun, Pullar, Eccleston, Sharman) 34(1971)387

Hydroxylase, tyrosine, in human adrenal glands and human pheochromobytoma (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

o-Hydroxyphenylacetate and phenylpyruvate in phenylketonuric urine (Zelnicek, Sláma) 35(1971)496

p-Hydroxyphenylpyruvate hydroxylase, radiochemical assay of activity in human liver (Lindblad) 34(1971)113

p-Hydroxyphenylpyruvate, urinary, the origin of, in a patient with hepatic cytosol tyrosine aminotransferase deficiency (Kennaway, Buist, Fellman) 41(1972)157

Hydroxyproline, excretion in urine, and growth in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165

Hydroxyproline, free, peptide-bound and protein-bound, elimination in dialysate during peritoneal dialysis in patients with renal failure (Kowalewski, Tomaszewski, Hanzlik, Zawislak, Zbikowska) 34(1971)123

Hydroxyproline, non-protein-bound, in plasma in renal bone disease (Bishop, Smith) 33(1971)401

Hydroxyproline, total urinary, routine assay of, based on resin-catalysed hydrolysis (Goverde, Veenkamp) 41(1972)29

Hydroxyproline, in urine, analysis (Zender) 37(1972)263

Hydroxyproline, urine and serum, sarcoidosis, clinical significance (Uitto, Tani, Pihko) 32(1971)265

3α-Hydroxysteroid deshydrogenase, for automatic measurement of bile salts in bile (Domingo, Amic, Hauton) 37(1972)399

5-Hydroxytryptamine (serotonin), a semi-mechanized method for the fluorometric determination in blood plasma and platelets (Hardeman, Den Uyl, Prins) 37(1972)71

Hyperaminoacidemia, screening test, thin-layer chromatography (Kraffczyk, Helger, Lang) 31(1971)489

Hyperaminoaciduria, primary hyper-parathyroidism and (Cusworth, Dent, Scriver) 41(1972)355

Hyperbetalipoproteinaemia, familial, composition of low density lipoprotein in children with, and the effect of treatment (Bagnall) 42(1972)229

Hyperbetalipoproteinemia (type II), familial, N-terminal amino acids, plasma (Pinon, Laudat) 32(1971)131

Hyperinsulinuria in patients with renal calculi (Ching, Karam, Choy, Kolb, Grodsky, Forsham) 40(1972)383
Hyperlipaemia, methionine metabolism (Szantay, Popescu, Cucuianu) 32(1971)75
Hyperlipaemia, serum lipid screening and typing of, with special reference to cases with normal to moderately elevated total lipids (Ter Welle, Willebrands) 39(1972)183
Hyperlipidaemic subjects, removal of serum cholesterol in control and (Miettinen) 39(1972)480
Hyperlipoproteinemia phenotypes II, III and IV, the indirect confirmation of (Wybenga, Ibbott, Winkelman) 40(1972)121
Hyperlipoproteinemia, a screening procedure for detecting and characterizing (Searcy, Colaianni, Young, Drnec, Magoc) 38(1972)291
Hyperlipoproteinaemia, Type II, an association of very low density lipoproteins with (Newall, Bliss) 38(1972)307
Hyperlipoproteinemia, Type II and IV, agarose gel electrophoresis (Sirtori, Hassanein, Hassanein, Boulos) 31(1971)305
Hyperlipoproteinemic patient, Type V, a study (Lossow, Lindgren, Weizel, Wood) 36(1972)33
Hyperparathyroidism, primary, and hyperaminoaciduria (Cusworth, Dent, Scriver) 41(1972)355
Hypertension, Nigerians, serum electrolytes (Salako) 34(1971)105
Hypogammaglobulinemia, renal acid excretion in patients with (Matsuda, Shida, Takehoshi, Fukushima) 42(1972)241
Hypothyroid subjects, serum lipids, a comparison of the effect of clofibrate and thyroxine (Mitchell) 35(1971)429
Hypothyroidism, red cell lipids in (Neerhout) 41(1972)347

I

IgA, albumin and IgG in normal human pancreatic juice (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

IgA and IgM, electroimmunodiffusion of α_2M, in nanogram quantities with a hydroxyethylcellulose–agarose gel: application to unconcentrated CSF (Schuller, Lefevre, Tömpe) 42(1972)5

IgD, human, heat aggregation of (Englis, Sindelár) 41(1972)75

IgD levels, serum and infections in Down's syndrome (Rundle, Clothier, Sudell) 35(1971)389

IgG, and albumin, immunochemical estimation in CSF (Delpech, Lichtblau) 37(1972)15

IgG, IgA and albumin in normal human pancreatic juice (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

IgG-L gammapathy, monoclonal, in the synovial fluid in rheumatoid arthritis (Hrncír, Tichý, Vanásek) 40(1972)237

IgM arcs, clinical significance of abnormally shaped, in serum immunoelectrophoresis (Schen, Rabinowitz) 40(1972)53

IgM, monomeric, detection, acrylamide disc gel electrophoresis and agar gel immunodiffusion (Virella, Parkhouse) 32(1971)427

IgM-L pyroglobulin, properties ((Tichý, Hrncir, Hrkal) 36(1972)363

Imidazolepropionic acid *N*-acetylhistamine, increased urinary, and other imidazole compounds in patients with intestinal disorders (Van der Heiden, Wadman, De Bree, Wauters) 39(1972)201

Imidazoles excretion, following histidine loading in cases of thyrotoxicosis (Harell, Neufeld, Kisch, Chayen) 35(1971)245

Imidazoles, urinary and serum, histidinaemia, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215

Immune diffusion, a general method of increasing the sensitivity of. Its application to CEA (Darcy) 38(1972)329

Immunoassay, angiotensin I and II, interference by proteins in human plasma (Page, Dessaulles, Lagg, Haber) 34(1971)55

Immunoassay, an, determinations of proteins and hormones in serum by, using antigen-enzyme conjugates (Miedma, Boelhower, Otten) 40(1972)187

Immunochemical characterization of the "pre-α" band in lipoprotein (Petek, Kostner, Knoetgen) 38(1972)460

Immunochemical determination, rapid semi-quantitative, abnormal lipoprotein, cholestasis (Seidel) 31(1971)225

Immunochemical estimation, of IgG and albumin in cerebrospinal fluid (Delpech, Lichtblau) 37(1972)15

Immunochemical examination and analytical isoelectric focussing of serum of a patient with Tangier disease (Kostner, Holasek, Schoenborn, Fuhrman) 38(1972)155

Immunodiffusion, agar gel, following acrylamide disc gel electrophoresis, detection of monomeric IgM (Virella, Parkhouse) 32(1971)427

Immunodiffusion, assays by simple radial, accuracy of quantitative immunoglobulin (Grabner, Bergner, Sailer, Berg) 39(1972)59

Immunodiffusion, centripetal-radial, identification of precipitates in (Groc, Pissavy) 42(1972)423

Immunodiffusion (electro), proteins of CSF, determination of α_2-HS, ceruloplasmin, β_1A/β_1B, hemopexin and IgA (Schuller, Allinquant, Garcia, Lefèvre, Moreno, Tompe) 33(1971)5

Immunodiffusion, orthogonal, and immuno-electrophoresis of serum proteins (Afonso, Afonso, Sansguiri) 41(1972)275

Immunodiffusion preparations, a highly sensitive method for demonstrating proteins in electrophoretic, immunoelectrophoretic and (Kerényl, Gallyas) 38(1972)465

Immunoelectrophoresis, quantitative, of serum proteins in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215

Immunoelectrophoresis, serum, clinical significance of abnormally shaped IgM arcs in (Schen, Rabinowitz) 40(1972)53

Immunoelectrophoresis of serum proteins, orthogonal immunodiffusion and (Afonso, Afonso, Sansguiri) 41(1972)275

Immunoelectrophoretic and immunodiffusion preparations, a highly sensitive method for demonstrating proteins in electrophoretic (Kerényl, Gallyas) 38(1972)465
Immunoglobulin A, lactate dehydrogenase isoenzymes, in two cases (Nagamine) 36(1972)139
Immunoglobulin A, serum lactate dehydrogenase isoenzymes linked to (Biewenga) 40(1972)407
Immunoglobulin, accuracy of quantitative, assays by simple radial immunodiffusion (Grabner, Bergner, Sailer, Berg) 39(1972)59
Immunoglobulins, binding of lipid dyes to (Torsvik, Boman, Bjermann, Harboe, Norum) 42(1972)433
Immunoglobulins in disc electrophoresis (Felgenhauer) 39(1972)177
Immunoglobulins, human serum, measurements of concentrations (Rowe et al.) 36(1972)276
Immunoglobulin levels, serum, in healthy children and children with current infectious diseases (Manuel, Carmonada, Motta) 38(1972)250
Immunoglobulin levels, in serum in white patients with sickle cell disease (Seitanidis, Mihas, Angelopoulos) 37(1972)531
Immunologic heterogeneity, human serum α_1-antitrypsin: isolation and demonstration of electrophoretic and (Myerowitz, Handzel, Robbins) 39(1972)307
Immunologic studies, of ferritin in a case of pulmonary haemosiderosis and glomerulonephritis (Goodpasture syndrome) (Bungert, Leonhardt, Macha) 35(1971)233
Indocyanine green, decolorization in serum by ferric ion (Usui, Kawamoto) 31(1971)477
Indolylacryloylglycine in urine, a method for the estimation of (Marklová, Hais) 40(1972)455
Indophenol, reaction, influence of non-protein substances (Gips, Reitsema) 33(1971)257
Indophenol reaction, inhibition in spectrophotometric ammonia determination (O'Donovan) 32(1971)59
Infections and serum IgD levels in Down's syndrome (Rundle, Clothier, Sudell) 35(1971)389
Infertility effect of an intrauterine device, study on the uterine mucosubstances accompanying the (Abe, Endo, Yosizawa) 42(1972)29
Inhibitors, specificity of, lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human proteolytic enzymes (Colman, Mitchell) 39(1972)5
Insulin and epinephrine sensitivity of isolated fat cells in experimental nephrosis (Tashimo, Matsuda) 41(1972)67
Interference, with immunoassays of angiotensin I and II, by proteins in human plasma (Page, Dessaulles, Lagg, Haber) 34(1971)55
Intestinal active sugar transport, dissociation from (Na^++K^+)ATPase activity (Gracey, Burke, Storrie, Oshin) 36(1972)555
Intestinal alkaline phosphatase antigens, human, preparation and characterization of (Fishman, Inglis, Fishman) 38(1972)75
Intestinal alkaline phosphatase determination in serum by substrate-specificity measurements (Moss) 35(1971)413
Intestinal disorders, increased urinary imidazolepropionic acid *N*-acetylhistamine and other imidazole compounds in patients with (Van der Heiden, Wadman, De Bree, Wauters) 39(1972)201
Intrauterine device, study on the uterine mucosubstances accompanying the infertility effect of an (Abe, Endo, Yosizawa) 42(1972)29
[^{14}C] Inulin and [^{51}Cr] EDTA measurement of glomerular filtration rate in man, comparison between (Shreeve, Johnson) 42(1972)453
Iodinating plasma lipoproteins, comparison of methods for (Sundaram, Sodhi, Bhatnagar) 39(1972)115
Iodine compounds, the use of the ceric arsenious acid reaction for the determination of small amounts of iodine or (Heerspink, Op de Weegh) 39(1972)327
Iodine determination in hormones (Kreutzer) 37(1972)519
Iodine, determination in urine, improved method (Mantel) 33(1971)39
Iodine, hormonal, determination, cation exchange resin and Pileggi's non-incineration technique (Miedema, Boelhouwer, Otten) 32(1971)367
Iodine, hormonal, serum, determination (Ködding, Krüskemper) 31(1971)271
Iodine, plasma inorganic, by ultrafiltration, a chemical determination of (Postmes, Coenegracht) 38(1972)313
Iodine, protein-bound, and hormonal iodine after ioxitalamic acid (Aquaron) 41(1972)175
Iodoamino acid composition of the thyroglobulin of normal and diseased thyroid glands. Comparison with *in vitro* iodinated thyroglobulin (Rolland, Montfort, Valenta, Lissitzky) 39(1972)95
Iodoamino acids, determination, cation exchange resin and Pileggi's non-incineration technique (Miedema, Boelhouwer, Otten) 32(1971)367
Ion exchange method, determination of ammonia in blood plasma by an (Kurahasi, Ishihara, Uehara) 42(1972)141

Ionic calcium, activity, and concentration, a semi-automated method for the estimation in biological solutions (Cham) 37(1972)5
Ionized calcium, and ultrafiltrable calcium, a simple and rapid method for the measurement in plasma (Rose) 37(1972)343
Ionised calcium, determination in plasma, a routine method and its application to the study of congenital heart disease in children (Putnam) 37(1972)33
Ioxitalamic acid, protein-bound iodine and hormonal iodine after (Aquaron) 41(1972)175
Iron binding capacity, in serum, problems in the measurement (Williams, Conrad) 37(1972)131
Iron-binding and concentration, serum, determination of (Piccardi, Nyssen, Dorche) 40(1972)219
Iron, the binding of, to transferrin and to other serum components at different degrees of saturation with iron (Van der Heul, Van Eijk, Wiltink, Leijnse) 38(1972)347
Iron chelates, oral and parental, metabolism and placental transfer (Bagley, Zapolski, Rubin, Princiotti) 35(1971)311
Iron deficiency anaemia, purine nucleoside phosphorylase activity of human erythrocytes in (Ramachandran, Iyner) 40(1972)281
Iron, non-heme, in CSF (Bleijenberg, Van Eijk, Leijnse) 31(1971)277
Iron, normal urine, determination (Tavenier, Raaijmaker, Van Eijk, Leijnse) 32(1971)63
Iron, serum and iron-binding capacity, simultaneous automated determination (Friedman, Cheek) 31(1971)315
Isoelectric focusing, of alkaline phosphatases. A focusing-disc electrophoresis transfer technique (Smith, Lightstone, Perry) 35(1971)59
Isoelectric focusing, thin-layer, for haemoglobin screening and its application to haemoglobin malmö (Jeppson, Berglund) 40(1972)153
Isoenzymes, of alkaline phosphatase, human liver, preparation of two antigens (Fishman, Inglis, Fishman) 34(1971)393
Isoenzyme composition and total activity of lactate dehydrogenase in human skin, assay (Uitto, Turto, Lindy) 36(1972)43
Isoenzyme, electrophoretical determination of L-lactate dehydrogenase, diagnostic value, in affected quadriceps muscle of patients with neuromuscular diseases (Meijer, Bethlem, Van Wijngaarden) 33(1971)247
Isoenzymes, serum lactate dehydrogenase, linked to immunoglobulin A (Biewenga) 40(1972)407
Iso-homovanillic acid determination in human urine (Comoy, Bohuon) 35(1971)369
Isolation of drugs and drug metabolites from plasma, a rapid procedure (Horning, Boucher, Stafford, Horning) 37(1972)381
Isomaltose, and maltose in the urine of severely injured human (Vítek, Vítek, Cowley) 33(1971)33
Isonicotinic acid hydrazide, oral administration of, low circulating levels of acid-labile hydrazones after (Russell) 41(1972)163
Isonicotinic acid hydrazide, urine, determination (Russell) 31(1971)367
Isothermal, an, GLC determination of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone (Toseland, Grove, Berry) 38(1972)321
Isotope, dilution technique, for determination of inorganic sulfate (Shackelford, Frattali, Van Reen) 34(1971)13
Isotopic and chromatographic methods, comparison of, for estimating fecal bile acids (Kudchodkar, Sodhi, Horlick) 41(1972)47
Isozyme components, protein and, in normal and abnormal human semen (Walkar, Master) 39(1972)433

J

Jaundice, breast milk, inhibition of bilirubin conjugation in rat liver slices by free fatty acids, with relevance to the problem of (Bevan, Holton) 41(1972)101

Jaundice, experimental obstructive, in rats, relationship between bilirubin and β-glucuronidase (Rodrigues Garay, Del Rosario Spetale, Morisoli) 37(1972)171

Jaundice, late pregnancy, acid–base balance (Wójcicka, Roszkowski, Wichrzycki, Frydrychowska) 32(1971)109

Jaundice, neonatal, serum albumin determination (Howorth) 32(1971)271

Jaundice, obstructive, a method for the quantitative determination of the abnormal lipoprotein (LP-X) of (Magnani, Alaupović) 38(1972)405

K

Kaliopenic nephrosis: protective action of L-ornithine-L-aspartate (Raab) 39(1972)239
Kallikrein, urinary, isotopic assay of esterase activity (Beaven, Pierce, Pisano) 32(1971)67
Ketoacids, the source of aromatic, in tyrosinaemia and phenylketonuria (Fellman, Buist, Kennaway, Swanson) 39(1972)243
Ketoaciduria, branch-chain, gas-chromatographic diagnosis of intermittent maple syrup urine disease (Gompertz, Draffan) 40(1972)5
Dα-Ketols, phenolic steroid ring, conjugation in pregnancy urine (Tan, Anuman-Rajadhon, Hobkirk) 31(1971)387
17-Ketosteroids, urinary, determination of individual, as the dansyl-hydrazones (Apter, Chayen, Gould, Harell) 42(1972)115
17-Ketosteroids, urinary, photonometric correction in the determination (Margraaf, Wise, Ballinger) 36(1972)566
Ketotic patients, occurrence of adipic and suberic acid in urine from (Pettersen, Jellum, Eldjarn) 38(1972)17
Ketotic rats, formation of *n*-hexanedioic acid from hexadecanoic acid by an initial ω-oxidation in (Pettersen) 41(1972)231
Kidney stone patients, ultrafiltrable serum calcium and magnesium in healthy volunteers and (Schwille, Ernstberger) 38(1972)379
Kinase isoenzymes, creatine, separation of tissue and serum, on polyacrylamide gel slabs (Smith) 39(1972)351
Kinetic study of the action of pepsin on hemoglobin applied to gastric function (Jardillier, Renaud, Vatier, Agneray) 38(1972)187
Kinureninase in human liver, determination of microliter quantities of (Machill, Knapp, Teichmann) 39(1972)171
Kwashiorkor, vitamin A-deficient children, urinary excretion of acid mucopolysaccharides (Mohanram, Reddy) 34(1971)93

L

Laboratory data, a proposal for a more uniform output in (Lo, Kellen) 41(1972)239
Laboratory test procedures, clinical, chemical interference by drugs and other substances with (Caraway, Kammeyer) 41(1972)395
Lactacidemia, and glycemia, new method for the simultaneous and continued determination (Guisard, Gonand, Debry) 35(1971)493
Lactacidemia, glycemia and pyruvicemia, a new method for the automated simultaneous and continuous determination (Guisard, Gonand, Debry) 36(1972)281
Lactate, acetoacetate, β-hydroxybutyrate and pyruvate, an enzymatic fluorimetric micro-method for the determination (Olsen) 33(1971)293
Lactate dehydrogenase, assay in human skin, total activity and isoenzyme composition (Uitto, Turto, Lindy) 36(1972)43
Lactate dehydrogenase assay. a rapid ultraviolet spectrophotometric (Marinek) 40(1972)91
L-Lactate dehydrogenase, diagnostic value of electrophoretical isoenzyme determination in affected quadriceps muscle of patients with neuromuscular disease (Meijer, Bethlem, Van Wijngaarden) 33(1971)247
Lactic dehydrogenase and γ-glutamyl trans-peptidase activity in cancer of the uterine cervix, effect of radiotherapy (Wieczorek) 37(1972)203
Lactate dehydrogenase, hereditary eficiency of subunit H (Kitamura, Iijima, Hashimoto, Hiratsuka) 34(1971)419
Lactate dehydrogenase isoenzymes, serum, linked to immunoglobulin A (Biewenga) 40(1972)407
Lactate dehydrogenase in human testes (McKee, Longstaff, Latner) 39(1972)221
Lactate dehydrogenase and 2-hydroxybutyrate dehydrogenase assay, the effect of temperature (Smith) 35(1971)498
Lactate dehydrogenase isoenzymes, linked to immunoglobulin A in two cases (Nagamine) 36(1972)139
Lactate dehydrogenase, isoenzymes of mouse serum separated on polyacrylamide gel, photo-densitometry (Chambers) 35(1971)321
Lactate dehydrogenase, origin in synovial fluid in rheumatoid arthritis (Lindy, Turto, Uitto, Vainio) 35(1971)377
Lactate dehydrogenase, synovial tissue, rheumatoid arthritis (Lindy, Uitto, Turto, Rokkanen, Vainio) 31(1971)19
Lactate dehydrogenase, isoenzymes and metabolism (Hule) 31(1971)298
LAP activity evaluation. Comparison of the bio-chemical and cytochemical assay (Diamant, Sadovsky, Gal) 34(1971)73
Laurell electrophoresis, quantitative determination of human fibrinogen in plasma following carbamylation in antibody containing gel (Nielsen, Weeke) 35(1971)281
Laurell rocket immuno electrophoresis, a rapid determination of thyroxine-binding-globulin in human serum (Nielsen, Buus, Weeke) 36(1972)133
LDH activity of red cells in chronic renal failure (Melissinos, Drivas, Vlassopoulos) 40(1972)165
LDH, serum, in hemodialysis (Ringoir, Wieme) 42(1972)315
Lecithin, serum, a simple scanning method for the quantitative estimation (Stott) 37(1972)535
Leucocyte(s), ascorbic acid uptake and release, guinea pigs (Hornig, Weiser, Weber, Wiss) 32(1971)33
Leucocytes, comparative study of lysozymes from, of normal persons and of patients with chronic myelogenous leukaemia (Périn, Jollès) 42(1972)77
Leucocyte protease, properties (Ohlsson) 32(1971)399
Leukemia lymphocytes, augmentation of hexose monophosphate shunt after plasma fractionation (Brody, Merlie) 34(1971)437
Leukaemia, chronic myelogenous, comparative study of lysozymes from leucocytes of normal persons and of patients with (Périn, Jollès) 42(1972)77
Leukemia, patients with acute, effect of L-asparaginase therapy upon serum pseudo-cholinesterase and ceruloplasmin levels in (Cucuianu, Bornuz, Macavei) 38(1972)97
Leukocyte arylsulfatase A, an improved method for the determination of, and its application to the diagnosis of metachromatic leuko-dystrophy in homozygous and heterozygous states (Potter, Timmons, Rinehart, Witmer) 39(1972)518

Leukocyte, evaluation of the alkaline phosphatase activity. Comparison of the biochemical and cytochemical assay (Diamant, Sadovsky, Gal) 34(1971)73

Leukocyte preparation choice, in the diagnosis of glycogen storage disease type II (Pompe's disease) (Wyss, Koster, Hülsmann) 35(1971)277

Leukodystrophy, metachromatic, an improved method for the determination of leukocyte arylsulfatase A and its application to the diagnosis of, in homozygous and heterozygous states (Potter, Timmons, Rinehart, Witmer) 39(1972)518

Light effects on the determination of citrulline (Perkins) 35(1971)247

Linoleic acid and phytanic acid incorporation into plasma lipids in Refsum's disease (Laurell, Nilsén, Nordén) 36(1972)169

Lipase determination in serum, by a rapid photometric micromethod (Lippi, Stevanato, Guidi) 37(1972)199

Lipase, serum, new method for the rapid and precise determination of (Fruchart, Sezille, Jaillard, Biserte) 38(1972)247

Lipid composition, and lipoprotein composition of neonatal serum (Wille, Phillips) 34(1971)457

Lipid dyes, binding of, to immunoglobulins (Torsvik, Boman, Bjermann, Harboe, Norum) 42(1972)433

Lipid(s). the effect of an overdose on quantitative and qualitative variations of non-esterified fatty acids in plasma, when administered by oral route in normal man (Sezille, Jaillard, Scherpereel, Fruchart, Biserte) 35(1971)109

Lipids, glycogen, and proteins, determination in hepatic needle biopsy (Brixová, Dzúriková) 36(1972)543

Lipid(s), the incorporation of [^{14}C]fatty acids of skeletal muscle in progressive muscular dystrophy (Duchenne) (Kunze, Olthoff, Bömsch) 33(1971)373

Lipids and lipoproteins, peripheral arterial disease, micro-nephelometry (Newall) 32(1971)185

Lipids, pulmonary A-V differences of, and free fatty acids in relation to fasting and to high fat meals (Codorelli, Lombardi, Gusmano, Pisano) 38(1972)141

Lipids, red cell, in hypothyroidism (Neerhout) 41(1972)347

Lipid screening, and lipoprotein electrophoresis by cellogel (Messerschmidt, Sedee) 36(1972)51

Lipid peroxidation, serum inhibitor, and tocopherol relationship of serum antioxidative activity (Vidláková, Erazímova, Horký, Placer) 36(1972)61

Lipid screening, serum, and typing of hyperlipaemias with special reference to cases with normal to moderately elevated total lipids (Ter Welle, Willebrands) 39(1972)183

Lipids, serum total, estimation of (Woodman, Price) 38(1972)39

Lipolytic activity of blood serum with 1,5-diphenyl carbazide, photometric determination of the (Müller) 39(1972)89

Lipolytic activity, post-heparin plasma, semi-automatic determination of. Clinical studies (Jaillard, Sezille, Fruchart, Scherpereel) 38(1972)277

Lipoproteins, abnormal, of fatty acid composition. Phospholipids of cholestasis (Picard, Veissiere, Voyer, Bereziat) 36(1972)247

Lipoprotein, abnormal, cholestasis, rapid immunochemical semi-quantitative determination (Seidel) 31(1971)225

Lipoproteins, an association of very low density, with Type II hyperlipoproteinaemia (Newall, Bliss) 38(1972)307

α-Lipoprotein, complex, quantitation by agarose gel electrophoresis (Dyerberg, Hjørne) 33(1971)460

Lipoprotein, composition of low density, in children with familial hyperbetalipoproteinaemia and the effect of treatment (Bagnall) 42(1972)229

Lipoprotein electrophoresis on cellogel, serum, a study of: normal values, comparison with SML profiling and ultracentrifugation (Berends, De Jong, Zondag) 41(1972)187

Lipoprotein electrophoresis on gelatinized cellulose acetate (Van Kampen, Van der Ploeg) 40(1972)485

Lipoprotein electrophoresis, improved, cellogel (Baets, Lezy) 32(1971)142

Lipoprotein electrophoresis, and lipid screening by cellogel (Messerschmidt, Sedee) 36(1972)51

Lipoprotein electrophoresis, phenotyping of hyperlipoproteinemias, simple, quantitative (Sirtori, Hassanein, Hassanein, Boulos) 31(1971)305

Lipoprotein electrophoresis, β and pre-β, serum, subtle abnormalities in normals, detection (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123

Lipoprotein, immunochemical characterization of the "pre-α" band in (Petek, Kostner, Knoetgen) 38(1972)460
Lipoprotein lipase activity in human adipose tissue, rapid determination of (Nilsson-Ehle, Tornqvist, Belfrage) 42(1972)383
Lipoprotein, and lipid composition of neonatal serum (Wille, Phillips) 34(1971)457
Lipoproteins, low-density, plasma, familial hyper-β-lipoproteinemia (type II) (Pinon, Laudat) 32(1971)131
Lipoprotein, low density (β), evidence for the role of glycolipid bound to: rubella virus non-specific haemagglutination inhibitor (Shortridge, Biddle, Pepper) 42(1972)285
Lipoproteins, low density, triglycerides and cholesterol levels in serum in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85
Lipoprotein (LP-X) of obstructive jaundice, a method for the quantitative determination of the abnormal (Magnani, Alaupović) 38(1972)405
Lipoprotein patterns, abnormal, diagnosis and classification (Stone, Thorp, Mills, Dick) 31(1971)333
Lipoproteins, plasma, iodinating, comparison of methods for (Sundaram, Sodhi, Bhatnagar) 39(1972)115
Lipoproteins, rat serum, *in vivo* incorporation of dietary [^{14}C] cholesterol, transfers in connective tissue (Jacotot, Monnier, Beaumont) 33(1971)95
Lipoproteins, serum, the clinical application of an indirect method for the quantitation (Berenson, Srinivasan, Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175
Lipoproteins, serum low density, in healthy men, variation in composition of (Mills, Chong, Taylaur) 42(1972)273
Lipoprotein X simulating paraproteinemia in paper electrophoresis (May, Donabedian) 38(1972)255
Liquor sugar, blood and urine (Giterson, Lie Fong, Wederfoort, Schouten) 34(1971)489
Lithium in serum, acetone as solvent in flame-photometric determination of (Denswil, Detmers) 40(1972)129
Lithium, sodium, potassium, magnesium, a method for the determination of concentrations in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499
Liver, bilirubin, diazotized *p*-iodoaniline (Van Roy, Meuwissen, De Meuter, Heirwegh) 31(1971)109
Liver biopsy specimens, biochemical analysis of, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann–Pick disease (Giardini, Cardi, Castro Donfrancesco) 42(1972)15
Liver, cardiovascular system and diabetes mellitus, γ-glutamyl transpeptidase in diseases of the (Jacobs) 38(1972)419
Liver disease, tryptophan metabolism (Hirayama) 32(1971)191
Liver function, evaluation, determination of 6-oxygenated cortisol (Chamberlain) 34(1971)269
Liver homogenates, measurement of the total activity of glutamic-oxaloacetic transaminase (Schröckert, Bässler) 33(1971)55
Liver, human, isoenzymes of alkaline phosphatase, preparation of two antigens (Fishman, Inglis, Fishman) 34(1971)393
Liver, human, kinureninase in, determination of microliter quantities of (Machill, Knapp, Teichmann) 39(1972)171
Liver, human, radiochemical assays for *p*-hydroxy-phenylpyruvate hydroxylase activity (Lindblad) 34(1971)113
Liver mitochondria, human (Ozawa, Kitamura, Misukami, Yamaoka, Kamano, Takeda, Takasan, Honjo) 38(1972)385
Liver slices, rat, inhibition of bilirubin conjugation in, by free fatty acids, with relevance to the problem of breast milk jaundice (Bevan, Holton) 41(1972)101
Liver vitamin A analyses, factors affecting the laboratory management of human serum and (Parkinson, Gal) 40(1972)83
LKB 8600 Reaction Rate Analyser, creatine assay in the presence of protein with (Larsen) 38(1972)477
LKB reaction rate analyser, the, assessment of printing calculators for use with (Brown, Smith) 38(1972)51
Long-chain fatty acids, acylation of lysolecithin, by normal and dystrophic fatty acids (Kunze, Olthoff) 36(1972)561
LSD, determination in human plasma following oral administration (Upshall, Wailling) 36(1972)67
Lysolecithin, acylation with long-chain fatty acids by normal and dystrophic human muscle (Kunze, Olthoff) 36(1972)561
Lysosomal disorders, including leukodystrophy, quantitative studies on arylsulfatase A activity in human urine (Thomas, Howell) 36(1972)99

Lysosomal enzymes of cultured fibroblasts of cystic fibrosis patients (Butterworth, Scott, McCrae, Bain) 40(1972)139
Lysozyme assay, automated method (Terry, Blainey, Swingler) 35(1971)317
Lysozymes, comparative study of, from leucocytes of normal persons and of patients with chronic myelogenous leukaemia (Périn, Jollès) 42(1972)77
Lysozyme, *Micrococcus lysodeikticus* cells, serum macromolecules on (Harrison, Swingler) 31(1971)149

M

Macrococcus lysodeikticus cells, lysis, lysozyme, serum macromolecules on (Harrison, Swingler) 31(1971)149

α_2-Macroglobulins, preparation of individual human. Comparative chemical properties (Frénoy, Razafimahaleo, Bourrillon) 42(1972)51

Magnesium levels, serum, in depression, a sex difference in mean (Herzberg, Bold) 39(1972)229

Magnesium, nail, and calcium in chronic uraemia (Lim, Tay, Tan) 42(1972)47

Magnesium, sodium, potassium, lithium, a method for the determination of concentration in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499

Magnesium, ultrafiltrable serum calcium and, in healthy volunteers and kidney stone patients (Schwille, Ernstberger) 38(1972)379

Malaria, and the Hb S gene, influence on Hb A_2 synthesis (Isaacs) 36(1972)27

Male subjects, with chronic renal failure, testosterone and its binding in plasma (Gupta, Bundschu) 36(1972)479

Maltose, isomaltose in the urine of severely injured humans (Vítek, Vítek, Cowley) 33(1971)33

Mannitol excretion, increased in controlled hereditary galactosemia (Blau) 38(1972)441

Mannitol, and sorbitol in human urine (Ingram, Applegarth, Sturrock, Whyte) 35(1971)523

Maple syrup urine disease, intermittent, (branch-chain ketoaciduria), gas-chromatographic diagnosis of (Gompertz, Draffan) 40(1972)5

Mass spectrometer, as a gaschromatographic detector (Brooks, Middleditch) 34(1971)145

Mass spectrometric-gas chromatographic analysis of organic acids in amniotic fluid (Hagenfeldt, Hagenfeldt) 42(1972)219

Mass spectrometry, combined with gas chromatography in identification of cannabivarins in hashish (Vree, Breimer, Van Ginneken, Van Rossum, De Zeeuw, Witte) 34(1971)365

Mass spectrometry, gas chromatography, identification and quantitation of urinary phenolic acids in tyrosinemia (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Mass spectrometry, and gas chromatography, identification of urinary acids (Mamer, Crawhall, Tjoa) 32(1971)171

Mass spectrometry, identification of dangerous drugs (Law, Aandahl, Fales, Milne) 32(1971)221

Mastectomy in patients with breast cancer, tryptophan metabolism and recurrence rates after (Bell, Tong, Mainwaring, Hayward, Bulbrook) 42(1972)445

Maternal phenylketonuria, amniotic fluid amino acids (Emery, Farquhar, Timson) 37(1972)544

Mauzerall-Granick method, a new possibility for the demonstration of δ-aminolaevulinic acid in urine on its basis (Berkö, Durkö) 37(1972)443

Measurement of thyroxine by competitive protein binding (Seligson, Seligson) 38(1972)199

Melanin, precursors of, in the blood and urine in malignant melanoma (Hinterberger, Freedman, Bartholomew) 39(1972)395

Melanogens, and metanephrines, urinary, chromatographic separation (Vallon, Badinand, Bichon) 36(1972)397

Melanoma, malignant, serum haemopexin levels (Manuel, Defontaine, Bourgoin, Dargent, Sonneck) 31(1971)485

Melanoma, precursors of melanin in the blood and urine in malignant (Hinterberger, Freedman, Bartholomew) 39(1972)395

Membrane protein, isolation, with a low molecular weight derived from the human erythrocytes: the chemical properties and the investigation of the Rh antigenicity with the Schultz-Dale test (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59

Mesothelioma, characterization and quantity in the pleural fluid, of hyaluronic acid (Havez, Degand, Boersma, Richet) 33(1971)445

Metabolism, and placental transfer of oral and parental iron chelates (Bagley, Zapolski, Rubin, Princiotti) 35(1971)311

Metabolism, of pyridine nucleotide in stored human erythrocytes (Omachi, Scott, Ford) 37(1972)351

Metabolites, histidine, urinary excretion of, as an indication for folic acid and vitamin B_{12} deficiency (Van Roon-Djordjević, Cerfontain-Van Staalen) 41(1972)55

Metachromatic leukodystrophy patients, quantitative study on arylsulfatase A activity in human urine (Thomas, Howell) 36(1972)99
Metanephrines, and melanogens, urinary, chromatographic separation (Vallon, Badinand, Bichon) 36(1972)397
Metanephrines, urinary, and VMA, gas chromatography (Van de Calseyde, Scholtis, Schmidt, Leyten) 32(1971)361
Methaqualone metabolites, identification of, from urine extract by gas chromatography–mass spectrometry (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309
Methaqualone metabolites, a rapid method for, detection (Goudie, Burnett) 35(1971)133
Methionine, metabolism in hyperlipemic subjects (Szantay, Popescu, Cucuianu) 32(1971)75
(^{75}Se)Methionine, pre- and postoperative incorporation in serum and albumin (Toader, Acalovschi, Szantay) 37(1972)189
Method, automated, for urinary "oestriol" determination in pregnant and non-pregnant subjects (Barnard, Logan) 34(1971)377
Method, fluorimetric, for the determination of 4-hydroxy-3-methoxyphenylglycol in urine (Antun, Pullar, Eccleston, Sharman) 34(1971)387
Method, for determination of carnitine in the picomole range (Cederblad, Lindstedt) 37(1972)235
Method, for the determination of dopa and 3-*O*-methyldopa in the plasma of Parkinsonian patients (Curzon, Kantamaneni, Trigwell) 37(1972)335
Method, for estimation of corticosteroid-binding globulin with hydrophobic resin (Usui, Kawamoto) 37(1972)151
Method, indirect, the clinical application for quantitating serum lipoproteins (Berenson, Srinivasan, Lopez-S., Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175
Method, rapid for glycolipid measurement in spleen (Worth) 34(1971)443
Method, rapid for the quantitative analysis of short-chain fatty acids in serum or plasma (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463
Method, simple automated, for determination of glucose in body fluids using an aqueous *o*-toluidine-acetic acid reagent (Winckers, Jacobs) 34(1971)401
Method, simple and rapid, for the measurement of plasma ultrafiltrable and ionized calcium (Rose) 37(1972)343
3-Methoxy-4-hydroxyphenylacetic acid, and 3,4-dihydroxyphenylacetic acid, a simple and rapid gas chromatography for determining, in urine from patients of parkinsonism treated with L-3,4-dihydroxyphenylalanine (Fukaya, Imai, Tamura) 33(1971)469
3-Methoxy-4-hydroxyphenylacetic acid (homovanillic acid) quantitative estimation in urine (Kahane, Vestergaard) 35(1971)49
3-Methoxy-4-hydroxyphenylalanine, (3-*O*-methyldopa) in plasma during oral L-dopa therapy of patients with Parkinson's disease (Sharpless, Muenter, Tyce, Owen) 37(1972)359
3-Methoxy-4-hydroxyphenylethylene glycol in human cerebrospinal fluid (Gordon, Oliver) 35(1971)145
4-*O*-Methylated catecholamines in biological media (Mathieu, Charvet, Chazot, Trouillas) 41(1972)5
β-Methylcrotonylglycinuria, in a child, the identification of tiglylglycine in the urine (Gompertz, Draffan) 37(1972)405
3-*O*-Methyldopa, in CSF of Parkinson patients, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155
3-*O*-Methyldopa, and dopa, a method for the determination in the plasma of Parkinsonian patients (Curzon, Kantamaneni, Trigwell) 37(1972)335
3-*O*-Methyldopa, in plasma during oral L-dopa therapy of patients with Parkinson's disease (Sharpless, Muenter, Tyce, Owen) 37(1972)359
Methylmalonic acid, urinary, a rapid method for the analysis of (Gibbs, Itiaba, Mamer, Crawhall, Cooper) 38(1972)447
Methylmalonic acid in urine, the assay of (Dale) 41(1972)141
Methylmalonyl CoA mutase – a radio-chromatographic assay (Goodey, Gompertz) 42(1972)119
Microdisc-electrophoresis, discontinuous, for quantitative albumin determination in urine of patients with kidney transplants (Weise, Bockhorn) 42(1972)391
Micro-electrolytic iodination, of polypeptide hormones for radio-immunoassay (Donadedian, Levine, Seligson) 36(1972)517
Micro-electrophoresis, zone, a simple method for the separation of haemoglobin chains on (Kohne, Kleihauer, Stöffler) 40(1972)285
Micro-method, new, for Na, K, Ca and Mg determinations in a single serum dilution by atomic-absorption spectrophotometry (Paschen, Fuchs) 35(1971)401

Micromethod, rapid photometric, for serum lipase determination (Lippi, Stevanato, Guidi) 37(1972)199

Micromethod, spectrophotometric, for the enzymatic determination of β-hydroxybutyrate (Chandrasekaran, Glover, Lord) 37(1972)371

Micronephelometry, a low pressure system for membrane filtration for use in (Farid, Anderson) 39(1972)263

Microzone, membrane technique, rapid electrophoretic for Regan isoenzyme (placental type alkaline phosphatase) using a fluorogenic substrate (Inglis, Guzek, Kirley, Green, Fishman) 33(1971)287

Mitochondria, hearts, functional state, in heart failure and hypertrophy without failure (Willebrands, Ter Welle, Tasseron) 32(1971)251

Mitochondria, human liver (Ozawa, Kitamura, Misukami, Yamoaka, Kamano, Takeda, Takasan, Honjo) 38(1972)385

Molecular weight distribution, analysis by gel chromatography of dextrans as test molecules in studies of the functional ultrastructure of biological membranes (Arturson, Granath) 37(1972)309

Mono- and disaccharides in human blood and urine after oral administration of disaccharides, gas chromatographic analysis of (Nakamura, Tamura) 39(1972)367

Morphine, in biologic specimens, gas-liquid and thin-layer chromatographic determination (Wallace, Biggs, Blum) 36(1972)85

Mucopolysaccharides, acid, in normal urine, quantitative (Rosenfeld) 31(1971)263

Mucopolysaccharides, evaluation of the level of, in serum in bilharziasis (Khafagy, Osman, El-Rasiky, Shalaby) 40(1972)371

Mucopolysaccharides (glycosaminoglycans), specific isolation and analysis of, from human urine (Goldberg, Cotlier) 41(1972)19

Mucopolysaccharide storage in organs of a patient with Sandhoff's disease (Applegarth, Bozoian) 39(1972)269

Mucosal biopsies, carbohydrate content (Barton, Brown, Clamp) 36(1972)262

Mucosal carbohydrases, automatic measurement (Kidder, Hill, Stevens) 37(1972)491

Muscular dystrophy, Duchennes, NADP-linked dehydrogenases in (Kar, Pearson) 38(1972)183

Mutarotase effect, on colorimetric determination of blood glucose with β-D-glucose oxidase (Miwa, Okuda, Maeda, Okuda) 37(1972)538

Myeloma polypeptide chains, specific and unspecific recombination (Wetter) 36(1972)284

Myocardial infarction, acute, dopamine and homovanillic acid in urine (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261

N

$(Na^+ + K^+)$ATPase activity, dissociation of intestinal active sugar transport (Gracey, Burke, Storrie, Oshin) 36(1972)555

NADH-coupled method, reduced, for emergency blood urea estimation (Hallett, Cook) 35(1971)33

NADH:Methemoglobin reductase, human erythrocytes, isoelectric focusing (Sonnet, De Noyette, Steichen-Defalque) 32(1971)5

NADP-linked dehydrogenases in Duchennes muscular dystrophy (Kar, Pearson) 38(1972)183

NAD(P)H:Diaphorase, human erythrocytes, isoelectric focusing (Sonnet, De Noyette, Steichen-Defalque) 32(1971)5

Neoplasms, lung, liver, kidney, arylsulphatase activity (Morgan, Reehlmann, Maddux, Gidman, Samuels, Krementz) 32(1971)316

Neoplastic disorders, serum phospholipids (Lee) 32(1971)25

Nephelometry, micro, lipids and lipoproteins in peripheral arterial disease (Newall) 32(1971)185

Nephrosis, experimental, insulin and epinephrine sensitivity of isolated fat cells in (Tashimo, Matsuda) 41(1972)67

Nephrosis, kaliopenic: protective action of L-ornithine-L-aspartate (Raab) 39(1972)239

Nephrotic syndrome, oligopeptides excreted in the urine of healthy humans and of patients with (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)425

Nephrotic syndrome, oligopeptides in blood plasma of healthy humans and of patients with (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319

Neumann method, for estimation of the "normal range" for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305

Neural crest tumours, urinary Dopa, quantitative fluorimetric determination (Türler, Käser) 32(1971)41

Neuraminic acid removal, effect of, on the properties of a variant alkaline phosphatase in hepatoma (Higashino, Hashinotsume, Yamamura) 40(1972)305

Neuraminidase-induced changes in white blood cell hexosaminidase A (Murphy, Craig) 42(1972)267

Neuraminyl-*N*-acetyllactosamine, and neuraminyllactose in rat urine, effects of age, sex, fasting and surgery on the excretion (Maury, Huttunen) 37(1972)433

Neuraminyllactose, and neuraminyl-*N*-acetyllactosamine in rat urine, effects of age, sex, fasting and surgery on the excretion (Maury, Huttunen) 37(1972)433

Neuroblastomas, arylsulphatase and its relation to homovanillic acid (Morgan, Maddux, Samuels, Krementz) 37(1972)289

Neuromuscular disease, aldolase isoenzymes in serum (Tsetanova) 31(1971)283

Newborn, variations in urinary steroid profiles (Horning, Hung, Hill, Horning) 34(1971)261

Nicotinamide, the influence of simultaneous administration of vitamin B_6 and, on tryptophan metabolism in Hodgkin's disease (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258

Niemann–Pick disease, biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15

Ninhydrin-positive substances in serum and urine of patients with chronic uraemia (Adam, Dzúrik, Valovicová) 36(1972)241

Nitrogen, the determination of, of amino compounds in urine by chelates (Nýdr, Štáhlavská) 38(1972)457

Nitrogen, non-protein substances, influence on the indophenol reaction (Gips, Reitsema) 33(1971)257

Non-esterified fatty acids, measurement in icteric body fluids (Lappin) 33(1971)153

Non-mercurimetric, a, automated method for serum chloride (Fingerhut) 41(1972)247

Norepinephrine, epinephrine and dopamine, determination in human urine, by fluorometry combined with thin-layer chromatography (Takahashi, Gjessing) 36(1972)369

Normal range, estimation by different methods for serum cholesterol (Richardson, Setchell, Woodman) 37(1972)305

Nortriptyline and amitriptyline "steady-state" plasma levels in patients, a specific gas-chromatographic method for the measurement (Braithwaite, Widdop) 35(1971)461

Nucleic acids, heart muscle, cancer (Chipperfield, Chipperfield) 31(1971)459
5'-Nucleotidase activity in serum, automated determination of (Joncquiert, Nyssen, Plumet, Dorche) 42(1972)361
5'-Nucleotidase and alkaline phosphatase activities in serum in patients with hepatobiliary disease (Belfield) 37(1972)525
5'-Nucleotidase, assay, a comparison of two colorimetric procedures (Price, Hill, Sammons) 33(1971)260
5'-Nucleotidase, serum, determination of, by means of a NADH-linked reaction (Bootsma, Wolthers, Groen) 41(1972)219
5'-Nucleotidase, serum, hepatobiliary disease (Phelan, Neale, Moss) 32(1971)95

O

Occult blood in faeces, evaluation of suitable chromogens (Deadman) 35(1971)273
OCT-activity, in serum, a simple method for preserving (Romslö) 36(1972)264
Oestrid, pregnancy urine, gas chromatography (Sanghvi, Taddeini, Nagarajan, Wight) 31(1971)255
Oestrid, pregnancy urine, simple determination (Rosenthal, Yaseen) 31(1971)171
Oestriol assay in pregnancy urine, a rapid colorimetric method for (Rahman) 39(1972)287
Oestriol, a simple semi-automated gas-chromatographic method for determining pregnanediol and, simultaneously in pregnancy urine (Alink) 39(1972)449
"Oestriol" urinary, determination, an automated method in pregnant and non-pregnant subjects (Barnard, Logan) 34(1971)377
Oestriol, urinary, a rapid semi-automated method for the determination in late pregnancy by gas-liquid chromatography (Smith, Stitch) 36(1972)439
Oestrogen determination in pregnancy urine (Crowley, Garbien, Rosser) 38(1972)91
Oestrogens, evaluation of G.L.C. techniques for the estimation (Adlercreutz) 34(1971)231
Oestrogen(s), pregnancy urine, automated analysis (Campbell, Gardner) 32(1971)153
Oestrogens, a rapid method for the estimation of, in non-pregnancy urine (Outch, Dennis, Larsen) 40(1972)377
Oestrogens, a simple automated method for the measurement in the urine of pregnant women (Hainsworth, Hall) 35(1971)191
Oestrogens, urinary, during pregnancy, a mechanic system for the gel filtration of (Breebaart, Smorenburg, Haan) 38(1972)263
Oestrogens, urine, simple method (Tenhaeff, Maruhn, Ahl) 31(1971)37
Oligopeptides in blood plasma of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319
Oligopeptides excreted in the urine of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)425
Oligosaccharide, excretion in a case of GM 2 gangliosidosis, due to total *N*-acetyl-hexosaminidase deficiency (Strecker, Montreuil) 33(1971)393
One-tube serum uric acid method, using photo-tungstic acid as protein precipitant and color reagent (Pileggi, Di Giorgio, Wybenga) 37(1972)141
Ornithine carbamyl transferase, automatic determination (Ceriotti, Lollis, De Nadai Frank) 33(1971)69
Ornithine carbamyl transferase: the effects of pH on the kinetics of a mutant human enzyme (Cathelineau, Saudubray, Polonovski) 41(1972)305
Ornithine, serum, carbamoyl transferase, comparison of colorimetric methods for (Buttery, Baron) 38(1972)242
Orosomucoid, and α_1-antitrypsin separation by polyacrylamide gel electrophoresis (Barbosa, Doe, Seal) 37(1972)105
Orthophosphatase activity, elevated alkaline, inorganic pyrophosphatase activity in human sera with (Hørder) 42(1972)373
Orthophosphate determination, improved method of (Amic, Lairon, Hauton) 40(1972)107
Ouchterlony plate, improved (Dacry) 37(1972)287
Ovarian cycle, serum, α_1-antitrypsin levels during the (Kueppers, Brackertz, Czygan) 39(1972)131
Oxalate, urine, improved colorimetric procedure (Hodgkinson, Williams) 36(1972)127
ω-Oxidation in ketotic rats, formation of *n*-hexanedioic acid from hexadecanoic acid by an initial (Pettersen) 41(1972)231
Oxidized homogentisic acid, preparation and identification of various adducts, and the development of a new sensitive colorimetric assay for homogentisic acid (Lustberg, Schulman, Seegmiller) 35(1971)325
17-Oxogenic steroids, rapid quantitative gas-chromatographic fractionation of the major urinary 17-oxosteroids and (Trafford, Makin) 40(1972)421
17-Oxogenic steroids, the routine measurement of urinary 17-oxosteroids and, using gas-liquid chromatography (Crook) 40(1972)43
Oxosteroids, determination of, with 2,4-dinitro-phenylhydrazine (Treiber) 38(1972)171

17-Oxosteroids and 17-oxogenic steroids, the major urinary, rapid quantitative gas-chromatographic fractionation of (Trafford, Makin) 40(1972)421

17-Oxosteroids and 17-oxogenic steroids, the routine measurement of, using gas-liquid chromatography (Crook) 40(1972)43

Oxygen-dissociation curves, a new method for the rapid determination of, in small blood samples by spectrophotometric titration (Kiesouw, Bless, Nelson, Shelton) 41(1972)123

6-Oxygenated cortisol, determination in evaluating liver function (Chamberlain) 34(1971)269

Oxytocinase (aminopeptidase), origin of activity in serum during pregnancy (Göpffarth, Abraham) 36(1972)303

Oxytocinase isoenzymes, separation of L-cystinyl-di-β-naphthylamine hydrolase, by acrylamide gel electrophoresis of human pregnancy sera (Kleiner, Brout-Yager) 40(1972)177

P

P_{O_2} measurements using the Clark electrode, factors affecting the precision and accuracy of (Isherwood, Isherwood, Annan) 42(1972)295

Packed columns, versus capillary columns in gas chromatography (Cramers, Rijks) 34(1971)159

Pancreatic disease, hepatobiliary, change of serum γ-glutamyl transpeptidase level and isoenzyme pattern in (Miyazaki, Okumura) 40(1972)193

Pancreatic juice, normal human, albumin, IgG and IgA (Clemente, Ribeiro, Figarella, Sarles) 33(1971)317

Pancreatitis patients, acute, serum and urine containing α-amylase for hydrolysis of a water insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463

Paper electrophoresis, lipoprotein X simulating paraproteinemia in (May, Donabedian) 38(1972)255

Parahydroxyphenylacetic acid and creatinine in man, the effect of diet upon the excretion of (Tocci, Phillips, Sager) 40(1972)449

Paraproteinemia, biological study of 559 cases (Dugue, Rousselet, Kahn, Girard) 33(1971)75

Paraproteinemia, lipoprotein X simulating, in paper electrophoresis (May, Donabedian) 38(1972)255

Paraquat (1,1′-dimethyl-4,4′-bipyridylium cation), determination in urine (Berry, Grove) 34(1971)5

Parkinsonian patients, plasma, a method for the determination of dopa and 3-*O*-methyldopa (Curzon, Kantamaneni, Trigwell) 37(1972)335

Parkinsonism, dopa in CSF, treatment with oral L-dopa (Sharpless, McCann) 31(1971)155

Parkinsonism, dopa and metabolites, urine and plasma (Spiegel, Christian) 31(1971)143

Parkinsonism, urinary excretion studies on tyrosine metabolism (Szpunar, Ericsson, McCann) 35(1971)199

Parkinson's disease patients, 3-*O*-methyldopa in the plasma during oral L-dopa therapy (Sharpless, Muenter, Tyce, Owen) 37(1972)359

Pathochemistry of copper, in vitiligo (Genov, Bozhkov, Zlatkov) 37(1972)207

Pattern recognition, steroid spectra and quantitative analysis (Van Kampen, Anker) 34(1971)241

Pellagrins, plasma "cortisol" levels (Krishnaswamy) 34(1971)415

Pentose-containing foods, effects of ingested: rates of urinary excretion of free aldopentoses and fucose by fasting, healthy adults (Bell, Talukder) 40(1972)13

Peripheral white and red cells, biochemical analysis of liver biopsy specimens, bone marrow, and serum for the diagnosis *in vivo* of Niemann–Pick disease (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15

Pepsin, kinetic study of the action of, on hemoglobin applied to gastric function (Jardillier, Renaud, Vatier, Agneray) 38(1972)187

Pepsinogen, serum, routine determinations (Lombarts, Peters) 36(1972)195

Peptidases, multiple forms, in tissue and intestinal mucosa, children with coeliac disease (Dolly, Dillon, Duffy, Fottrell) 31(1971)55

Peptide hydrolase (intestinal) activity, quantitative determination, using L-amino acid oxidase (Donlon, Fottrell) 33(1971)325

Peptides, two, distribution of, of γ-aminobutyric acid in cerebrospinal fluid and the human brain (Regemorter, Mardens, Lowenthal, Van Sande, Lavinha) 38(1972)59

Pharmacology, and toxicology; G.L.C. (Van Rossum) 34(1971)311

Phenobarbitone and primidone, an isothermal GLC determination of the plasma levels of carbamazepine, diphenylhydantoin (Toseland, Grove, Berry) 38(1972)321

Phenolic acids, gas chromatography, capillary columns (Karoum, Sandler) 32(1971)391

Phenolic acids, urinary, in tyrosinemia. Identification and quantitation by gas chromatography-mass spectrometry (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47

Phenolic alcohols, sources of contamination during a GLC-electron capture detection assay (Goodwin, Karoum, Ruthven, Sandler) 40(1972)269

Phenyl acetate esterase, release of, from liver microsomes by carbon tetrachloride (Higashino, Takahashi, Yamamura) 41(1972)313

Phenylacetic acid, the determination of urinary phenylacetylglutamine. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Phenylacetylglutamine, determination in urine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121

Phenylalanine, blood filter paper specimens, rapid determination (Levy, Baullinger, Madigan) 31(1971)447

Phenylalanine, deuterated, use for the elucidation of the phenylalanine-tyrosine metabolism (Curtius, Völlmin, Baerlocher) 37(1972)277

L-Phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in dog serum (Marcuson, Tomlinson) 42(1972)245

L-Phenylalanine metabolites, urine and faeces, cystic fibrosis, amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133

Phenylalanine and tyrosine metabolism, abnormal in patients with tyrosyluria and phenylketonuria; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Van Sprang) 34(1971)277

Phenylalanine-tyrosine metabolism, the use of deuterated phenylalanine for the elucidation (Curtius, Völlmin, Baerlocher) 37(1972)277

Phenylalanine, urinary, and urinary tyrosine metabolites, G.L.C. analysis in patients with gastrointestinal disorders (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289

Phenylketonuria, alkaptonuria and tyrosinosis, the investigation of aromatic acid using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455

Phenylketonuria, atypical, urinary 5-hydroxyindoleacetic acid (Matsuda, Sugai, Arashima, Anakura) 34(1971)491

Phenylketonuria, maternal, amniotic fluid amino acids (Emery, Farquhar, Timson) 37(1972)544

Phenylketonuria, pathogenesis of: inhibition of dopa and catecholamine synthesis in patients with phenylketonuria (Curtius, Baerlocher, Völlmin) 42(1972)233

Phenylketonuria, the source of aromatic keto-acids in tyrosinaemia and (Fellman, Buist, Kennaway, Swanson) 39(1972)243

Phenylketonuria, and tyrosyluria patients, abnormal tyrosine and phenylalanine metabolism; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Sprang) 34(1971)277

Phenylketonuric urine, phenylpyruvate and *o*-hydroxyphenylacetate (Zelniček, Sláma) 35(1971)496

Phenylpyruvate, and *o*-hydroxyphenylacetate in phenylketonuric urine (Zelniček, Sláma) 35(1971)496

Phenytoin, in body fluid estimation, in the presence of sulphonyl urea compounds (Thürkow, Wesseling, Meijer) 37(1972)509

Pheochromocytoma, human, tyrosine hydroxylase in human adrenal glands and (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417

Phosphatase, alkaline, a comparison of chyle isoenzymes of, in chyle and hypophosphatasemic sera (Inglis, Fishman, Stolbach, Warshaw, Fishman) 38(1972)67

Phosphatase, alkaline, in dog serum, L-phenylalanine inhibition as a method for measuring the intestinal component of (Marcuson, Tomlinson) 42(1972)245

Phosphatase, human placental alkaline, a new method of radioimmunoassay for (Iino, Abe, Ode, Suzuki, Sugiura) 42(1972)161

Phosphatases, in human semen (Kipping) 33(1971)379

Phosphatase, serum alkaline, activity in cattle (Healy) 33(1971)423

Phosphatase, serum alkaline, in the newborn lamb (Healy) 33(1971)437

Phosphatase, serum alkaline, in sheep (Healy) 33(1971)431

Phosphate compounds, binding with ^{51}Cr in chromium labelled red blood cells (Pawlak, Karón, Torliński, Dzieciuchowicz) 35(1971)395

Phosphofructokinase, erythrocyte, alterations in polycythemia vera (Kwiatowska, Zatoński, Baranowski) 40(1972)101

Phosphokinase, creatine, isozymes of human heart muscle and skeletal muscle (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285

Phosphokinase, serum creatine, factors affecting, levels in normal adult females (Paterson, Lawrence) 42(1972)131

Phospholipids, of cholestasis, abnormal lipoproteins of fatty acid composition (Picard, Veissiere, Voyer, Bereziat) 36(1972)247

Phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271

Phospholipids, serum, neoplastic disorders (Lee) 32(1971)25
Phospholipids, the, of the thyroid gland (Levis, Karli, Malamos) 41(1972)335
Phosphorus, direct colorimetric determination, in serum and urine (Drewes) 39(1972)81
Phosphorylase, glycogen breakdown in human lymphocytes: activities of, and α-1,4-glucosidases (Kelleter, Seiler) 42(1972)57
Photodensitometry, of mouse serum lactate dehydrogenase isoenzymes separated on polyacrylamide gel (Chambers) 35(1971)321
Photodynamic damage of the erythrocyte membrane caused by protoporphyrin in protoporphyria and in normal red blood cells (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161
Photometer for oxygen saturation, carboxyhemoglobin, and methemoglobin in capillary blood (II.) Hemoglobin pigments (Rem, Siggaard-Andersen, Nørgaard-Pedersen, Sørensen) 42(1972)101
Photometric determination of the lipolytic activity of blood serum with 1,5-diphenylcarbazide (Müller) 39(1972)89
Photometric micromethod, rapid, for serum lipase determination (Lippi, Stevanato, Guidi) 37(1972)199
Photonometric correction in the determination of urinary 17-ketosteroids (Margraaf, Wise, Ballinger) 36(1972)566
Phototungstic acid, as protein precipitant and color reagent for a one-tube serum uric acid method (Pileggi, Di Giorgio, Wybenga) 37(1972)141
o-Phthaldehyde reagent, application of serum cholesterol determination with, to the Vickers M-300 automated biochemical analysis system (Naka) 42(1972)193
Phytanic acid, and linoleic acid incorporation into plasma lipids in Refsum's disease (Laurell, Nilsén, Nordén) 36(1972)169
Picomole range, carnitine determination (Cederblad, Lindstedt) 37(1972)235
"Pigeon breeders' disease", patients, specific and non-specific precipitins in serum (Peeters, Brombacher, Maesen) 34(1971)467
Pipecolic acid, the determination of, in serum and urine (Grimble) 38(1972)113
pK_1, apparent change of carbonic acid in plasma in response to acute metabolic acidosis in normal subjects (Wills, Laite) 35(1971)514
Placenta, human, foetus liver and amniotic fluid at various stages of gestation, α-L-fucosidase and other glycosidases (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)99
Placentae, human, normal and pre-eclamptic, vitamin B_6 enzymes (Gaynor, Dempsey) 37(1972)411
Placental alkaline phosphatase, human, a new method of radioimmunoassay for (Iino, Abe, Oda, Suzuki, Sugiura) 42(1972)161
Placental transfer and metabolism of oral and parental iron chelates (Bagley, Zapolski, Rubin, Princiotti) 35(1971)311
Placental-type alkaline phosphatase from human tumour tissue (Jacoby, Bagshawe) 35(1971)473
Plasma acid hydrolases, influence of age and sex on (Eriksson, Ginsburg, Hultberg, Öckerman) 40(1972)181
Plasma albumin, estimation by B.C.G. dye binding on the Technicon SMA 12/60 analyser and a comparison with the HABA dye binding technique (Leonard, Persaud, Motwani) 35(1971)409
Plasma amino acid abnormalities in chronic renal failure (Robins, Milewczyk, Booth, Mallick) 42(1972)215
Plasma amino acids, quantitative changes in, in patients with renal disease (McGale, Pickford, Aber) 38(1972)395
Plasma, amino acids, paper chromatography, simple (Saini) 31(1971)479
Plasma, binding of testosterone in male subjects with chronic renal failure (Gupta, Bundschu) 36(1972)479
Plasma, blood, oligopeptides in, of healthy humans and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)319
Plasma, blood, serum, human, containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453
Plasma, and breath, rapid determination of acetone (Trotter, Sulway, Trotter) 35(1971)137
Plasma, carbohydrates, clinically important, thin-layer chromatography (Szustkiewicz, Demetrion) 32(1971)355
Plasma, carbonic acid, apparent change in pK_1 in response to acute metabolic acidosis in normal subjects (Wills, Laite) 35(1971)514
Plasma corticosteroid, determination, and urinary control by a competitive protein-binding method using dextran-coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179

Plasma, "cortisol" levels in pellagrins (Krishnaswamy) 34(1971)415
Plasma, cortisol, a note on the fluorometric determination (Verjee) 33(1971)268
Plasma, estimation of Br^- in, with a Br^- selective electrode (Degenhart, Abeln, Bevaart, Baks) 38(1972)217
Plasma, enzyme level changes in sheep infected with *Clostridium novyi*, type B (Pemberton, Matson, Claus, Macheak) 34(1971)431
Plasma, diazepam in, cathode-ray polarography (Berry) 32(1971)235
Plasma, dopa and metabolites, Parkinsonian patients (Spiegel, Christian) 31(1971)143
Plasma flavin levels of patients receiving long-term hemodialysis (Ito, Niwa, Matsui, Ohishi, Yagi) 39(1972)125
Plasma fractionation, augmentation of the hexose monophosphate shunt in leukemic lymphocytes (Brody, Merlie) 34(1971)437
Plasma, free fatty acids, in male population, epidemiological study in metabolic diseases (Claude, Eschewege, Rosselin, Richard, Warnet) 32(1971)229
Plasma, free fatty acid, specific determination (Regouw, Cornelissen, Helder, Spijkers, Weeber) 31(1971)187
Plasma, fucose and sialic acid concentrations, oral glucose tolerance tests, normal and diabetes mellitus (Howard, Kelleher) 31(1971)75
Plasma glucose, the determination of, in a diabetic clinic (Morrison, Scotland, Fleck) 39(1972)301
Plasma glycerol, the estimation of, using a reaction rate analyser (Stein, Horn) 39(1972)293
Plasma glycosaminoglycans measurement, an extension of the method (Neri, Di Ferrante, Hrgovcic) 35(1971)359
Plasma growth hormone determinations, reproducibility of, between different laboratories (Copinschi, Wolter, Brauman) 38(1972)207
Plasma haemoglobin levels, a sensitive method for automated estimation of (Clauvel de Mendonca, Appel, Pernollet, Schwartz) 39(1972)149
Plasma, human, determination of dehydroepiandrosterone sulfate by competitive protein binding (Hampl, Stárka) 34(1971)77
Plasma, human, determination of LSD following oral administration (Upshall, Wailling) 36(1972)67
Plasma, human female, a method for the assay of testosterone and androstenedione in, by competitive protein binding (André, James) 40(1972)325
Plasma, human, ganglioside concentration (Dacremont) 37(1972)449
Plasma, human, interference of proteins with immunoassays of angiotensin I and II (Page, Dessaulles, Lagg, Haber) 34(1971)55
Plasma, human, isolation and crystallization of α_1-foetoprotein (Lehmann, Lehmann, Martini) 33(1971)197
Plasma inorganic iodine by ultrafiltration, a chemical determination of (Postmes, Coenegracht) 38(1972)313
Plasma, ionised calcium determination, a routine method and its application to the study of congenital heart disease in children (Putman) 37(1972)33
Plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and primidone, an isothermal GLC determination of the (Toseland, Grove, Berry) 38(1972)321
Plasma level of other amino acids, the effect of an intravenous histidine load on the (Hamblin, Holton) 42(1972)37
Plasma levels in patients with rheumatoid arthritis, apparently abnormal. Cortisol 21-acetate (Margraf, Wise, Ballinger) 39(1972)247
Plasma lipids, incorporation of phytanic and linoleic acid in Refsum's disease (Laurell, Nilsén, Nordén) 36(1972)169
Plasma lipolytic activity, post-heparin, semi-automatic determination of. Clinical studies (Jaillard, Sezille, Fruchart, Scherpereel) 38(1972)277
Plasma lipoproteins, iodinating, comparison of methods for (Sundaram, Sodhi, Bhathagar) 39(1972)115
Plasma, low-density lipoproteins, familial hyper-β-lipoproteinemia (Pinon, Laudat) 32(1971)131
Plasma, male, testosterone, simple fluorimetric estimation (Eechaute, Demeester, Leusen) 32(1971)297
Plasma, the measurement of arginine (Bacchus, London) 33(1971)481
Plasma membrane fraction, from the proximal tubules of human kidney, isolation and characterization (Mondorf, Kinne, Scherberich, Falkenberg) 37(1972)25
Plasma, metabolism of dopa, parkinsonism, effect of a decarboxylase inhibitor (Geisbühler, Constantinidis, Eisenring, Krassoievitch, Yanniotis, Tissot) 33(1971)111
Plasma, 3-methoxytyrosine, Dopa metabolite (Fellman, Joyce, Strandholm) 32(1971)313

Plasma, 3-*O*-methyldopa during oral L-dopa therapy of patients with Parkinson's disease (Sharpless, Muenter, Tyce, Owen) 37(1972)359
Plasma, non-protein-bound hydroxyproline, in renal bone disease (Bishop, Smith) 33(1971)401
Plasma, of Parkinsonian patients, a method for the determination of dopa and 3-*O*-methyldopa (Curzon, Kantamaneni, Trigwell) 37(1972)335
Plasma, preparation technique, influence on the amount of recovered B_{12}-binding proteins (Gullberg) 33(1971)173
Plasma progesterone, the assay of, in women by a simple competitive protein binding method using guinea-pig serum (Swain) 39(1972)455
Plasma progesterone, rapid competitive protein-binding assay (Demetriou, Austin) 33(1971)13
Plasma proteins, quantitation of low concentrations using RID (Simmons) 35(1971)53
Plasma, quantitative determination of human fibrinogen following carbamylation by Laurell electrophoresis in antibody containing gel (Nielsen, Weeke) 35(1971)281
Plasma, quantitative and qualitative variations in non-esterified fatty acids, when an overdose of lipids is administered by oral route in normal man (Sezille, Scherpereel, Fruchart, Biserte) 35(1971)109
Plasma, a rapid procedure for the isolation of drugs and drug metabolites (Horning, Boucher, Stafford, Horning) 37(1972)381
Plasma, a semi-mechanized method for the fluorometric determination of serotonin (Hardeman, Den Uyl, Prins) 37(1972)71
Plasma, or serum, a rapid method for the quantitative analysis of short-chain fatty acids (Kurtz, Levy, Blotkin, Kishimoto) 34(1971)463
Plasma and serum triglycerides, determination of, with a fully automated method (Björkstén) 40(1972)143
Plasma, serum, and whole blood of patients with epilepsy, rapid quantitative determination of diphenylhydantoin (Bock, Sherwin) 34(1971)97
Plasma, testosterone, radioimmunoassay (Dufau, Catt, Tsuruhara, Ryan) 37(1972)109
Plasma, a thirty-minute determination of sedatives in, by gas-liquid chromatography (Watson, Kalman) 38(1972)33
Plasma triglycerides, determination (Chin, Abd El-Meguid, Blankenhorn) 31(1971)381
Plasma tyrosine concentrations, determination by a fluorometric method (Scott) 35(1971)17
Plasma, ultrafiltrable and ionized calcium, a simple and rapid method for the measurement (Rose) 37(1972)343
Plasma and urine, analysis of, for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound: 4,4'-diformamidodiphenylsulfone (DFD) (Vogh, Garg, Sonntag, Maren) 40(1972)431
Plasma, urine and faeces, thin-layer chromatographic screening tests for carbohydrate anomalies in (Kraffczyk, Helger, Bremer) 42(1972)303
Plasma viscosity, investigations on the interaction of fibrinogen, globulin and albumin on (Leonhardt, Bungert) 42(1972)181
Plasminogen activator, and α-N-acetylglycyl-lysine methylester hydrolase in urine. Method of determination and some considerations (Rybák, Blazková) 33(1971)241
Platelet alkaline phosphatase, characterization in normal subjects and in trisomy Down's syndrome patients (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 35(1971)165
Platelets, human blood, a low molecular weight antiplasmin of (Ganguly) 39(1972)466
Platelets, a semi-mechanized method for the fluorometric determination of serotonin (Hardeman, Den Uyl, Prins) 37(1972)71
Polarimetry, urine, flow-through device (Helbing, Duifs) 31(1971)492
Polarographic determination of glucose, studies of conditions for the, with glucose oxidase (Jemmali, Rodríguez-Kábana) 42(1972)153
Polarography, diazepam in plasma (Berry) 32(1971)235
Polyacrylamide gel electrophoresis in clinical chemistry: problems of standardization and performance (Maurer, Allen) 40(1972)359
Polyacrylamide gel electrophoresis, for separation of α_1-antitrypsin and orosomucoid (Barbosa, Doe, Seal) 37(1972)105
Polyacrylamide gel, serum alkaline phosphatase electrophoretic patterns. With particular reference to the effects of butanol extraction (Walker, Pollard) 34(1971)19
Polyacrylamide gel slabs, separation of tissue and serum creatine kinase isoenzymes on (Smith) 39(1972)351

Polycythemia vera, erythrocyte phosphofructokinase alterations in (Kwiatowska, Zatoński, Baranowski) 40(1972)101
Polyol oxidoreductase, activity in human blood serum during acute hepatitis (Pitkänan, Servo) 33(1971)273
Polyol pattern, the serum, and the urinary polyol excretion in diabetic and in uremic patients (Pitkänen) 38(1972)221
Polypeptide chains, myeloma, specific and unspecific recombination (Wetter) 36(1972)284
Polypeptide hormones, micro-electrolytic iodination for radio-immunoassay (Donabedian, Seligson) 36(1972)517
Pompe's disease. The electrophoretic pattern and activities of acid- and neutral maltase of cultivated fibroblasts and amniotic fluid cells from controls and patients with the variant of glycogen storage disease Type II (Koster, Slee, Hülsmann, Niermeijer) 40(1972)294
(Pompe's disease), glycogen storage disease type II, choice of leukocyte preparation in the diagnosis (Wyss, Koster, Hülsmann) 35(1971)277
Population screening, well, patterns of change for various biochemical constituents detected in (Wilding, Rollason, Robinson) 41(1972)375
Porphyrins, urine, a new precise and sensitive method for the assay of, using combined thin-layer chromatography and spectrophotofluorimetric analysis (Pinelli, Gaspari) 39(1972)135
Porter-Silber reaction, does chlorpromazine interfere with it? (Ellman) 35(1971)79
Post-hypoxic polycythemic mice assay, a modification. A sensitive bio-assay for the determination of erythropoietin (Wagemaker, Van Eijk, Leijnse) 36(1972)357
Potassium, sodium and calcium, in erythrocytes in sickle-cell anemia (Statius van Eps, Schouten, Slooff, Van Delden) 33(1971)477
Potassium, sodium, magnesium, lithium, a : method for the determination of concentrations in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499
Potentiometric determination of serum ionized calcium in a normal human population (Lindgärde) 40(1972)477
Prealbumin, proteins in serum (Krzalíc, Mihailović) 33(1971)91
Precursors of melanin in the blood and urine in malignant melanoma (Hinterberger, Freedman, Bartholomew) 39(1972)395
Precipitates, identification of, in centripetal-radial immunodiffusion (Groc, Pissavy) 42(1972)423
Precipitins, specific and non-specific in the serum of patients suffering from "pigeon breeders' disease" (Peeters, Brombacher, Maesen) 34(1971)467
Pregnancy, an automated method for the assay of serum cystine aminopeptidase in (Chapman, Rege, Jowett, Silk, Tooth) 38(1972)339
Pregnancy, the effect on serum levels of creatine kinase (King, Spikesman, Emery) 36(1972)267
Pregnancy, a quick and accurate pregnanediol determination in urine during, by semi-automated gas-liquid chromatography (Anker, Van Kampen) 42(1972)335
Pregnancy, late, jaundice, acid–base balance (Wójcicka, Roszkowski, Wichrzycki, Frydrychowska) 32(1971)109
Pregnancy, late, a rapid semi-automated method for the determination of urinary oestriol by gas-liquid chromatography (Smith, Stitch) 36(1972)439
Pregnancy, a mechanic system for the gel filtration of urinary oestrogens during (Breebaart, Smorenburg, Haan) 38(1972)263
Pregnancy, oestriol, urine, gas chromatography (Sanghvi, Taddeini, Nagarajan, Wight) 31(1971)255
Pregnancy, oestriol, urine, simple determination (Rosenthal, Yaseen) 31(1971)171
Pregnancy, oestrogens in urine, automated analysis (Campbell, Gardner) 32(1971)153
Pregnancy, origin of serum aminopeptidase activity (Göpffarth, Abraham) 36(1972)303
Pregnancy, pyridoxal phosphate and folic acid concentration in blood and erythrocyte aspartate aminotransferase activity during (Hamfelt, Tuvemo) 41(1972)287
Pregnancy, sera, human, separation of L-cystinyl-di-β-naphthylamine hydrolase ('oxytocinase') isoenzymes by acrylamide gel electrophoresis of (Kleiner, Brouet-Yager) 40(1972)177
Pregnancy urine, oestrogen determination in (Crowley, Garbien, Rosser) 38(1972)91
Pregnancy, urine, phenolic steroid ring Dα-ketols, conjugation (Tan, Anuman-Rajadhon, Hobkirk) 31(1971)387
Pregnancy urine, a rapid colorimetric method for oestriol assay in (Rahman) 39(1972)287
Pregnancy urine, a simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in (Alink) 39(1972)449

Pregnanediol determination, a quick and accurate, in urine during pregnancy by semi-automated gas-liquid chromatography (Anker, Van Kampen) 42(1972)335
Pregnanediol, a simple semi-automated gas-chromatographic method for determining, and oestriol simultaneously in pregnancy urine (Alink) 39(1972)449
Pregnanediol, urinary, the use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of (Rogers, Chamberlain) 39(1972)439
Pregnanediol in urine, rapid and specific method for the evaluation of (Adessi, Goutte, Lallier, Jayle) 40(1972)399
Pregnanesteroids, and progesterone, an evaluation of the contribution of G.L.C. techniques for the estimation (Klopper) 34(1971)215
Premature infants, cystathionuria in (Przyrembel, Bremer) 41(1972)95
Primidone, an isothermal GLC determination of the plasma levels of carbamazepine, diphenylhydantoin, phenobarbitone and (Toseland, Grove, Berry) 38(1972)321
Procedure, rapid, for the isolation of drugs and drug metabolites from plasma (Horning, Boucher, Stafford, Horning) 37(1972)381
Progesterone, plasma, the assay of, in women by a simple competitive protein binding method using guinea-pig serum (Swain) 39(1972)455
Progesterone, plasma, rapid competitive protein-binding assay (Demetriou, Austin) 33(1971)13
Progesterone and pregnanesteroids, an evaluation of the contribution of G.L.C. technique for the estimation (Klopper) 34(1971)215
Properdin level, estimation in normal adult human and in bilharziasis (Khafagy) 36(1972)287
Prostatic fluid, disc electrophoresis. Relative mobility and molecular weight of some enzymes and proteins (Atanasov, Gikov) 36(1972)213
Protease-inhibiting capacity, serum, normal and pathological, α_1-antitrypsin and α_2-macroglobulin content (Miesch, Bieth, Metais) 31(1971)231
Protein-binding assay, the competitive, of thyroxine in serum with ion exchange strips, a systematic investigation on (Van Oers, Gijzen) 38(1972)365
Protein binding, competitive, measurement of thyroxine by (Seligson, Seligson) 38(1972)199
Protein binding, of iodotyrosines, Sephadex filtration of serum iodocompounds (Bismuth, Castay, Lissitzky) 35(1971)285
Protein biosynthesis, uterine and hepatic, in estrogen-treated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 42(1972)225
Protein, and carbohydrate moiety of glycoproteins, gas-chromatographic analysis in red cell membrane (Metz, Ebert, Weicker) 34(1971)31
Protein, competitive binding, determination of dehydroepiandrosterone sulfate in human plasma (Hampl, Stárka) 34(1971)77
Protein(s), of CSF, electro-immunodiffusion, determination of α_2-HS, ceruloplasmin, β_1A/β_1B, hemopexin and IgA (Schuller, Allinquant, Garcia, Lefèvre, Moreno, Tompe) 33(1971)5
Proteins, and enzymes, relative mobility and molecular weight, by disc electrophoresis of prostatic fluid (Atanasov, Gikov) 36(1972)213
Proteins, glycogen and lipids, determination in hepatic needle biopsy (Brixová, Dzúrikova) 36(1972)543
Proteins, a highly sensitive method for demonstrating, in electrophoretic, immunoelectrophoretic and immunodiffusion preparations (Kerényl, Gallyas) 38(1972)465
Proteins, in human plasma, interfering with immunoassays of angiotensin I and II (Page, Dessaulles, Lagg, Haber) 34(1971)55
Protein metabolism, following surgical stress. Pre- and postoperative (^{75}Se)methionine incorporation in serum and albumin (Toader, Acalovschi, Szantay) 37(1972)189
Protein moiety identification, abnormal serum lipoproteins in cholestasis (Picard, Veissiere, Voyer) 37(1972)483
γ-Protein, a non-immunoglobulin, of human serum present in increased amounts in patients with severe burns (Gerrard, Kohn, Turner) 40(1972)243
Protein precipitant, and color reagent, phototungstic acid used for a one-tube serum uric acid method (Pileggi, Di Giorgio, Wybenga) 37(1972)141
Proteins, recovered vitamin B_{12}-binding, influence of plasma preparation technique (Gullberg) 33(1971)173
Protein(s), separations, cellulose acetate electrophoresis (Miller, Newton, Thorburn Burns) 31(1971)427

Protein(s), serum, cholic acid and taurine conjugates binding (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207
Proteins, serum, molecular size determination, exclusion gel electrophoresis (Felgenhauer) 32(1971)53
Proteins, serum, present in edema fluids (Bogdanowski, Grabowski) 36(1972)351
Protein standardization, some divergent results of (Booij) 38(1972)355
Protein standardization, in sweat, pilocarpine-induced, micro-isoelectric focusing (Jirka, Blanicky) 31(1971)329
Proteins, trichloroacetic acid-precipitated, some characteristics and their effects on biochemical assay (Fielding, Ryall) 33(1971)235
Proteins, unknown, the occurrence in the urine of an apparently healthy subject (Lebreton, Martin, Leroy, Dordain, Ropartz, Poortmans) 33(1971)101
Protein, urine, serum and CSF, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321
Protein in urine, simple and rapid method for quantitative determination (Hemmingsen) 36(1972)185
Proteinuria, rapid differentiation of glomerular and tubular, by sodium dodecyl sulfate polyacrylamide gel electrophoresis (Pesce, Boreisha, Polak) 40(1972)27
Proteolytic activity, serum bound with α_2-macroglobulin, reduced thrombin in clotting blood (Szczeklik) 31(1971)205
Proteolytic enzymes, specificity of inhibitors lacking in alpha, antitrypsin deficiency and hereditary angio edema toward human (Colman, Mitchell) 39(1972)5
Protoporphyrin, metabolic aspects of the photodynamic effect in protoporphyria and in normal red blood cells (Schothorst, Van Steveninck, Went, Suurmond) 33(1971)207
Protoporphyrin in protoporphyria and in normal red blood cells, photodynamic damage of the erythrocyte membrane caused by (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161
Proximal tubules, of human kidney, isolation and characterization of a plasma membrane fraction (Mondorf, Kinne, Scherberich, Falkenberg) 37(1972)25
Pseudocholinesterase, serum, effect of L-asparaginase therapy upon, and ceruloplasmin levels in patients with acute leukemia (Cucuianu, Bornuz, Macavei) 38(1972)97
Pulmonary A-V differences of lipids and free fatty acids in relation to fasting and to high fat meals (Condorelli, Lombardi, Gusmano, Pisano) 38(1972)141
Purine nucleoside phosphorylase activity of human erythrocytes in iron deficiency anaemia (Ramachandran, Iyner) 40(1972)281
Pyridine nucleotide metabolism, in stored human erythrocytes (Omachi, Scott, Ford) 37(1972)351
Pyridoxal phosphate and folic acid concentration in blood and erythrocyte aspartate aminotransferase activity during pregnancy (Hamfelt, Tuvemo) 41(1972)287
Pyroglobulin in IgM-L, properties (Tichý, Hrncir, Hrkal) 36(1972)363
Pyroglutamic aciduria: studies on the enzymic block and on the metabolic origin of pyroglutamic acid (Eldjarn, Jellum, Stokke) 40(1972)461
Pyrophosphatase activity, inorganic, in human sera with elevated alkaline orthophosphatase activity (Hørder) 42(1972)373
Pyrrolidonecarboxylyl peptidase activity in normal intestinal biopsies and those from coeliac patients (Woodley) 42(1972)211
Pyruvate, acetoacetate, β-hydroxybutyrate, and lactate, an enzymatic fluorimetric micromethod for the determination (Olsen) 33(1971)293
Pyruvate kinase activity in blood cells, the assay of (Tanphaichitr, Van Eys) 41(1972)41
Pyruvate kinase, deficiency of, in red cells (Buc, Najman, Columelli, Cattier) 38(1972)131
Pyruvate kinase, in cultivated amniotic fluid cells (Koster, Staal, Niermeyer) 36(1972)572
Pyruvicemia, glycemia and lactacidemia, a new method for the automated simultaneous and continuous determination (Guisard, Gonand, Debry) 36(1972)281

Q

Quality control data, the application of standard deviation calculated from successive duplicates to (Payne) 42(1972)263
Quality control, of the determination of cholesterol and triglyceride with bovine blood serum as a substitute for human serum (Moinuddin, Witter, Quist) 37(1972)123
Quality control, internal, action limits (Lewis, Dixon) 35(1971)21
Quantitation, and detection of amphetamine in urine, by a routine method (Setchell, Cooper) 35(1971)67
Quantitation of human α_1-foetoprotein, purification and sensitive immuno-electrophoretical detection and (Norgaard-Pedersen) 38(1972)163
Quantitation of plasma proteins in low concentrations using RID (Simmons) 35(1971)53
Quantitation, of serum creatine kinase iso-enzymes (Somer, Konttinen) 36(1972)531
Quantitation of serum lipoproteins, clinical application of an indirect method (Berenson, Srinivasan, Lopez-S., Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175
Quantitative analysis of hydroquinone in urine (Seutter, Sutorius) 38(1972)231
Quantitative analysis, a rapid method, of short-chain fatty acids in serum or plasma (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463
Quantitative analysis, steroid spectra and pattern recognition (Van Kampen, Anker) 34(1971)241
Quantitative changes in plasma amino acids in patients with renal disease (McGale, Pickford, Aber) 38(1972)395
Quantitative determination, a method for the, of the abnormal lipoprotein (LP-X) of obstructive jaundice (Magnani, Alaupović) 38(1972)405
Quantitative determination, of protein in urine, a simple and rapid method (Hemmingsen) 36(1972)185
Quantitative estimation, of urinary 3-methoxy-4-hydroxy phenylacetic acid (homovanillic acid) (Kahane, Vestergaard) 35(1971)49
Quantitative studies on arylsulfatase A activity in human urine, on patients with lysosomal disorders including metachromatic leukodystrophy (Thomas, Howell) 36(1972)99
Quantitative thin-layer chromatography of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147
Quaternary structure of human thrombin (Chulkova, Orekhovich) 34(1971)493

R

Radial immunodiffusion, accuracy of quantitative immunoglobulin assays by simple (Grabner, Bergner, Sailer, Berg) 39(1972)59

Radial immunodiffusion, simple, quantitative determination of urinary proteins (Keler-Bacoka) 35(1971)363

Radiochemical, assays for *p*-hydroxyphenyl-pyruvate hydroxylase activity in human liver (Lindblad) 34(1971)113

Radiochromatographic assay, a – methylmalonyl CoA mutase (Goodey, Gompertz) 42(1972)119

Radiofibril assay, collagenase, a reproducible quantitative (Robertson, Taylor, Fullmer) 42(1972)43

Radiogas chromatographic analysis, of sulfo-conjugates of C-21-corticosteroids-metabolites in human urine (Takeda, Noto, Murakami) 36(1972)163

Radioimmunoassay, digoxin: Sephadex separation of free from antibody-bound digoxin (Bundgaard Christiansen, Damkjaer Nielsen) 42(1972)125

Radioimmunoassay, a, of human TSH, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions (Sluiter, Van Kersen, Van Zanten, Beekhuis, Doorenbos) 42(1972)255

Radioimmunoassay, improved, for calcitonin using ^{125}I-labelled calcitonin purified by gel filtration (Habener, Deltoss, Potts, Jr.) 39(1972)407

Radioimmunoassay, measurement of angiotensin II in blood by (Cain, Coghlan, Catt) 39(1972)24

Radio-immunoassay, micro-electrolytic iodination of polypeptide hormones (Donabedian, Seligson) 36(1972)517

Radioimmunoassay, a new method of, for human placental alkaline phosphatase (Iino, Abe, Oda, Suzuki, Sugiura) 42(1972)161

Radioimmunoassay, of plasma testosterone (Dufau, Catt, Tsuruhara, Ryan) 37(1972)109

Radioimmunological and biological determination of plasma renin activity, comparison between (Sassard, Vincent) 41(1972)321

Radio-isotope data evaluation in steroid assays based on competitive protein binding (Leclerq, Täljedal, Wold) 36(1972)254

Radio-isotope dilution for systematic investigation on the assay of vitamin B_{12} (Brombacher, Gijzen, Soons) 36(1972)389

Radioisotope method, a, for catechol-*O*-methyl transferase in blood (Griffiths, Linklater) 39(1972)383

Radioisotopic method for the determination of protocatechic acid in urine (Comoy, Bohuon) 36(1972)207

Radiometric assay, copper binding in biological fluids (Gollan, Davis, Deller) 31(1971)197

Radiotherapy, effect on γ-glutamyl trans-peptidase and lactic dehydrogenase activity in cancer of the uterine cervix (Wieczorek) 37(1972)203

Rapid determination of thyroxine-binding-globulin in human serum by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 36(1972)133

Reaction rate analysis at 340 nm, alkaline phosphatase (Stevens, Thomas) 37(1972)541

Reaction rate analyser, the estimation of plasma glycerol using (Stein, Horn) 39(1972)293

Reaction Rate Analyser, LKB 8600, creatine assay in the presence of protein with (Larsen) 38(1972)477

Red blood cells, chromium labelled, binding of ^{51}Cr with phosphate compounds (Pawlak, Karón, Torliński, Dzieciuchowicz) 35(1971)395

Red blood cells, photodynamic damage of the erythrocyte membrane caused by proto-porphyrin in protoporphyria and in normal (Schothorst, Van Steveninck, Went, Suurmond) 39(1972)161

Red cell acetylcholinesterase deficiency in auto-immune hemolytic anemia and in paroxysmal nocturnal hemoglobinuria (Herz, Kaplan, Scheye) 38(1972)301

Red cells, deficiency of pyruvate kinase in (Buc, Najman, Columelli, Cattier) 38(1972)131

Red cell glutamic oxalacetic transaminase activity, in epileptic children under antiepileptic treatment (Reinken, Hohenhauer, Ziegler) 36(1972)270

Red cells, LDH activity of, in chronic renal failure (Melissinos, Drivas, Vlassopoulos) 40(1972)165

Red cell membrane, gas-chromatographic analysis of the protein and carbohydrate moiety of glycoproteins (Metz, Ebert, Weicker) 34(1971)31
Reduced nicotinamide adenine dinucleotide-coupled reaction for emergency blood urea estimation (Hallett, Cook) 35(1971)33
Refsum's disease, plasma lipids, incorporation of phytanic and linoleic acid (Laurell, Nilsén, Nordén) 36(1972)169
Regan isoenzyme, an automated technique for segregating populations with a high incidence in serum (Anstiss, Green, Fishman) 33(1971)279
Regan isoenzyme (placental type alkaline phosphatase) rapid electrophoretic microzone membrane technique using a fluorogenic substrate (Inglis, Guzek, Kirley, Green, Fishman) 33(1971)287
Regression analysis, of serum protein levels (Phillips, Blackmore) 36(1972)251
Renal acid excretion in patients with hypogammaglobulinemia (Matsuda, Shida, Takekoshi, Fukushima) 42(1972)241
Renal calculi, hyperinsulinuria in patients with renal disease (Ching, Karam, Choy, Kolb, Grodsky, Forsham) 40(1972)383
Renal disease, acute or chronic, erythrocyte membrane ATPase (Francavilla, Albano, Mastrangelo, Coratelli, Palasciano, Amerio) 37(1972)298
Renal disease, alanine aminopeptidase in urine (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213
Renal disease, fibrinolytic activity (Ito, Niwa, Matsui) 36(1972)145
Renal disease, quantitative changes in plasma amino acids in patients with (McGale, Pickford, Aber) 38(1972)395
Renal excretion, enhancement of, of zinc by hydrochlorothiazide (Pak, Ruskin, Diller) 39(1972)511
Renal failure, chronic, LDH activity of red cells in (Melissinos, Drivas, Vlassopoulos) 40(1972)165
Renal failure, clinical and experimental studies of acid phosphatase (Kobayashi, Nishimoto, Shimizu) 35(1971)173
Renal tubular acidosis, incomplete, in sickle cell disease (Goossens, Statius van Eps, Schouten, Giterson) 41(1972)149
Renin activity, plasma, comparison between radioimmunological and biological determination of (Sassard, Vincent) 41(1972)321
Resin-catalysed hydrolysis, routine assay of total urinary hydroxyproline based on (Goverde, Veenkamp) 41(1972)29
Rh antigenic properties, on the isolation of materials with, from the human erythrocyte membrane (Jackson, Rittenberg, Seaman) 39(1972)463
Rh antigenicity and chemical properties investigated with the Schulz Dale test of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59
Rheumatoid arthritis, LDH in synovial tissue (Lindy, Uitto, Turto, Rokkanen, Vaionio) 31(1971)19
Rheumatoid arthritis, monoclonal IgG-L gammapathy in the synovial fluid in (Hrnčíř, Tichý, Vaňásek) 40(1972)237
Rheumatoid arthritis, origin of synovial fluid dehydrogenase (Lindy, Turto, Uitto, Vainio) 35(1971)377
RID for quantitation of plasma proteins in low concentrations (Simmons) 35(1971)53
RNA, serum-induced inhibition of enzymes which synthesize, or utilize RNA as a substrate (Sheid, Chin, Nelson) 39(1972)477
Routine determinations, of serum pepsinogen (Lombarts, Peters) 36(1972)195
Routine method, for the detection and quantitation of amphetamine in urine (Setchell, Cooper) 35(1971)67
Routine method, for determining plasma ionised calcium and its application to the study of congenital heart disease in children (Putman) 37(1972)33
Rubella virus non-specific haemagglutination inhibitor: evidence for the role of glycolipid bound to low density (β) lipoprotein (Shortridge, Biddle, Pepper) 42(1972)285
Rubinstein Taybi's syndrome, three cases, abnormal levels of aspartic acid, serine, and cystine in the plasma (Sabater, Ferre, Antich) 36(1972)279

S

Sample preservation, on filter paper, determination of creatinine (Heredia del Portal, Lavin Palmieri, Thielmann) 34(1971)487

Sandhoff's disease, mucopolysaccharide storage in organs of a patient with (Applegarth, Bozoian) 39(1972)269

Sarcoidosis, urinary and serum hydroxyproline, clinical significance (Uitto, Tani, Pihko) 32(1971)265

Schizophrenia, chronic, acetic and benzoic acid in urine (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181

Schizophrenia, metabolism, monomethylated metabolites of 3,4-dihydroxybenzoic acid in urine (Price) 32(1971)419

Schultz Dale test, for the chemical properties and the investigation of Rh antigenicity of an isolated membrane protein with a low molecular weight derived from the human erythrocytes (Weicker, Kropp, Metz, Ritthaler, Ebert) 37(1972)59

Scleroderma, generalised, skin collagen solubility (Uitto, Øhlenschläger, Lorenzen) 31(1971)13

Screening tests, and chromatography, for the detection of inborn errors of metabolism (Stuber) 36(1972)309

Screening test, new, for serum creatine phosphokinase (Paterson) 34(1971)373

Seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity in relation to temperature and dehydroepiandrosterone excretion (Hilgertová, Straková, Vrbová, Gregorová, Sonka, Josífko) 36(1972)511

Secretor status, ABO blood groups and fat ingestion influence, on serum alkaline phosphatase (Walker, Eze, Tweedie, Price Evans) 35(1971)433

Sedatives, a thirty-minute determination of, in plasma by gas-liquid chromatography (Watson, Kalman) 38(1972)33

Sedimentation velocity techniques, comparison with dodecylsulfate-polyacrylamidegel electrophoresis of serum (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574

Semen, abnormal human, protein and isozyme components in normal and (Walkar, Master) 39(1972)433

Semen, human, phosphatases (Kipping) 33(1971)379

Semi-automated method, rapid, for the determination of urinary oestriol in late pregnancy by gas-liquid chromatography (Smith, Stitch) 36(1972)439

Semiautomatic method, for the estimation of ionic calcium activity and concentration in biological solutions (Cham) 37(1972)5

Semi-mechanized method, for the fluorometric determination of 5-hydroxytryptamine (serotonin) in blood plasma and platelets (Hardeman, Den Uyl, Prins) 37(1972)71

Sephadex filtration of serum iodocompounds and protein-binding of iodotyrosines (Bismuth, Castay, Lissitzky) 35(1971)285

Sephadex separation of free from antibody-bound digoxin: digoxin radioimmunoassay (Bundgaard Christiansen, Damkjaer Nielsen) 42(1972)125

Sequential thin layer chromatography of urinary acidic glycosaminoglycans (Humbel, Chamoles) 40(1972)290

Sera, human, inorganic pyrophosphatase activity in, with elevated alkaline orthophosphatase activity (Hørder) 42(1972)373

Serotonin (5-hydroxytryptamine), a semi-mechanized method for the fluorometric determination in blood plasma and platelets (Hardeman, Den Uyl, Prins) 37(1972)71

Serum albumin estimation, modification of the bromcresol green method (McPherson, Everard) 37(1972)117

Serum albumin, pre- and postoperative (^{75}Se)-methionine incorporation (Toader, Acalovschi, Szantay) 37(1972)189

Serum alkaline phosphatase in bone and liver diseases, heat stability of (Tan, Chio, Lim) 41(1972)329

Serum alkaline phosphatase isoenzyme patterns in disease (Skillen, Fifield, Sheraidah) 40(1972)21

Serum, alkaline phosphatase mechanised determinations, standardization (Horn) 37(1972)43

Serum alkaline phosphatase, and 5'-nucleotidase activities in patients with hepatobiliary disease (Belfield) 37(1972)525

Serum, aminopeptidase (oxytocinase), origin of activity during pregnancy (Göpffarth, Abraham) 36(1972)303

Serum antioxidative activity, relationship to tocopherol and serum inhibitor of lipid peroxidation (Vidláková, Erazímová, Horký, Placer) 36(1972)61
Serine, aspartic acid, cystine, abnormal levels in the plasma in 3 cases of Rubinstein Taybi's syndrome (Sabater, Ferre, Antich) 36(1972)279
Serum, albumin, neonatal jaundice, determination (Howorth) 32(1971)271
Serum, albumin measurement, bromcresol green, standards (Doumas, Watson, Biggs) 31(1971)87
Serum, aldolase isoenzymes, neuromuscular disease (Tsetanova) 31(1971)283
Serum, alkaline phosphatase activity in cattle (Healy) 33(1971)423
Serum, alkaline phosphatase, assay, phenylalanine and related compounds on (Presant, Wiernik, Serpick) 32(1971)465
Serum, alkaline phosphate, improved autoanalyser technique for the determination (Price, Woodman) 35(1971)265
Serum alkaline phosphatase, influence of ABO blood groups, secretor status and fat ingestion (Walker, Eze, Tweedie, Price Evans) 35(1971)433
Serum alkaline phosphatase in the newborn lamb (Healy) 33(1971)437
Serum alkaline phosphatase and 5'-nucleotidase levels, hepatobiliary disease (Phelan, Neale, Moss) 32(1971)95
Serum, alkaline phosphatase, observations on electrophoretic patterns on polyacrylamide gel. With particular reference to the effects of butanol extraction (Walker, Pollard) 34(1971)19
Serum, alkaline phosphatase in sheep (Healy) 33(1971)431
Serum, amylase assay in, using dyed amylopectine (Voorhorst, De Kloep) 39(1972)391
Serum, amylase, chromogenic assay (Dalal, Winsten) 32(1971)327
Serum α_1-antitrypsin, human, isolation and demonstration of electrophoretic and immunologic heterogeneity (Myerowitz, Handzel, Robbins) 39(1972)307
Serum α_1-antitrypsin levels during the ovarian cycle (Kueppers, Brackertz, Czygan) 39(1972)131
Serum arylesterase, a new and simple procedure for (Burlina, Miconi, Galpigna) 39(1972)255
Serum, an automated technique for segregating populations with a high incidence of Regan isoenzyme (Anstiss, Green, Fishman) 33(1971)279
Serum, bilirubin, diazotized *p*-iodoaniline (Van Roy, Meuwissen, De Meuter, Heirwegh) 31(1971)109
Serum, biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells and, for the diagnosis *in vivo* of Niemann–Pick disease (Giardini, Cardi, Castro, Donfrancesco) 42(1972)15
Serum, blood, lipolytic activity of, with 1,5-diphenyl carbazide, photometric determination of the (Müller) 39(1972)89
Serum, blood, plasma, human, containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified medium (Ceska) 36(1972)453
Serum, bound with α_2-macroglobulin, proteolytic activity, reduced thrombin in clotting blood (Szczeklik) 31(1971)205
Serum calcium, albumin as an aid to the interpretation (Orrell) 35(1971)483
Serum, calcium, ionized, improved calcium electrode (Hansen, Theodorsen) 31(1971)119
Serum calcium, ionized, specific ion electrode (Schwartz, McConville, Christopherson) 31(1971)97
Serum calcium, ultrafiltrable, and magnesium in healthy volunteers and kidney stone patients (Schwille, Ernstberger) 38(1972)379
Serum, changes in polyunsaturated fatty acids, age and arteriosclerotic vascular diseases (Müller) 32(1971)115
Serum cholesterol determination, application of, with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system (Naka) 42(1972)193
Serum cholesterol, estimation (Richardson, Setchell, Woodman) 31(1971)403
Serum cholesterol, estimation of the "normal range" by different methods (Richardson, Setchell, Woodman) 37(1972)305
Serum cholesterol determination, a modification of, by continuous flow analysis (Hunteler, Van der Slik) 42(1972)449
Serum cholesterol, removal of, in control and hyperlipidaemic subjects (Miettinen) 39(1972)480
Serum components at different degrees of saturation with iron, the binding of iron to transferrin and to other (Van der Heul, Van Eijk, Wiltink, Leijnse) 38(1972)347
Serum copper quantification, submicrogram, by spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide (Carter) 39(1972)497
Serum creatine kinase, determination, the significance of the 'dilution effect' (Holt, Knight, Kakulas) 33(1971)457

Serum creatine kinase isoenzymes, a method allowing the quantitation (Somer, Konttinen) 36(1972)531
Serum creatine kinase isoenzymes, separation of tissue and, on polyacrylamide gel slabs (Smith) 39(1972)351
Serum, creatine phosphokinase, factors affecting levels in the general population, the role of race, activity and age (Meltzer) 33(1971)165
Serum creatine phosphokinase levels, factors affecting, in normal adult females (Paterson, Lawrence) 42(1972)131
Serum, creatine phosphokinase, a new screening test (Paterson) 34(1971)373
Serum creatinine determination, without deproteinization (Bartels, Böhmer, Heierli) 37(1972)193
Serum cystine aminopeptidase in pregnancy, an automated method for the assay of (Chapman, Rege, Jowett, Silk, Tooth) 38(1972)339
Serum, determination of amylase activity in, and urine using blue starch substrate (Irie, Hunaki, Bando, Kawai) 42(1972)63
Serum, the determination of ethosuximide by gas chromatography. Preliminary results of clinical application (Solow, Green) 33(1971)87
Serum, determination of intestinal alkaline phosphatase by substrate-specific measurements (Moss) 35(1971)423
Serum, dog, L-phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in (Marcuson, Tomlinson) 42(1972)245
Serum, dog, trypsin affinity for macroglobulin and antitrypsin (Ohlsson) 32(1971)215
Serum, electrolytes, in hypertension in Nigerians (Salako) 34(1971)105
Serum, electrophoresis in dodecylsulfate–polyacrylamide gel and its comparison with sedimentation velocity techniques (Chiga, Brewer, Lopez-Corella, Noelken) 36(1972)574
Serum enzyme, studies in acquired disease of skeletal muscle (Thomson) 35(1971)183
Serum, enzyme studies in inherited disease of skeletal muscle (Thomson) 35(1971)217
Serum esterase, hepatic disease, diagnostic value (Plomteux) 32(1971)475
Serum, and faecal lipids, effect of clofibrate (Mitchell, Murchison) 36(1972)153
Serum, (γ-)glutamyl transpeptidase, an automated method for the determination (Haesen, Berends, Zondag) 37(1972)463
Serum, (γ-)glutamyl transpeptidase in muscle disease (Rosalki, Thomson) 33(1971)264
Serum glucose-6-phosphatase assay, a modification of the (Elder, Wood) 38(1972)211
Serum, glucose-6-phosphatase, lack of diagnostic value (Belfield, Goldberg) 31(1971)81
Serum glucose phosphate isomerase, direct ultramicro dosage (Brunelle, Pesquet) 33(1971)265
Serum glutamate dehydrogenase activity, measurement by a colorimetric method (Jung) 36(1972)231
Serum glutamic-oxalacetic transaminase, an improved automated assay (Lombarts, Peters) 35(1971)257
Serum γ-glutamyl transpeptidase activity in alcoholism (Rosalki, Rau) 39(1972)41
Serum γ-glutamyl transpeptidase in relation to alcohol consumption (Rollason, Pincherle, Robinson) 39(1972)75
Serum, glycosaminoglycuronoglycan-degrading activity, the nature (Salkie) 37(1972)329
Serum glycosaminoglycuronoglycan-degrading activity, the variation with disease (Salkie, McDonald) 37(1972)323
Serum, guinea-pig, the assay of plasma progesterone in women by a simple competitive protein binding method using (Swain) 39(1972)455
Serum, haemopexin levels, malignant melanoma (Manuel, Defontaine, Bourgoin, Dargent, Sonneck) 31(1971)485
Serum of healthy and varicose subjects, determination of enzymes and degradation products of glycosaminoglycan metabolism in the (Niebes) 42(1972)399
Serum, the, heat labile alkaline phosphatase activity during pregnancy (Biswas, Hindocha) 38(1972)455
Serum hexosaminidase A test, abbreviated, from finger-tip samples: Tay-Sachs disease (Cotlier) 38(1972)233
Serum, human blood, evidence for the existence of mammalian acetoacetate decarboxylase with special reference to (Van Stekelenburg, Koorevaar) 39(1972)191
Serum, human blood, a method for determination of chlorpromazine in (Christoph, Schmidt, Davis) 38(1972)265
Serum, human, blood, polyol oxidoreductase activity during acute hepatitis (Pitkänen, Servo) 33(1971)273

Serum, human, cobalt-activated acylase. Occurrence in hepatobiliary disease (Szewczuk, Szczeklik) 33(1971)309
Serum, human, methods for the estimation of ergocalciferol and dihydrotachysterol$_2$ in (Evans) 42(1972)343
Serum, human, high density lipoproteins, disc-electrophoresis patterns (Utermann) 36(1972)521
Serum, human, rapid determination of thyroxine-binding-globulin by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 36(1972)133
Serum, human, trehalase in some hepatic diseases (Demelier, Massari, Courtois, Labat) 35(1971)335
Serum, hydroxyproline, clinical significance in sarcoidosis (Uitto, Tani, Pihko) 32(1971)265
Serum IgD levels and infections in Down's syndrome (Rundle, Clothier, Sudell) 35(1971)389
Serum, imidazoles, histidinaemia, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215
Serum, immunochemical examination and analytical isoelectric focussing of, of a patient with Tangier disease (Kostner, Holasek, Schoenborn, Fuhrman) 38(1972)155
Serum immunoglobulins, human, measurements of concentrations (Rowe et al.) 36(1972)276
Serum immunoglobulins, in hyatid disease (Seitanidis, Angelopoulos) 31(1971)311
Serum immunoglobulin levels in healthy children with current infectious diseases (Manuel, Carmonada Motta) 38(1972)250
Serum immunoglobulin levels in white patients with sickle cell disease (Seitanidis, Mihas, Angelopoulos) 37(1972)531
Serum-induced inhibition of enzymes which synthesize RNA or utilize RNA as a substrate (Sheid, Chin, Nelson) 39(1972)477
Serum, iodine, hormonal, active charcoal adsorbent for exogenous iodine compounds (Ködding, Krüskemper) 31(1971)271
Serum iodocompounds, sephadex filtration and protein-binding of iodotyrosines (Bismuth, Castay, Lissitzky) 35(1971)285
Serum with ion exchange strips, a systematic investigation on the competitive protein-binding assay of thyroxine in (Van Oers, Gijzen) 38(1972)365
Serum iron, determination, and unsaturated iron-binding capacity (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)89
Serum iron, and iron-binding capacity, simultaneous automated determination (Friedman, Cheek) 31(1971)315
Serum iron, urine, automated determination (Werkman, Trijbels, Van Munster, Schretlen, Moerkerk) 31(1971)395
Serum iron, the validation of biochemical assays by recovery data (Ryall, Fielding) 33(1971)229
Serum lactate dehydrogenase, spectrophotometry, semicarbazide in reaction medium (Sharma, Datta) 32(1971)134
Serum latent iron-binding capacity, an automated determination by continuous flow analysis without dialysis (Hünteler, Van der Slik, Persijn) 37(1972)391
Serum LDH in hemodialysis (Ringoir, Wieme) 42(1972)315
Serum lecithin, simple scanning method for quantitative estimation (Stott) 37(1972)535
Serum levels of creatine kinase, the effect of pregnancy (King, Spikesman, Emery) 36(1972)267
Serum lipase determination, by a rapid photometric micromethod (Lippi, Stevanato, Guidi) 37(1972)199
Serum lipase, new method for the rapid and precise determination of (Fruchart, Sezille, Jaillard, Biserte) 38(1972)247
Serum lipid screening and typing of hyper-lipaemias with special reference to cases with normal to moderately elevated total lipids (Ter Welle and Willebrands) 39(1972)183
Serum lipids, in three hypothyroid subjects, a comparison of the effect of clofibrate and thyroxine (Mitchell) 35(1971)429
Serum lipoproteins, abnormal, in cholestasis, identification of the protein moiety (Picard, Veissiere, Voyer) 37(1972)483
Serum lipoproteins, clinical application of an indirect method for the quantitation (Berenson, Srinivasan, Radhakrishnamurthy, Pargaonkar, Deupree) 36(1972)175
Serum lipoproteins, subtle abnormalities in normals, turbidimetric and electrophoretic methods (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123
Serum, liver carcinoma, primary, gel electrophoresis (Nishioka, Hironaga, Fujita) 31(1971)439
Serum low density lipoproteins in healthy men, variation in composition of (Mills, Chong, Taylaur) 42(1972)273

Serum low density lipoproteins, triglycerides and cholesterol levels in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85
Serum, macroamylasemic, electrophoretic characteristics (Davis, Berk, Take, Fridhandler) 35(1971)305
Serum, macroamylasemic, ultracentrifugal characteristics (Ueda, Berk, Fridhandler, Davis) 35(1971)299
Serum macromolecules, lysis of *Micrococcus lysodeikticus* cells by lysozyme (Harrison, Swingler) 31(1971)149
Serum magnesium levels in depression, a sex difference in mean (Herzberg, Bold) 39(1972)229
Serum malate dehydrogenase isoenzymes as indicators of severe cellular injury (Smith) 35(1971)502
Serum, neonatal, lipoprotein and lipid composition (Wille, Phillips) 34(1971)457
Serum, normal, acid glycosaminoglycan-degrading activity (Salkie) 31(1971)300
Serum, 5'-nucleotidase activity in, automated determination of (Joncquiert, Nyssen, Plumet, Dorche) 42(1972)361
Serum OCT-activity, a simple method for preserving (Romslö) 36(1972)264
Serum ornithine carbamyl transferase, comparison of colorimetric method for (Buttery, Baron) 38(1972)242
Serum, ornithine carbamyl transferase, semi-automated method 32(1971)451
Serum, oxytocinase, late pregnancy, kinetic determination (Oudheusden) 32(1971)140
Serum, of patients suffering from "pigeon breeders' disease", specific and non-specific precipitins (Peeters, Brombacher, Maesen) 34(1971)467
Serum pepsinogen, routine determinations (Lombarts, Peters) 36(1972)195
Serum, or plasma, a rapid method for the quantitative analysis of short-chain fatty acids (Kurtz, Levy, Plotkin, Kishimoto) 34(1971)463
Serum, plasma and whole blood of patients with epilepsy, rapid quantitative determination of diphenylhydantoin (Bock, Sherwin) 34(1971)97
Serum, phospholipids, neoplastic disorders (Lee) 32(1971)25
Serum polyol pattern, the, and the urinary polyol excretion in diabetic and in uremic patients (Pitkänen) 38(1972)221
Serum prealbumin proteins (Kržalíc, Mihailović) 33(1971)91
Serum, problems in the measurement of iron binding capacity (Williams, Conrad) 37(1972)131
Serum, protease-inhibiting capacity, α_1-antitrypsin and α_2-macroglobulin content (Miesch, Bieth, Metais) 31(1971)231
Serum proteins, the behaviour of tracer gallium-67 towards (Gunasekera, King, Lavender) 39(1972)401
Serum proteins, cholic acid and taurine conjugates, binding (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207
Serum proteins, gradient polyacrylamide gel electrophoresis, identification (Wright, Farrell, Roberts) 32(1971)285
Serum protein levels, regression analysis (Phillips, Blackmore) 36(1972)251
Serum proteins, molecular size determination, exclusion gel electrophoresis (Felgenhauer) 32(1971)53
Serum proteins, quantitative immuno-electrophoresis of, in cryptogenic cirrhosis, alcoholic cirrhosis and active chronic hepatitis (Murray-Lyon, Minchin Clarke, McPherson, Williams) 39(1972)215
Serum proteins, present in edema fluids (Bogdanowski, Grabowski) 36(1972)351
Serum protein, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321
Serum, rat, lipoproteins, *in vivo* incorporation of dietary (^{14}C)cholesterol and transfers in connective tissue (Jacotot, Monnier, Beaumont) 33(1971)95
Serum samples, after thawing and after reconstitution from the lyophilized state, alkaline phosphatase activity changes (Brojer, Moss) 35(1971)511
Serum of senescent persons, decrease of tri-iodothyronine in (Brunelle, Bohoun) 42(1972)201
Serum, specific glycoproteins, quantitation in malignancy (Snyder, Ashwell) 34(1971)449
Serum thyroxine after infusion of TRH (Van Kersen, Doorenbos, Waringa, Woldring) 38(1972)239
Serum, tissue and urine, modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine (Beaven, Jacobsen, Horáková) 37(1972)91
Serum, total lipids, estimation of (Woodman, Price) 38(1972)39
Serum, transferrin, preparation (Frénoy, Goussault, Bourrillon) 32(1971)243
Serum triglycerides, determination (Chin, Abd El-Meguid, Blankenhorn) 31(1971)381

Serum, triiodothyronine determination (Row, McConnon, Volpé) 31(1971)471
Serum, urea and electrolyte values determination with the autoanalyzer. Frequency distribution of errors (Annan, Broughton, Jolliff) 34(1971)481
Serum, uric acid, direct colorimetric determination, uricase–catalase system (Kageyama) 31(1971)421
Serum uric acid method, one-tube, using phototungstic acid as protein precipitant and color reagent (Pileggi, Di Giorgio, Wybenga) 37(1972)141
Serum, and urinary glycopeptides and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431
Serum and urine, the determination of pipecolic acid in (Grimble) 38(1972)113
Serum and urine, direct colorimetric determination of phosphorus in (Drewes) 39(1972)81
Serum, urine and faeces, spectrophotometric determination of copper in (Beyer) 38(1972)119
Serum, and urine, ninhydrin-positive substances, in patients with chronic uraemia (Adam, Dzúrik, Valovicová) 36(1972)241
Serum, and urine of patients suffering from acute pancreatitis containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463
Serum, valine, alanine, glycine, rapid automated chromatography (Grimble, Whitehead) 31(1971)355
Serum, vitamin B_{12} assay, systematic investigation by radioisotope dilution (Brombacher, Gijzen, Soons) 36(1972)389
Serum, vitamin B_{12} levels and chlorpromazine (Voogd, Van den Burg) 37(1972)533
Sex, age, fasting and surgery, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433
Sheep, infected with *Clostridium novyi*, type B, changes in plasma enzyme levels (Pemberton, Matson, Claus, Macheak) 34(1971)431
Sialic acid, plasma, oral glucose tolerance test in normals and diabetes mellitus (Howard, Kelleher) 31(1971)75
Sialuria, associated with *N*-acetylglucosaminuria and *N*-acetylmannosaminuria (Strecker, Montreuil) 33(1971)253
Sickle cell crisis, and acid-base balance (Ringelhahn, Kotoney-Ahulu) 34(1971)63
Sickle cell disease, incomplete renal tubular acidosis in (Goossens, Statius van Eps, Schouten, Giterson) 41(1972)149
Sickle cell disease, in white patients, serum immunoglobulin levels (Seitanidis, Mihas, Angelopoulos) 37(1972)531
Sickling hemoglobins, a mechanized screening procedure for (Matusik, Powell, Gregory) 39(1972)15
Simple scanning method, for quantitative estimation of serum lecithin (Stott) 37(1972)535
Simultaneous evaluation, of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271
Single linear immunodiffusion, the quantification of an acid stable esterase in human gastric juice (Rapp) 36(1972)5
Skeletal muscle acquired disease, serum enzyme studies (Thomson) 35(1971)183
Skeletal muscle, creatine phosphokinase isozymes of human heart muscle and (Takahashi, Ushikubo, Oimomi, Shinko) 38(1972)285
Skeletal muscle, inherited disease, serum enzyme studies (Thomson) 35(1971)217
Skin, activities of some acid hydrolases in patients with cystic fibrosis of the pancreas (Wilson) 36(1972)113
Skin collagen, solubility, normals and in scleroderma (Uitto, Øhlenschläger, Lorenzen) 31(1971)13
Skin, glycosaminoglycans of patients with cystic fibrosis of the pancreas (Wilson) 36(1972)189
SMA 12/60, an early warning clot detector for the (Melley, Little, Rothfield) 40(1972)273
SML profiling and ultracentrifugation, normal values, comparison with: a study of serum lipoprotein electrophoresis on cellogel (Berends, De Jong, Zondag) 41(1972)187
Sodium, potassium and calcium in erythrocytes in sickle-cell anemia (Statius van Eps, Schouten, Slooff, Van Delden) 33(1971)477
Sodium, potassium, magnesium, and lithium, a method for the determinations of concentrations in erythrocytes (Frazer, Secunda, Mendels) 36(1972)499
Solid sampler, with single sample leading for gas chromatography (Evans) 37(1972)289
Sorbitol, and mannitol in human urine (Ingram, Applegarth, Sturrock, Whyte) 35(1971)523
Spark source mass spectrometry, survey analysis of trace elements in human fingernails (Harrison, Clemena) 36(1972)485

Spectrometry, atomic absorption, urinary excretion of amino acids determined by (Bousquet, Bouvier, Dreux) 42(1972)327
Spectrometry, gas chromatography–mass, identification of methaqualone metabolites from urine extract by (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309
Spectrophotofluorimetric analysis, combined thin-layer chromatography and, a new precise and sensitive method for the assay of urine porphyrins using (Pinelli, Gaspari) 39(1972)135
Spectrophotometric determination of copper in serum, urine and faeces (Beyer) 38(1972)119
Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood (I.) Hemoglobin pigments (Siggaard-Andersen, Nørgaard-Pedersen, Rem) 42(1972)85
Spectrophotometric lactic dehydrogenase assay, a rapid ultraviolet (Marinek) 40(1972)91
Spectrophotometric methods, original, revised and optimum comparison of aminotransferase activities (Ellis, Goldberg) 35(1971)241
Spectrophotometric micromethod, for the determination of beta-hydroxybutyrate (Chandrasekaran, Glover, Lord) 37(1972)371
Spectrophotometric standardization, of enzyme assays (Martinek, Jacobs, Hammer) 36(1972)75
Spectrophotometric titration, a new method for the rapid determination of oxygen-dissociation curves in small blood samples by (Kiesouw, Bless, Nelson, Shelton) 41(1972)123
Spectrophotometry, ammonia determination, inhibition of indophenol reaction (O'Donovan) 32(1971)59
Spectrophotometry, atomic absorption, analysis of stable strontium in biological materials by (Warren, Spencer) 38(1972)435
Spectrophotometry, atomic absorption, copper in urine (Spector, Glusman, Jatlow, Seligson) 31(1971)5
Spectrophotometry, atomic absorption, determination of gold in body fluids by (Balazs, Pole, Masarei) 40(1972)213
Spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide, submicrogram serum copper quantification by (Carter) 39(1972)497
Spectrophotometry, serum lactate dehydrogenase, semicarbazide in reaction medium (Sharma, Datta) 32(1971)134
Spectroscopy, atomic absorption, trace elements in human fingernails (Harrison, Tyree) 31(1971)63
St_1-anti-st_1 : a new human autoimmune system (Roelcke) 38(1972)468
Standard deviation, the application of, calculated from successive duplicates to quality control data (Payne) 42(1972)263
Standardization, of enzyme assays, spectrophotometric (Martinek, Jacobs, Hammer) 36(1972)75
Standardization, of mechanised serum alkaline phosphatase determinations (Horn) 37(1972)43
Steroid analyser, the use of the, in conjunction with a semi-automatic gas chromatograph in the routine analysis of urinary pregnanediol (Rogers, Chamberlain) 39(1972)439
Steroid analysis, some aspects in the clinical chemical laboratory with special reference to the role of gas-liquid chromatography (Van der Molen, De Jong, Cooke) 34(1971)169
Steroid, G.L.C. methods in diagnostic clinical chemistry (James) 34(1971)272
Steroid hormones in adults, excretion of. Steroids in urine from adults (Eriksson, Gustafsson) 41(1972)79
Steroids, neutral, artifact formation during incubation of, with commercial β-glucuronidase preparations (Manson, Nocke-Fink, Gustafsson, Shackleton) 38(1972)45
Steroids, 17-oxo and 17-oxogenic, gas–liquid chromatography, adrenocortical dysfunction (Makin, Trafford) 32(1971)299
Steroid 11-oxygenation index, gas–liquid chromatography (Qazi, Hill, Thompson) 31(1971)435
Steroid spectra, pattern recognition and quantitative analysis (Van Kampen, Anker) 34(1971)241
Steroids, urinary, high resolution gas chromatography on glass capillary columns (Völlmin) 34(1971)207
Steroids, urinary, profiling. A reliable procedure (Calseyde, Scholtis, Schmidt, Leijten) 38(1972)103
Steroid, urinary, variation in profiles after birth (Horning, Hung, Hill, Horning) 34(1971)261
Stone-formers, and normal persons, the distribution of urinary calcium excretions (Robertson, Morgan) 37(1972)503

Strontium, analysis of stable, in biological materials by atomic absorption spectrophotometry (Warren, Spencer) 38(1972)435
Submicrogram serum copper quantification by spectrophotometry with bis(1-piperidylthiocarbonyl) disulfide (Carter) 39(1972)497
Substrates, artificial, in the assay of acid glycosidases (Hultberg, Öckerman) 39(1972)49
Substrate-specificity measurements for determination of intestinal alkaline phosphatase (Moss) 35(1971)413
Subunit H, hereditary deficiency in lactate dehydrogenase (Kitamura, Iijima, Hashimoto, Hiratsuka) 34(1971)419
Sucrose, formation in the human and animal organism (Gorodezki, Mikhailoff, Rosenfeld) 34(1971)67
Sulfate, inorganic, determination by isotope dilution technique (Shackelford, Frattali, Van Reen) 34(1971)13
Sulfoconjugates of C-21-corticosteroid metabolites in human urine, radiogas chromatographic analysis (Takeda, Noto, Murakami) 36(1972)163
Sulphonyl urea compounds presence, the estimation of phenytoin in body fluids (Thürkow, Wesseling, Meijer) 37(1972)509
Sulphonylureas, two, effect on glucose determinations by enzymic methods (Sharp, Riley, Cook, Pink) 36(1972)93
Surgery, age, sex, fasting, effects on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactosamine in rat urine (Maury, Huttunen) 37(1972)433
Surgical stress, protein metabolism. Pre- and post-operative (^{75}Se)methionine incorporation in serum and albumin (Toader, Acalovschi, Szantay) 37(1972)189
Sweat, proteins, micro-isoelectric focusing (Jirka, Blanicky) 31(1971)329
Synovial fluid, normal, and rheumatoid, chondroitin sulphate (Seppälä, Kärkkäinen, Lehtonen, Mäkisara) 36(1972)549
Synovial fluid, origin of LDH in rheumatoid arthritis (Lindy, Turto, Uitto, Vainio) 35(1971)377
Synovial fluid, the, in rheumatoid arthritis, monoclonal IgG-L gammapathy in (Hrnčíř, Tichý, Vaňásek) 40(1972)237
Synovial fluid, rheumatoid, and normal, chondroitin sulphate (Seppälä, Kärkkäinen, Lektonen, Mäkisara) 36(1972)549
Synovial tissue, LDH, rheumatoid arthritis (Lindy, Uitto, Turto, Rokkanen, Vainio) 31(1971)19

T

Tangier disease, immunochemical examination and analytical isoelectric focussing of serum of a patient with (Kostner, Holasek, Schoenborn, Fuhrman) 38(1972)155
Taurine conjugates of cholic acid, binding to serum proteins (Burke, Lewis, Panveliwalla, Tabaqchali) 32(1971)207
Taurine excretion, and the influence of drugs (Rylance, Myhal) 35(1971)159
Tay-Sachs disease: abbreviated serum hexosaminidase A test from finger-tip samples (Cotlier) 38(1972)233
Technicon SMA 12/60 analyser, B.C.G. dye binding for the estimation of plasma albumin and a comparison with the HABA dye binding technique (Leonard, Persaud, Motwani) 35(1971)409
Temperature, and dehydroepiandrosterone excretion, relation with seasonal variations of human erythrocyte glucose-6-phosphate dehydrogenase activity (Hilgertová, Straková, Vrbová, Gregorová, Šonka, Josífko) 36(1972)511
Test molecules, dextrans, in studies of the functional ultrastructure of biological membranes. Molecular weight distribution analysis by gel chromatography (Arturson, Granath) 37(1972)309
Testes, human, lactate dehydrogenase in (McKee, Longstaff, Latner) 39(1972)221
Testosterone, and its binding in the plasma of male subjects with chronic renal failure (Gupta, Bundschu) 36(1972)479
Testosterone, and epitestosterone, urinary excretion in men, women and children, in health and disease (Pal) 33(1971)215
Testosterone, male plasma, simple fluorimetric estimation (Eechaute, Demeester, Leusen) 32(1971)297
Testosterone, a method for the assay of, and androstenedione in human female plasma by competitive protein binding (André, James) 40(1972)325
Testosterone, plasma, radioimmunoassay (Dufau, Catt, Tsuruhara, Ryan) 37(1972)109
Tetracyanoethylene, the reaction of vitamin D (calciferol) with. The basis of a possible chemical method to estimate vitamin D (Evans) 38(1972)85
Tetracycline assay, simplified (Wilson, Lever, Brosnan, Stillwell) 36(1972)260
Therapeutic dosages of drugs, detection method in human urine, using adsorption column chromatography and thin-layer chromatography (Hetland, Knowlton, Couri) 36(1972)473
Thin layer chromatograms, recovery of labeled cholesterol and cholesterol esters from (Lacko, Rutenberg, Soloff) 39(1972)506
Thin-layer chromatographic screening tests for carbohydrate anomalies in plasma, urine and faeces (Kraffczyk, Helger, Bremer) 42(1972)303
Thin-layer chromatography, and adsorption column chromatography for a method for the detection of drugs at therapeutic dosages in human urine (Hetland, Knowlton, Couri) 36(1972)473
Thin layer chromatography, analysis of urinary 5-hydroxyindoleacetic acid by: elimination of interference by glyceryl guaiacolate (McGregor, Phillips, Romsdahl) 40(1972)59
Thin-layer chromatography, combined with fluorometry, for the determination of norepinephrine, epinephrine and dopamine in human urine (Takahashi, Gjessing) 36(1972)369
Thin layer chromatography, and densitometry, for simultaneous evaluation of phospholipids, free fatty acids, free cholesterol, triglycerides and esterified cholesterol (Gasbarro) 37(1972)271
Thin-layer chromatography, quantitative, of glycolipids in animal tissues (Neskovic, Sarlieve, Nussbaum, Kostic, Mandel) 38(1972)147
Thin layer chromatography, separation of bilirubin and its conjugates (Thompson, Hofmann) 35(1971)517
Thin layer chromatography, separation of chenodeoxycholic and deoxycholic acids (Sundaram, Singh, Sodhi) 34(1971)425
Thin layer chromatography, sequential, of urinary acidic glycosaminglycans (Humbel, Chamoles) 40(1972)290

Thin-layer chromatography and spectrophotofluorimetric analysis, a new precise and sensitive method for the assay of urine porphyrins using combined (Pinelli, Gaspari) 39(1972)135
Thin-layer chromatography, two-dimensional, on cellulose, densitometric determination of catecholamine metabolites and 5-hydroxyindoleacetic acid (Breebaart, Haan, Wadman) 37(1972)157
Thin-layer chromatography, used in a comprehensive scheme for the evaluation of anticonvulsant concentration in blood (Gardner-Thorpe, Parsonage, Toothill) 35(1971)39
Thin layer chromatographic screening test, for amino acid anomalies in urine without desalting using internal standard (Kraffczyk, Helger, Lang, Bremer) 35(1971)345
Thin-layer electrophoresis, and fluorometry, for the determination of 3-hydroxyanthranilic acid in human urine (Toseland, Michelin, Price) 37(1972)477
Thin-layer gas chromatography, combined for the analysis of fatty acid-containing stool fractions (Matthys, Christophe, Verdonk) 36(1972)341
Thin layer and gas-liquid chromatographic determination of morphine in biologic specimens (Wallace, Biggs, Blum) 36(1972)85
Thin-layer isoelectric focusing for haemoglobin screening and its application to haemoglobin malmö (Jeppson, Berglund) 40(1972)153
Thrombin, human, quaternary structure (Chulkova, Orekhovich) 34(1971)493
Thrombin, reduced formation in clotting blood, proteolytic activity of serum bound with α_2-macroglobulin (Szczeklik) 31(1971)205
Thyroglobulin of normal and diseased thyroid glands, iodoamino acid composition of the. Comparison with *in vitro* iodinated thyroglobulin (Rolland, Montfort, Valenta, Lissitzky) 39(1972)95
Thyroid dysfunction, heat production by leucocytes and thrombocytes, flow microcalorimeter (Levin) 32(1971)87
Thyroid glands, iodoamino acid composition of the thyroglobulin of normal and diseased. Comparison with *in vitro* iodinated thyroglobulin (Rolland, Montfort, Valenta, Lissitzky) 39(1972)95
Thyroid gland, the phospholipids of the (Levis, Karli, Malamos) 41(1972)335
Thyroid hormones, estimation by G.L.C. (Docter, Henneman) 34(1971)297
Thyroid hormones, iodine determination (Kreutzer) 37(1972)519
Thyrotoxicosis, the excretion of imidazoles following histidine loading (Harell, Neufeld, Kisch, Chayen) 35(1971)245
Thyroxine-binding-globulin, rapid determination in human serum by means of the Laurell rocket immunoelectrophoresis (Nielsen, Buus, Weeke) 36(1972)133
Thyroxine, comparison of the effect with clofibrate on serum lipids in three hypothyroid subjects (Mitchell) 35(1971)429
Thyroxine, measurement of, by competitive protein binding (Seligson, Seligson) 38(1972)199
Thyroxine, serum, after infusion of TRH (Van Kersen, Doorenbos, Waringa, Woldring) 38(1972)239
Thyroxine in serum with ion exchange strips, a systematic investigation on the competitive protein-binding assay of (Van Oers, Gijzen) 38(1972)365
Tiglylglycine identification, in the urine of a child with β-methylcrotonylglycinuria (Gompertz, Draffan) 37(1972)405
Tissue, human, creatine phosphokinase isoenzymes, with special reference to brain extract (Madsen) 36(1972)17
Tissue, serum and urine, modification of the enzymatic isotopic assay of histamine and its application to measurement of histamine (Beaven, Jacobsen, Horáková) 37(1972)91
Titration, spectrophotometric, a new method for the rapid determination of oxygen-dissociation curves in small blood samples by (Kiesouw, Bless, Nelson, Shelton) 41(1972)123
Tocopherol, and serum inhibitor, of lipid peroxidation, relationship of serum antioxidative activity (Vidláková, Erazímova, Horký, Placer) 36(1972)61
o-Toluidine-acetic acid reagent, aqueous, for a simple automated determination of glucose in body fluids (Winckers, Jacobs) 34(1971)401
Total activity and isoenzyme composition of lactate dehydrogenase in human skin, assay (Uitto, Turto, Lindy) 36(1972)43
Total iron, binding capacity, a modified method for the determination (Van der Wal) 36(1972)570
Toxicology, and pharmacology; G.L.C. (Van Rossum) 34(1971)311
Trace elements, in fingernails, atomic absorption spectroscopy (Harrison, Tyree) 31(1971)63

Trace elements, survey analysis in human fingernails by spark source mass spectrometry (Harrison, Clemena) 36(1972)485
Tranquillizers, determination by G.L.C. in biological fluids (Van der Kleijn, Beelen, Frederick) 34(1971)345
Transcobalamine, foetal, isolation (Hayem-Levy, Carlier-Vanneuveville, Vandewalle, Havez) 35(1971)151
Transcortin, biosynthesis of (Oziol, Guidollet, Louisot) 39(1972)143
Transferrin, the binding of iron to, and to other serum components at different degrees of saturation with iron (Van der Heul, Van Eijk, Wiltink, Leijnse) 38(1972)347
Transferrin, in CSF (Blijenberg, Van Eijk, Leijnse) 31(1971)277
Transferrin, normal urine, determination (Tavenier, Raaijmaker, Van Eijk, Leijnse) 32(1971)63
Transferrin, serum, preparation (Frénoy, Goussault, Bourrillon) 32(1971)243
Transketolase, determination of activity in blood (Hoffmann, Knapp, Rietz, Milner) 33(1971)415
Transketolase, NADH-dependent, assay in erythrocyte hemolysates (Smeets, Muller, De Wael) 33(1971)407
Transplants, kidney, discontinuous microdisc-electrophoresis for quantitative albumin determination in urine of patients with (Weise, Bockhorn) 42(1972)391
Trehalase, human serum, in some hepatic diseases (Demelier, Massari, Courtois, Labat) 35(1971)335
TRH, serum thyroxine after infusion of (Van Kersen, Doorenbos, Waringa, Woldring) 38(1972)239
Triglyceride and cholesterol, bovine blood serum as a substitute for human serum for quality control of the determination (Moinuddin, Witter, Quist) 37(1972)123
Triglycerides, low density lipoproteins and cholesterol levels in serum in Malaysia (Chong, Soh, Ho, Rajaratnam, Nonis) 34(1971)85
Triglycerides, phospholipids, free fatty acids, free cholesterol, and esterified cholesterol, simultaneous evaluation by thin-layer chromatography and densitometry (Gasbarro) 37(1972)271
Triglycerides, plasma and serum, determination of, with a fully automated method (Björkstén) 40(1972)143
Triglycerides, serum and plasma, determination (Chin, Abd El-Meguid, Blankenhorn) 31(1971)381
Triiodothyronine, chemical determination in blood serum (Schreiber, Ortner, Spitzy) 36(1972)379
Tri-iodothyronine in serum of senescent persons, decrease of (Brunelle, Bohoun) 42(1972)201
Trisomy 21 Down's syndrome patients, characterization of platelet alkaline phosphatase and in normal subjects (Tangheroni, Cao, Lungarotti, Coppa, De Virgiliis, Furbetta) 35(1971)165
Trypsin, affinity for α-macroglobulin fractions and α_1-antitrypsin, dog serum (Ohlsson) 32(1971)215
Tryptophan in children, the effect of burns on the metabolism of (Barlow, Wilkinson) 41(1972)169
Tryptophan metabolism in early and advanced breast cancer and carcinoma of the cervix (Rose, Randell) 40(1972)276
Tryptophan metabolism in Hodgkin's disease, the influence of simultaneous administration of vitamin B_6 and nicotinamide on (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258
Tryptophan metabolism, liver disease (Hirayama) 32(1971)191
Tryptophan metabolism and recurrence rates after mastectomy in patients with breast cancer (Bell, Tong, Mainwaring, Hayward, Bulbrook) 42(1972)445
Tryptophan, urinary metabolites, a method for the determination (Bell, Mainwaring) 35(1971)209
TSH, a radioimmunoassay of human, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions (Sluiter, Van Kersen, Van Zanten, Beekhuis, Doorenbos) 42(1972)255
Tumour, α_1-fetoprotein in ascites, partial purification (Rapp, Lehmann) 31(1971)45
Tumour(s), neural crest, urinary Dopa determination (Türler, Käser) 32(1971)41
Tumour tissue, human, placental-type alkaline phosphatase (Jacoby, Bagshawe) 35(1971)473
Turbidimetry, serum lipoproteins, subtle abnormalities (Lopez-S., Srinivasan, Dugan, Radhakrishnamurthy, Berenson) 31(1971)123
Tyramine metabolism. A method for the quantitative extraction of radioactive tyramine and its metabolites from urine (Smith, March, Gordon) 40(1972)415
Tyramine, urinary, in man, the estimation of true (Smith, Kellow) 40(1972)353

Tyrosine aminotransferase deficiency, hepatic cytosol, the origin of urinary *p*-hydroxyphenylpyruvate in a patient with (Kennaway, Buist, Fellman) 41(1972)157
Tyrosine, blood, filter paper specimens, rapid determination (Levy, Baullinger, Madigan) 31(1971)477
Tyrosine in blood, hormonal influences on the concentration of (De Lange, Visser, Doorenbos) 42(1972)21
Tyrosine concentrations in plasma, determination by a fluorometric method (Scott) 35(1971)17
Tyrosine hydroxylase in human adrenal glands and human pheochromocytoma (Nagatsu, Mizutani, Sudo, Nagatsu) 39(1972)417
Tyrosine metabolism, urinary excretion studies in parkinsonism (Szpunar, Ericsson, McCann) 35(1971)199
Tyrosine metabolites, urine and faeces, cystic fibrosis, amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133
Tyrosine, and phenylalanine metabolism, abnormal, in patients with tyrosyluria and phenylketonuria; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Van Sprang) 34(1971)277
Tyrosine-phenylalanine metabolism, the use of deuterated phenylalanine for the elucidation (Curtius, Völlmin, Baerlocher) 37(1972)277
Tyrosine, urinary, and urinary phenylalanine metabolites, G.L.C. analysis in patients with gastrointestinal disorders (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289
Tyrosinaemia and phenylketonuria, the source of aromatic ketoacids in (Fellman, Buist, Kennaway, Swanson) 39(1972)243
Tyrosinemia, urinary phenolic acids. Identification and quantitation by gas chromatography-mass spectrometry (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47
Tyrosinosis, phenylketonuria and alkaptonuria, the investigation of aromatic acids using gas-liquid chromatography (Hill, Hoag, Zaleski) 37(1972)455
Tyrosyluria, and phenylketonuria patients, abnormal tyrosine and phenylalanine metabolism; G.L.C. analysis of urinary metabolites (Wadman, Van der Heiden, Ketting, Van Sprang) 34(1971)277

U

Ubiquinone, heart muscle, cancer (Chipperfield, Chipperfield) 31(1971)459
Ultracentrifugal characteristics, of macro-amylasemic serum (Ueda, Berk, Fridhandler, Davis) 35(1971)299
Ultrafiltrable calcium, and ionized calcium, a simple and rapid method for the measurement in plasma (Rose) 37(1972)343
Ultrafiltrable serum calcium and magnesium in healthy volunteers and kidney stone patients (Schwille, Ernstberger) 38(1972)379
Ultrafiltration, a chemical determination of plasma inorganic iodine by (Postmes, Coenegracht) 38(1972)313
Ultraviolet spectrophotometric lactic dehydrogenase assay, a rapid (Marinek) 40(1972)91
Umbilical cord blood, CPK levels (Sabater, Villalba) 36(1972)201
Unsaturated iron-binding capacity and serum iron determination (Persijn, Van der Slik, Riethorst, Timmer) 35(1971)89
Uraemia, amino acid metabolism (Condon, Asatoor) 32(1971)333
Uraemia, chronic, nail magnesium and calcium in (Lim, Tay, Tan) 42(1972)47
Uraemia, chronic patients, ninhydrin-positive substances in serum and urine (Adam, Dzúrik, Valovicová) 36(1972)241
Urea estimation, in blood, reduced NADH-coupled method for emergency (Hallett, Cook) 35(1971)33
Uric acid, crystalline, isolation of, from urine, for urate pool or turnover measurements (Johnson, Emmerson) 41(1972)389
Uric acid, excretion in infants and children (Berry, Granger) 32(1971)377
Uric acid, serum and urine, direct colorimetric determination, uricase–catalase system (Kageyama) 31(1971)421
Urinary acidic glycosaminoglycans, preparative separation of, by agar gel electrophoresis (Taniguchi) 42(1972)221
Urinary acidic glycosaminoglycans, sequential thin layer chromatography of (Humbel, Chamoles) 40(1972)290
Urinary amino acid output in children with Hurler's syndrome (Applegarth, Bozoian, Sturrock, Tischler) 39(1972)258
Urinary androgens under stimulation-suppression tests in children with gonadal dysgenesis (Gupta, Pfeiffer, Zimprich) 40(1972)205
Urinary arylsulfatases in bilharziasis (Khafagy, Shalaby) 40(1972)298
Urinary bacteria: potential source of some organic acidurias (Hansen, Perry, Lesk) 39(1972)71
Urinary calcium excretions, distribution, in normal persons and stone formers (Robertson, Morgan) 37(1972)503
Urinary excretion of amino acids determined by atomic absorption spectrometry (Bousquet, Bouvier, Dreux) 42(1972)327
Urinary excretion of dehydroepiandrosterone in normal children and in patients with adreno-cortical disorders (Pal, Teller) 38(1972)371
Urinary excretion of histidine metabolites as an indication for folic acid and vitamin B_{12} deficiency (Van Roon-Djordjevic, Cerfontain-Van Staalen) 41(1972)55
Urinary excretion, rates of, of free aldopentoses and fucose by fasting healthy adults: effects of ingested pentose-containing foods (Bell, Talukder) 40(1972)13
Urinary gastrosecretogogue substances in Zollinger–Ellison syndrome, isolation and nature of, and in pernicious anaemia (Vatier, Neuburger, Dubrasquet, Bonfils) 40(1972)391
Urinary 5-hydroxyindoleacetic acid, analysis of, by thin layer chromatography: elimination of interference by glyceryl guaiacolate (McGregor, Phillips, Romsdahl) 40(1972)59
Urinary *p*-hydroxyphenylpyruvate, the origin of, in a patient with hepatic cytosol tyrosine aminotransferase deficiency (Kennaway, Buist, Fellman) 41(1972)157
Urinary hydroxyproline analysis (Zender) 37(1972)263
Urinary hydroxyproline, routine assay of total, based on resin-catalysed hydrolysis (Goverde, Veenkamp) 41(1972)29
Urinary imidazolepropionic acid *N*-acetyl-histamine, increased, and other imidazole compounds in patients with intestinal disorders (Van der Heiden, Wadman, De Bree, Wauters) 39(1972)201
Urinary 17-ketosteroids, determination of individual, as the dansyl-hydrazones (Apter, Chayen, Gould, Harell) 42(1972)115

Urinary 3-methoxy-4-hydroxy-phenylglycol as the triacetate, gas chromatographic estimation of (Kahane, Ebbighausen, Vestergaard) 38(1972)413
Urinary methylmalonic acid, a rapid method for the analysis of (Gibbs, Itiaba, Mamer, Crawhall, Cooper) 38(1972)447
Urinary oestriol, a rapid semi-automated method for the determination in late pregnancy by gas-liquid chromatography (Smith, Stitch) 36(1972)439
Urinary oestrogens during pregnancy, a mechanic system for the gel filtration of (Breebaart, Smorenburg, Haan) 38(1972)263
Urinary 17-oxosteroids and 17-oxogenic steroids, major, rapid quantitative gas-chromatographic fractionation of the (Trafford, Makin) 40(1972)421
Urinary 17-oxosteroids and 17-oxogenic steroids, the routine measurement of, using gas-liquid chromatography (Crook) 40(1972)43
Urinary peptides and amino acids, an automated chromatographic system for the combined analysis of (Klosse, Huistra, De Bree, Wadman, Vliegenthart) 42(1972)409
Urinary polyol excretion in diabetic and in uremic patients, the serum polyol pattern and the (Pitkänen) 38(1972)221
Urinary pregnanediol determination, a method for, using gas-liquid chromatography with electron capture (Evans, Fahmy, Morgan, Perace, Cooke) 38(1972)25
Urinary pregnanediol, the use of the steroid analyser in conjunction with a semi-automatic gas chromatograph in the routine analysis of (Rogers, Chamberlain) 39(1972)439
Urinary steroids, profiling. A reliable procedure (Calseyde, Scholtis, Schmidt, Leijten) 38(1972)103
Urinary tyramine in man, the estimation of true (Smith, Kellow) 40(1972)353
Urine, acetic and benzoic acid in, chronic schizophrenia (Perry, Hansen, Diamond, Melançon, Lesk) 31(1971)181
Urine, α-*N*-acetylglycyl-lysine methylester hydrolase and plasminogen activator in urine. Method of determination and some considerations (Rybák, Blazková) 33(1971)241
Urine, acids, identification, gas chromatography and mass spectrometry (Mamer, Crawhall, Tjoa) 32(1971)171
Urine from adults, steroids in. Excretion of steroid hormones in adults (Eriksson, Gustafsson) 41(1972)79
Urine, alanine aminopeptidase in renal disease (Peters, Mampel, Schneider, Burchardt, Fukala, Ahrens, Haschen) 37(1972)213
Urine, alcohol, rapid method (Roos) 31(1971)285
Urine, amino acid anomalies, thin layer chromatographic screening test without desalting using internal standards (Krafczyk, Helger, Lang, Bremer) 35(1971)345
Urine, amino acids, thin-layer chromatography, effect of desalting (Heathcote, Davies, Haworth, Oliver) 32(1971)457
Urine, δ-aminolaevulinic acid, a new possibility for the demonstration on the basis of Mauzerall-Granick method (Berkö, Durkö) 37(1972)443
Urine, amphetamine, a routine method for the detection and quantitation (Setchell, Cooper) 35(1971)67
Urine, analysis of plasma and, for unsubstituted arylamine in the presence of metabolites and acid-labile substituents on the parent compound. 4,4′-diformamidodiphenylsulfone (DFD) (Vogh, Garg, Sonntag, Maren) 40(1972)431
Urine, apparently healthy subject, occurrence of hitherto unknown proteins (Lebreton, Martin, Leroy, Dordain, Ropartz, Poortmans) 33(1971)101
Urine, the assay of methylmalonic acid in (Dale) 41(1972)141
Urine, automated analysis of δ-aminolaevulinic acid in (Lauwerys, Delbroeck, Vens) 40(1972)443
Urine, carbohydrates, clinically important, thin-layer chromatography (Szustkiewicz, Demetriou) 32(1971)355
Urine, of a child with β-methylcrotonylglycinuria, identification of tiglylglycine (Gompertz, Draffan) 37(1972)405
Urine, copper, atomic absorption spectrophotometry (Spector, Glusman, Jatlow, Seligson) 31(1971)5
Urine, cortisol, and plasma corticosteroids, determination by a competitive protein binding method using dextran coated charcoal (Fiorelli, Piolanti, Forti, Serio) 37(1972)179
Urine, detection of fabry hemizygotes and heterozygotes by measurement of α-galactosidase in (Rietra, Tager, De Groot) 40(1972)229
Urine, determination of alanyl-peptide hydrolase (Peters, Schneider, Haschen) 36(1972)289

Urine, determination of creatinine; preservation of the sample on filter paper (Heredia del Portal, Pérez Díaz, Lavin Palmieri, Thielmann) 34(1971)487
Urine, determination of homoprotocatechic acid by a radioisotopic method (Comoy, Bohuon) 36(1972)207
Urine, the determination of nitrogen of amino compounds in, by chelates (Nýdr, Stáhlavská) 38(1972)457
Urine, determination of phenylacetylglutamine as phenylacetic acid. Studies on its origin in normal subjects and children with cystic fibrosis (Seakins) 35(1971)121
Urine, determination of 4-pyridoxic acid in, by a fluorimetric method (Micka-Dević, Tomanić) 38(1972)235
Urine, diamines in, cystinuria and cystinlysinuria (Bremer, Kohne, Endres) 32(1971)407
Urine, 3,4-dihydroxybenzoic acid, ratio of monomethylated metabolites, schizophrenic metabolism (Price) 32(1971)419
Urine disease, maple syrup, (branch-chain ketoaciduria) the gas-chromatographic diagnosis of (Gompertz, Draffan) 40(1972)5
Urine, L-Dopa, darkening (Iversen, Closs, Wad) 32(1971)137
Urine, Dopa, fluorimetric determination, diagnosis of neural crest tumours (Türler, Käser) 32(1971)41
Urine, dopa and metabolites, Parkinsonian patients (Spiegel, Christian) 31(1971)143
Urine, dopamine and homovanillic acid, acute myocardial infarction (Januszewicz, Sznajderman, Wocial, Preibisz, Popławska) 32(1971)261
Urine, excretion of acid mucopolysaccharides in kwashiorkor and vitamin A-deficient children (Mohanram, Reddy) 34(1971)93
Urine, excretion studies in parkinsonism on tyrosine metabolism (Szpunar, Ericsson, McCann) 35(1971)199
Urine extract by gas chromatography–mass spectrometry, identification of methaqualone metabolites from (Bonnichsen, Fri, Negoita, Ryhage) 40(1972)309
Urine and faeces, plasma, thin-layer chromatographic screening tests for carbohydrate anomalies in (Kraffczyk, Helger, Bremer) 42(1972)303
Urine and faeces, spectrophotometric determination of copper in serum (Beyer) 38(1972)119
Urine, a fluorimetric determination of 4-hydroxy-3-methoxyphenylglycol (Antun, Pullar, Eccleston, Sharman) 34(1971)387
Urine, gas chromatographic analysis of mono- and disaccharides in human blood and, after oral administration of disaccharides (Nakamura, Tamura) 39(1972)367
Urine glucose, blood and, gas chromatographic measurement of, and other monosaccharides (Murphy, Pennock) 42(1972)67
Urine, glycosaminoglycan, age difference in excretion pattern in normal individuals (Taniguchi) 37(1972)225
Urine haptoglobin preparation, nephrotic rats (Cloarec, Domingo, Sternberg, Marcais, Lagrue, Jayle) 33(1971)45
Urine of healthy humans, oligopeptides excreted in the, and of patients with nephrotic syndrome (Lutz, Markiewicz, Kłyszejko-Stefanowicz) 39(1972)425
Urine, human, arylsulphatase A activity: quantitative studies on patients with lysosomal disorders including metachromatic leukodystrophy (Thomas, Howell) 36(1972)99
Urine, human, a chromatographic method for aldosterone determination (Leung, Griffiths) 37(1972)423
Urine, human, detection method of drugs at therapeutic dosages using adsorption column chromatography and thin-layer chromatography (Hetland, Knowlton, Couri) 36(1972)473
Urine, human, the determination of 3-hydroxyanthranilic acid, by thin layer electrophoresis and fluorimetry (Toseland, Michelin, Price) 37(1972)477
Urine, human, a fluorometric method for 3-hydroxyanthranilic acid (Watanabe, Hayashi) 37(1972)417
Urine, human, the identification and metabolic origin of 2-furoylglycine and 2,5-furandicarboxylic acid in (Pettersen, Jellum) 41(1972)199
Urine, human, radiogas chromatographic analysis of sulfoconjugates of C-21-corticosteroid-metabolites (Takeda, Noto, Murakami) 36(1972)163
Urine, human, specific isolation and analysis of mucopolysaccharides (glycosaminoglycans) from (Goldberg, Cotlier) 41(1972)19
Urine, 5-hydroxy-indolacetic acid in patients with atypical phenylketonuria (Matsuda, Sugai, Arashima, Anakura) 34(1971)491

Urine, hydroxyproline, clinical significance in sarcoidosis (Uitto, Tani, Pihko) 32(1971)265
Urine, hydroxyproline excretion and growth in children with congenital heart disease (Yamamoto, Ohgimi, Kojima, Matsuda) 37(1972)165
Urine, human, iso-homovanillic acid determination (Comoy, Bohuon) 35(1971)369
Urine, human, sorbitol and mannitol (Ingram, Applegarth, Sturrock, Whyte) 35(1971)523
Urine, imidazoles, histidinaemia, automatic column chromatography (Wadman, De Bree, Van der Heiden, Van Sprang) 31(1971)215
Urine from an infant with fatal congenital lactic acidosis, aliphatic C_6–C_{14} dicarboxylic acids in (Borg, Lindstedt, Steen) 41(1972)363
Urine, iodine determination, improved method (Mantel) 33(1971)39
Urine, isolation of crystalline uric acid from, for urate pool or turnover measurements (Johnson, Emmerson) 41(1972)389
Urine, isonicotinic acid hydrazide (Russell) 31(1971)367
Urine, kallikrein, isotopic assay of esterase activity (Beaven, Pierce, Pisano) 32(1971)67
Urine in malignant melanoma, precursors of melanin in the blood and (Hinterberger, Freedman, Bartholomew) 39(1972)395
Urine, metabolites, G.L.C. analysis in abnormal tyrosine and phenylalanine metabolism in patients with tyrosyluria and phenylketonuria (Wadman, Van der Heiden, Ketting, Sprang) 34(1971)277
Urine, metabolites of tryptophan, a method for the determination (Bell, Mainwaring) 35(1971)209
Urine, metanephrines and melanogens, chromatographic separation (Vallon, Badinand, Bichon) 36(1972)397
Urine, metanephrines and VMA, gas-chromatographic estimation (Van de Calseyde, Scholtis, Schmidt, Leyten) 32(1971)361
Urine, a method for the estimation of indolyl-acryloylglycine in (Marklová, Hais) 40(1972)455
Urine, a method for the quantitative extraction of radioactive tyramine and its metabolites from. Tyramine metabolism (Smith, March, Gordon) 40(1972)415
Urine, 3-methoxy-4-hydroxymandelic acid, gas–liquid chromatography, as vanillyl alcohol (Dekirmenjian, Maas) 32(1971)310
Urine, non-pregnancy, a rapid method for the estimation of oestrogens in (Outch, Dennis, Larsen) 40(1972)377
Urine, normal, acid mucopolysaccharides, other carbohydrate polymers, quantitation (Rosenfeld) 31(1971)263
Urine, normal, iron and transferrin in (Tavenier, Raaijmakers, Van Eijk, Leijnse) 32(1971)63
Urine, occurrence of adipic and suberic acid in, from ketotic patients (Pettersen, Jellum, Eldjarn) 38(1972)17
Urine, "oestriol" determination, an automated method in pregnant and non-pregnant subjects (Barnard, Logan) 34(1971)377
Urine, oestriol, simple method (Tenhaeff, Maruhn, Ahl) 31(1971)37
Urine, oestriol, simple (Rosenthal, Yaseen) 31(1971)171
Urine, oestriol, phenolic steroid ring Dα-ketols, conjugation (Tan, Anuman-Rajadhon, Hobkirk) 31(1971)387
Urine, oestrogens, a simple automated method for measurement in pregnant women (Hainsworth, Hall) 35(1971)191
Urine, oxalate, improved colorimetric procedure (Hodgkinson, Williams) 36(1972)127
Urine, 17-oxo steroids, gas–liquid chromatographic fractionation, adrenocortical dysfunction, diagnostic aid (Makin, Trafford) 32(1971)299
Urine, paraquat (1,1′-dimethyl-4,4′-bipyridylium cation) determination (Berry, Groove) 34(1971)5
Urine of patients with kidney transplants, discontinuous microdisc-electrophoresis for quantitative albumin determination in (Weise, Bockhorn) 42(1972)391
Urine, phenolic acids in tyrosinemia. Identification and quantitation by gas chromatography–mass spectrometry (Crawhall, Mamer, Tjoa, Claveau) 34(1971)47
Urine porphyrins, a new precise and sensitive method for the assay of, using combined thin-layer chromatography and spectrophoto-fluorimetric analysis (Pinelli, Gaspari) 39(1972)135
Urine, pregnancy, oestrogens, automated analysis (Campbell, Gardner) 32(1971)153
Urine, pregnancy, oestrogen determination in (Crowley, Garbien, Rosser) 38(1972)91
Urine, pregnancy, a rapid colorimetric method for oestriol assay in (Rahman) 39(1972)287

Urine, pregnancy, a simple semi-automated gas-chromatographic method for determining pregnanediol and oestriol simultaneously in (Alink) 39(1972)449
Urine, oregnanediol in, rapid and specific method for the evaluation of (Adessi, Goutte, Lallier, Jayle) 40(1972)399
Urine, proteins, quantitative determination by simple radial immunodiffusion (Keler-Bacoka) 35(1971)363
Urine, proteins, sensitive automatic determination (Klosse, De Bree, Wadman) 32(1971)321
Urine protein, simple and rapid method for quantitative determination (Hemmingson) 36(1972)185
Urine, quantitative analysis of hydroquinone in (Seutter, Sutorius) 38(1972)231
Urine, quantitative estimation of 3-methoxy-4-hydroxy phenylacetic acid (homovanillic acid) (Kahane, Vestergaard) 35(1971)49
Urine, a quick and accurate pregnanediol determination in, during pregnancy by semi-automated gas-liquid chromatography (Anker, Van Kampen) 42(1972)335
Urine, a rapid method for the analysis of enzyme hydrolysable 11-deoxy-17-oxosteroids in (Moore) 39(1972)532
Urine, rat, effects of age, sex, fasting and surgery on the excretion of neuraminyllactose and neuraminyl-*N*-acetyllactose (Maury, Huttunen) 37(1972)433
Urine, serum and, determination of amylase activity in, using blue starch substrate (Irie, Hunaki, Bando, Kawai) 42(1972)63
Urine, serum and, the determination of pipecolic acid in (Grimble) 38(1972)113
Urine, serum and, direct colorimetric determination of phosphorus in (Drewes) 39(1972)81
Urine, and serum glycopeptides and glycosaminoglycans in aspartylglucosaminuria (Palo, Savolainen) 36(1972)431
Urine, serum iron and ferrioxamine in, automated determination (Werkman, Trijbels, Van Munster, Schretlen, Moerkerk) 31(1971)39
Urine, and serum, ninhydrin-positive substances, in patients with chronic uraemia (Adam, Dzúrik, Valovicová) 36(1972)241
Urine, and serum of patients suffering from acute pancreatitis containing α-amylase for hydrolysis of a water-insoluble substrate incorporated into solidified agar medium (Ceska) 36(1972)463
Urine and serum, quantitative determination of EDTA and other polyamino acetic acids in (Stáhlavská, Malát) 41(1972)181
Urine, severely injured humans, isomaltose and maltose (Vítek, Vítek, Cowley) 33(1971)33
Urine, simple quantitative method for determining 8-methoxy-4-hydroxyphenyl-acetic acid and 3,4-dihydroxyphenylacetic acid in (Vidi, Bonardi) 38(1972)463
Urine, specific spot test for homocystinuria in filter paper saturated with (Maya, Sabater) 39(1972)261
Urine, steroids, high resolution gas chromatography on glass capillary columns (Völlmin) 34(1971)207
Urine sugar, blood and liquor (Giterson, Lie Fong, Wederfoort, Schouten) 34(1971)489
Urine, tyrosine and phenylalanine metabolites, cystic fibrosis and amino acid malabsorption (Van der Heiden, Wadman, Ketting, De Bree) 31(1971)133
Urine, tyrosine and phenylalanine metabolites, G.L.C. analysis, in patients with gastro-intestinal disorders (Van der Heiden, Wauters, Ketting, Duran, Wadman) 34(1971)289
Urine, untreated, amino acids, paper chromatography (Saini) 31(1971)482
Urine, uric acid, direct colorimetric determination, uricase–catalase system (Kageyama) 31(1971)421
Urine, variations in steroid profiles after birth (Horning, Hung, Hill, Horning) 34(1971)261
Urine, Zollinger–Ellison patients, chromatographic separation of gastric secretory substances (Vatier, Dubrasquet, Bader, Bonfils) 33(1971)365
Uterine and hepatic protein biosynthesis in estrogen-treated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 42(1972)225
Uterine mucosubstances, study on the, accompanying the infertility effect of an intra-uterine device (Abe, Endo, Yosizawa) 42(1972)29

V

Varicose subjects, serum of healthy and, determination of enzymes and degradation products of glycosaminoglycan metabolism in the (Niebes) 42(1972)399

Vickers M-300 automated biochemical analysis system, the, application of serum cholesterol determination with *o*-phthaldehyde reagent to (Naka) 42(1972)193

Vitamin A analyses, liver, factors affecting the laboratory management of human serum and (Parkinson, Gal) 40(1972)83

Vitamin A-deficiency, and kwashiorkor children, urinary excretion of acid mucopolysaccharides (Mohanram, Reddy) 34(1971)93

Vitamin B_6, a chromatographic separation of the different forms of (Tiselius) 40(1972)319

Vitamin B_6 enzymes, in normal and pre-eclamptic human placentae (Gaynor, Dempsey) 37(1972)411

Vitamin B_6 and nicotinamide, the influence of simultaneous administration of, on tryptophan metabolism in Hodgkin's disease (Allegri, Muggeo, De Antoni, Costa, Crepaldi) 40(1972)258

Vitamin B_{12}, abnormal high binding capacity of blood in chronic myeloid leukemia (Fischer) 36(1972)409

Vitamin B_{12} assay in serum, systematic investigation by radioisotope dilution (Brombacher, Gijzen, Soons) 36(1972)389

Vitamin B_{12} deficiency, urinary excretion of histidine metabolites as an indication for folic acid and (Van Roon-Djordjevic, Cerfontain-Van Staalen) 41(1972)55

Vitamin B_{12} levels in serum, and chlorpromazine (Voogd, Van den Burg) 37(1972)533

Vitamin B_{12}, radiosorbent assay, solid phase intrinsic factor (Ceska, Lunkvist) 32(1971)339

Vitamin D (calciferol), the reaction of, with tetracyanoethylene. The basis of a possible chemical method to estimate vitamin D (Evans) 38(1972)85

Vitiligo, copper pathochemistry (Genov, Bozhkov, Zlatkov) 37(1972)207

W

Water-insoluble substrate, incorporated into solidified agar medium hydrolysis by enzyme α-amylase contained in serum and urine of patients suffering from acute pancreatitis (Ceska) 36(1972)463

Water-insoluble substrate, incorporated into solidified medium by the enzyme α-amylase contained in normal human blood, serum and plasma (Ceska) 36(1972)453

Whole blood, serum and plasma of patients with epilepsie, rapid quantitative determination of diphenylhydantoin (Bock, Sherwin) 34(1971)97

Wilson's disease, copper binding in alimentary secretions, radiometric assay (Gollan, Davis, Deller) 31(1971)197

Wilson's disease, improved method for investigation of copper metabolism in patients with, using ^{64}Cu (Biesold, Günther) 42(1972)353

X

Xanthine oxidase activity by benzodiarone, the inhibition of (Marcolongo, Marinello, Riariosforza, Pagani) 41(1972)91

Xylose absorption test, index of intestinal absorption (Aung-Than-Batu, Hla-Pe, Thein-Than) 32(1971)145

Z

Zinc, determination by atomic absorption spectroscopy, trichloroacetic acid on (James, MacMahon) 32(1971)307
Zinc, enhancement of renal excretion of, by hydrochlorothiazide (Pak, Ruskin, Diller) 39(1972)511
Zollinger–Ellison syndrome, isolation and nature of urinary gastrosecretagogue substances in, and in pernicious anaemia (Vatier, Neuburger, Dubrasquet, Bonfils) 40(1972)391

PROCEEDINGS OF THE EIGHTH FEBS MEETING AMSTERDAM, 1972

in 5 volumes

North-Holland Publishing Company takes pleasure in announcing the publication of 5 volumes which contain the Proceedings of the 8th Meeting of the Federation of European Biochemical Societies. Devoted to invited lectures delivered on the main topics, these 5 volumes will be of interest to all involved in the wide field of biochemical research.

The books were published in rapid succession and within a very short time of the meeting, which was held in Amsterdam, August 30—Sept. 5, 1972.

The 5 volumes are also available separately:

Volume 25: Analysis and Simulation of Biochemical Systems
1972. 468 pages. Dfl. 75.00 (ca. $23.50)

Volume 26: IMMUNOGLOBULINS: Cell Bound Receptors and Humoral Antibodies
1972. 116 pages. Dfl. 22.50 (ca. $7.00)

Volume 27: RNA VIRUSES: Replication and Structure. RIBOSOMES: Structure, Function and Biogenesis
1973. 325 pages. Dfl. 55.00 (ca. $17.25)

Volume 28: MITOCHONDRIA: Biogenesis and Bioenergetics. BIOMEMBRANES: Molecular Arrangements and Transport Mechanisms
1973. 430 pages. Dfl. 70.00 (ca. $22.00)

Volume 29: ENZYMES: Structure and Function
1973. 365 pages. Dfl. 45.00 (ca. $14.00)

set of 5 volumes

Orders placed for the set of 5 volumes will be supplied at the special price of Dfl. 200.00 (ca. $ 62.50) per set

At the request of the FEBS Publications Committee, the volumes are numbered 25, 26, 27, 28 and 29. This is to provide continuity with previously published Proceedings.

NORTH-HOLLAND PUBLISHING COMPANY

P.O. Box 1270 - AMSTERDAM - THE NETHERLANDS

a low priced, up-to-date textbook of immediate importance to all involved in the vital field of coronary care

textbook of coronary care

Editors: Lawrence S. Dalton, Presbyterian-University of Pennsylvania Medical Center, Philadelphia, and Arend J. Dunning, University Department of Medicine, Binnengasthuis, Amsterdam.

1972. 530 pages
Dfl. 85.00 (ca. $ 17.25)
ISBN 90-219-5103-2

Ten years of coronary care have produced thousands of publications, increasing our knowledge of the subject at a geometric rate. The practicing clinician, trying to keep abreast with these developments is in need of authorative, concise information, enabling him to improve his care of the patient.
This book is intended as a summary of what has been achieved and established in a decade of coronary care and it describes the current status of it fully. Moreover and more important, the text serves as a reference source for the clinician, responsible for patients with acute myocardial infarction.
The experience and expertise of 74 [illegible] specialists provides an up-to-date [illegible] and guidelines. Summarizing [illegible] bibliography of all important [illegible] which appeared during the last [illegible] years.

Contents: I. Historical Survey. Three Contributors: F. G. Alexander, R. W. E. Brown, P. L. Prosser, J. R. Rhind, R. L. Mackellar and L. E. Mellor. II. The Diagnosis of Acute Myocardial Infarction. Contributors: E. L. Coodley and L. Schamroth. III. The Clinical Course of Acute Myocardial Infarction. Contributors: A. A. J. Adgey, H. E. Cohen, D. Hunt, R. R. H. Lovell, L. E. Meltzer, J. F. Partridge, A. A. F. Peel, Th. Semple, G. Sloman and J. V. Warren. IV. The Management of Arrhythmias. Contributors: E. L. Alderman, K. Cohn, L. S. Dreifus, A. J. Dunning, L. S. Gettes, W. J. Grace, D. C. Harrison, Th. N. James, D. E. Jewitt, B. W. Johansson, B. G. Julian, Th. Killip, E. M. Marmor, G. K. Messing, H. C. Miller, S. Nims, M. P. Oliver, M. R. Peel, A. Selzer, S. N. Singh, B. Surawicz and V. Wasastjerna. V. Resuscitation. Contributors: N. H. Cassem, A. Gibson, A. S. Gordon, Th. P. Hackett, E. Kirkeit and P. Safar. VI. The Management of Left Ventricular Failure and Cardiogenic Shock. Contributors: R. S. Brown, A. J. V. Cameron, A. Kantrowitz, J. H. Kennedy, E. J. Kirby, R. Malmcrona, A. Mallinson, L. McDonald, M. W. Mintzer, H. A. Ross, V. Sinaiko, W. C. Stanmeyer, H. Swan, M. Thomas and M. W. Wolf. VII. The Assessment of Ectopic Complexities of Arrhythmias and Intervention. Contributors: D. C. Harrison, S. E. Mason, R. G. Gorlin, [illegible], R. D. Rosenkranz, C. W. Urquhart, W. Vermeulen and J. Pardee. VIII. Miscellaneous. B. Contributors: Gorlin, Rosenkranz, J. E. Pardee, J. D. Johnson, G. F. Bouwer, N. J. E. Dees, H. R. Warner and R. E. Whalen. Supplemental bibliography. Subject index.

excerpta medica P.O. Box 1679 Amsterdam The Netherlands

Sole distributor for the U.S.A. and Canada:
The Charles Press, Philadelphia.